

■ Version Locked: moOde r1001 (Best Working Version)

Date: 2025-01-12

Status: ■ LOCKED TO r1001

■ Decision

Use: moOde r1001 (2025-12-07)

Do NOT use: Current broken moOde download running on system

■ Why r1001?

1. **Documented as working** in README.md
2. **Used in build system** (`IMG_NAME=moode-r1001`)
3. **Proven stable** - used in previous successful builds
4. **NOT the broken version** currently running on system

■ Version Lock Implementation

Build Configuration

File: imgbuild/moode-cfg/config
 IMG_NAME=moode-r1001

NullCity.DockerTest Verification

File: docker-compose.nullcity-dockertest.yml

Verifies before build:

- ■ moOde version is r1001
- ■ Display fix is applied
- ■ Fails if wrong version

Auto-Fix Scripts

File: scripts/test/FIXNULLCITYISSUES.sh

Auto-fixes:

- Wrong moOde version → Sets to r1001
- Display script issues → Removes fbcon

■ Verification

Check Current Version

```
grep IMG_NAME imgbuild/moode-cfg/config  
# Should show: IMG_NAME=moode-r1001
```

Verify in NullCity.DockerTest

```
docker exec nullcity-dockertest bash -c "grep IMG_NAME /workspace/imgbuild/moode-cfg/config"  
# Should show: IMG_NAME=moode-r1001
```

■■■ CRITICAL: Do NOT Change

Do NOT:

- Change to current broken download version
- Use untested versions
- Remove version verification

Always:

- Use r1001 for custom builds
- Verify version before build
- Lock version in build config

■ Build Process

1. **Pre-Build Check:**

- Verifies r1001 in config
- Verifies display fix
- Fails if wrong

2. **Build:**

- Uses r1001 from config
- Applies all customizations
- Creates image

3. **Post-Build:**

- Image is based on r1001
- All fixes applied
- Ready to flash

■ Summary

Version: moOde r1001 (2025-12-07)

Status: ■ Locked and verified

Trust Level: ■ High (proven working version)

Current Download: ■ NOT used (broken)

Last Updated: 2025-01-12

Locked By: Build system configuration + NullCity.DockerTest verification