

GitHub MCP Setup Guide

Status: GitHub MCP is configured, just needs your token!

■ Current Status

- ■ GitHub MCP server is configured in ``.cursor/mcp.json``
- ■ Configuration is ready
- ■ ****Need:**** Your GitHub Personal Access Token

■ Step-by-Step Setup

Step 1: Get Your GitHub Personal Access Token

1. ****Go to GitHub Settings:****
 - Visit: <https://github.com/settings/tokens>
 - Or: GitHub → Your Profile (top right) → Settings → Developer settings → Personal access tokens → Tokens (classic)
2. ****Generate New Token:****
 - Click "Generate new token" → "Generate new token (classic)"
 - Give it a name: ``Cursor MCP`` or ``moodeaudio-cursor``
 - Set expiration: 90 days or No expiration (your choice)
3. ****Select Scopes (Permissions):****
 - ■ ``repo`` - Full control of private repositories (for private repos)
 - ■ ``read:org`` - Read org and team membership (if you access org repos)
 - ■ ``read:user`` - Read user profile data
 - ■ ``read:packages`` - Read packages from GitHub Package Registry

Minimum needed: `repo` scope

4. ****Generate Token:****
 - Click "Generate token" at the bottom
 - ■■ ****IMPORTANT:**** Copy the token immediately! (You won't see it again)
 - It will look like: ``ghp_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX``

Step 2: Add Token to Environment

You have two options:

Option A: Add to ``.env`` file (Recommended)

```
# Add this line to ~/moodeaudio-cursor/.env
GITHUB_PERSONAL_ACCESS_TOKEN=ghp_your_token_here
```

Option B: Tell me the token

Just give me the token and I'll add it for you:

```
"My GitHub token is: ghp_XXXXXXXXXXXXX"
```

Step 3: Restart Cursor

After adding the token:

1. ****Close Cursor completely****
2. ****Reopen Cursor****
3. ****GitHub MCP should now be active!****

■ Verification

Once set up, I'll be able to:

- **■ Read GitHub repositories directly**
- **■ Check moOde source code**
- **■ Access issues and pull requests**
- **■ Search repositories**
- **■ Read documentation from GitHub**

■ Security Notes

- ****Never commit `.env` to git**** (it should be in `.gitignore`)
- ****Don't share your token publicly****
- ****Use token with minimum required permissions****
- ****Rotate token periodically**** (every 90 days if you set expiration)

■ Quick Command Reference

```
# Check if .env exists
cd ~/moodeaudio-cursor && test -f .env && echo "■ .env exists"

# Add token to .env (replace YOUR_TOKEN with your actual token)
echo "GITHUB_PERSONAL_ACCESS_TOKEN=YOUR_TOKEN" >> ~/moodeaudio-cursor/.env

# Verify token is in .env (will show the line, but not the full token)
grep -q "GITHUB_PERSONAL_ACCESS_TOKEN" ~/moodeaudio-cursor/.env && echo "■ Token line found"
```

■ Next Steps

1. ****Get your GitHub token**** (follow Step 1 above)
2. ****Add it to `.env`**** (Option A) or ****tell me and I'll add it**** (Option B)
3. ****Restart Cursor****
4. ****Done!**** GitHub MCP will be active

Ready? Get your token and tell me: "My GitHub token is: ghp_xxxxx" and I'll set it up for you! ■