




HORUS CRYPTO

Official Whitepaper

Fixed-Supply BEP-20 Token on BNB Smart Chain

Version 1.2 - June 2026

Token	HORUS (HORUS)
Contract	0xaa235398f544F624a663d2B76f801177eE4E678A
BscScan	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A
Website	https://horuscrypto.com
Official Email	info@horuscrypto.com
Decimals	18
Total Supply	1,000,000,000 HORUS
Logo / Brand Reference	https://horuscrypto.com/en

No owner | No mint after deployment | No taxes | No proxy | Verified contract reference

Copyright

Copyright © 2026 HORUS Crypto. All rights reserved. This document may be distributed for informational, technical review, investor due diligence, auditor review, developer onboarding, and official project communication, provided that the document is not modified in a misleading way and that the latest official version is obtained from official HORUS Crypto channels.

The HORUS name, token symbol, brand elements, website references, and whitepaper materials are used for the HORUS Crypto project. Any copied, altered, or unofficial version of this whitepaper should be verified against the official website and the BscScan contract address before use.

Version	Date	Status
1.2	June 2026	Updated PDF-only publication version with official website, contract address, BscScan link, decimals, email, and logo/brand reference.

Disclaimer

This whitepaper is provided for informational and technical documentation purposes only. It does not constitute financial advice, investment advice, legal advice, tax advice, an offer to sell securities, or a solicitation to purchase tokens or any financial instrument. HORUS Crypto and the HORUS token may involve technical, regulatory, market, liquidity, smart contract, custody, and operational risks. Readers should conduct their own independent assessment and seek professional advice where appropriate.

The document does not promise profit, yield, price appreciation, trading performance, listing on any exchange, liquidity availability, future utility, or guaranteed adoption. Any roadmap, planned integration, or future component described here is informational and may change based on technical feasibility, regulatory considerations, community feedback, and operational constraints.

Unless specifically stated as implemented in the deployed HORUS token contract, ecosystem concepts such as dashboards, vaults, documentation portals, community programs, or future integrations should be understood as separate components and not as features of the token contract itself.

Table of Contents

Copyright	2
Disclaimer	2
Executive Summary	7
Introduction	7
The Vision of HORUS Crypto	8
Mission	8
Core Principles	8
Blockchain Overview	9
BNB Smart Chain	9
Technical Architecture	10
Smart Contract Design	10
OpenZeppelin Implementation	11
Contract Security Model	12
Contract Limitations	12
Token Standard	13
Token Lifecycle	13
Deployment Process	14
Tokenomics	15
Wallet Allocation	16
Liquidity Strategy	17
Community Growth Strategy	17
Treasury Management	18
Research & Development Strategy	18
Marketing Strategy	18
Strategic Reserve	18

Team Allocation Philosophy	19
Ecosystem Development	19
Developer Ecosystem	20
Future Integrations	20
Governance	20
Risk Analysis	20
Security Best Practices	21
Transparency Policy	21
Open Source Philosophy	22
GitHub Repository Structure	22
Website Overview	22
HORUS Vault Overview	23
Roadmap	23
Future Vision	24
Frequently Asked Questions	25
What is HORUS?	25
What is the official token contract address?	25
What is the official BscScan link?	25
What are the token decimals?	25
What is the total supply?	25
Can more HORUS tokens be minted later?	25
Does HORUS have buy or sell taxes?	25
Is the contract upgradeable?	25
Does the token contract include governance?	25
Is HORUS Vault part of the token contract?	25
Where should users verify official information?	25
Glossary	26

References	26
Appendix A - Official Asset and Link Register	27
Important verification note	27
Appendix B - Deployed Contract Summary	28
Appendix C - Allocation Calculation	28
Appendix D - Review Checklist	28
Appendix E - Contract Feature Verification Matrix	29
Appendix F - Public Link Verification Workflow	30
Appendix G - User Safety and Anti-Impersonation Guidance	30
Appendix H - Treasury Reporting Template	31
Appendix I - Wallet Management Operating Principles	31
Appendix J - Developer Integration Checklist	32
Appendix K - Audit Readiness Notes	32
Appendix L - HORUS Vault Separation Requirements	33
Appendix M - Website and Social Channel Policy	33
Appendix N - Changelog and Versioning Policy	34
Appendix O - Token Holder Due Diligence Guide	34
Appendix P - Professional Publication Checklist	34
Appendix Q - Supply Mathematics and Display Units	35
Appendix R - Allowance and Approval Model	35
Appendix S - Transfer Behavior Review Notes	36
Appendix T - Audit Preparation Data Room	36
Appendix U - Regulatory and Non-Investment Positioning	37
Appendix V - Communication Standards	37
Appendix W - Social Link Update Procedure	38
Appendix X - BscScan Profile and Explorer Notes	38

Appendix Y - Website Publication Notes	38
Appendix Z - Final Verification Record	39
Appendix AA - PDF Quality Assurance Statement	39

Executive Summary

HORUS Crypto is a blockchain token project centered on HORUS, a fixed-supply token deployed on BNB Smart Chain as a BEP-20 / ERC20-compatible asset. The token uses Solidity and an OpenZeppelin ERC20 implementation pattern. The documented contract address for this whitepaper is 0xaa235398f544F624a663d2B76f801177eE4E678A.

The HORUS token has 18 decimals and a fixed total supply of 1,000,000,000 HORUS. Supply is minted once during deployment only. The token design described in this whitepaper does not include post-deployment minting, burn logic, blacklist or whitelist systems, pausing, upgradeability, proxy control, transaction taxes, wallet limits, transaction limits, cooldown systems, or anti-bot logic.

The project documentation emphasizes transparency, reviewability, and predictable token behavior. These design decisions should not be interpreted as eliminating all risk. They clarify the intended contract behavior and reduce the number of hidden or discretionary mechanisms readers must evaluate.

Field	Value
Project Name	HORUS Crypto
Token Name	HORUS
Symbol	HORUS
Network	BNB Smart Chain
Token Standard	BEP-20 / ERC20-compatible
Smart Contract Address	0xaa235398f544F624a663d2B76f801177eE4E678A
BscScan Token Page	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A
Official Website	https://horuscrypto.com
Official Email	info@horuscrypto.com
Logo / Brand Reference	https://horuscrypto.com/en
Decimals	18
Total Supply	1,000,000,000 HORUS
Supply Type	Fixed supply
Supply Creation	Minted once during deployment only
Compiler	v0.8.35+commit.47b9dedd

Introduction

Public blockchain tokens are most useful when their core properties can be inspected directly by participants. HORUS Crypto is presented as a transparent fixed-supply token project with a narrow and clearly described contract surface. The project avoids embedding discretionary trading controls inside the HORUS token contract.

This whitepaper is designed for publication on the official website, GitHub, community channels, and technical review environments. It is written for token holders, developers, auditors, partners, and other readers who need a structured explanation of the deployed token, its allocation model, its limitations, and its risk profile.

The whitepaper distinguishes between implemented token contract behavior and broader ecosystem concepts. This distinction is important because websites, dashboards, vaults, community programs, and future integrations can evolve without implying that the HORUS token contract itself contains additional hidden functionality.

The Vision of HORUS Crypto

The vision of HORUS Crypto is to build a recognizable, technically transparent digital asset ecosystem around a fixed-supply token whose core behavior can be independently reviewed on-chain. The project is not positioned as a shortcut to profit or as a guarantee of market performance. Instead, the project emphasizes clarity, public verification, and disciplined communication.

The name HORUS reflects a symbolic association with visibility and awareness. In the context of this whitepaper, that symbolism is applied to open information, public verification, and a commitment to avoid unsupported claims about the smart contract or future ecosystem. The token contract is deliberately simple: it defines supply, balances, allowances, and transfers without adding discretionary token-control mechanisms.

Mission

The mission of HORUS Crypto is to provide a fixed-supply BEP-20 token with transparent tokenomics, public contract verification, and a structured foundation for future ecosystem development. This mission is technical and operational rather than speculative. It focuses on documentation quality, responsible communication, and clear separation between token behavior and external ecosystem services.

HORUS Crypto aims to make it easy for a reader to answer core due diligence questions: What is the contract address? What is the total supply? How many decimals does the token use? Are there taxes? Are there hidden limits? Is the contract upgradeable? Which components are implemented in the token contract, and which components belong to the wider ecosystem?

Core Principles

The HORUS token documentation is based on a set of core principles intended to guide technical explanation, public communication, and ecosystem expansion. These principles do not guarantee adoption or performance. They provide a discipline for how the project should describe itself and how participants should verify claims.

- Transparency: key token parameters, contract address, BscScan reference, and allocation categories should be publicly disclosed.

- Predictability: the token contract should be described according to implemented behavior, not aspirational functionality.
- No hidden privilege model: readers should be able to inspect whether administrative transfer controls, taxes, or limits exist.
- Separation of scope: future tools and vault components must be described separately from the token contract.
- Responsible language: the project should avoid profit promises, exaggerated security claims, or unsupported market expectations.

Blockchain Overview

A blockchain is a distributed ledger in which state changes are recorded through transactions and validated according to the rules of a network. Token contracts operate as programs deployed to this environment. Users interact with the token through wallets, decentralized applications, block explorers, and other interfaces that submit transactions or read contract state.

The HORUS token is designed as a fungible token. Fungible tokens are units where each unit of the same token is intended to be interchangeable with another unit. The practical interface exposed to wallets and applications includes functions such as balance lookup, transfer, allowance approval, and transfer from an approved balance.

BNB Smart Chain

HORUS is deployed on BNB Smart Chain, a blockchain network compatible with the Ethereum Virtual Machine. EVM compatibility allows Solidity smart contracts and common Ethereum tooling patterns to be used in a BNB Smart Chain environment. This makes it easier for wallets, explorers, and developers familiar with ERC20 tokens to interact with BEP-20 assets.

BNB Smart Chain provides a public execution environment where users can verify transactions, inspect token transfers, review contract source code when verified, and read contract functions through block explorers. HORUS documentation relies on BscScan as the primary public explorer reference for the token contract.




Figure 1. Technical architecture and separation between the token contract, network, website, explorer, and future ecosystem components.

Technical Architecture

The HORUS technical architecture is intentionally simple at the token layer. The smart contract exists on BNB Smart Chain and exposes standard ERC20-compatible behavior. External systems such as the website, documentation, community channels, dashboards, and future ecosystem applications are outside the token contract unless they are separately deployed and documented.

This separation is important for reviewers. A website can publish information and link to services, but it does not change token balances. A dashboard can read data, but it should not be assumed to control token logic. A future vault, if deployed, should be evaluated as its own component with its own contract address, source code, risks, and controls.

Smart Contract Design

The HORUS token contract is described as a standard OpenZeppelin ERC20 implementation deployed on BNB Smart Chain with a fixed total supply. The entire supply is minted during deployment. After deployment, the token contract is not designed to create new tokens. This design makes the supply model simple to explain and easier to verify from the deployed contract.

The contract design excludes several common discretionary mechanisms. It does not include an owner role, administrative privileges for changing token behavior, minting after deployment, burn logic, blacklist or whitelist mechanics, pausing, upgradeable proxy

structure, transaction taxes, buy or sell taxes, wallet caps, transaction caps, cooldowns, anti-bot controls, or hidden transfer permissions. The absence of these mechanisms improves predictability, but it does not remove ordinary smart contract, wallet, liquidity, market, or operational risks.

Design Item	Status	Transparency / Predictability Rationale
Owner	No owner / no administrative owner role	No privileged owner account is expected to alter token behavior after deployment. Users review a narrower permission model.
Administrative privileges	None described for token control	Operational decisions are separated from token transfer logic, reducing ambiguity about who can change balances or rules.
Mint after deployment	No mint function after deployment	The public supply model is easier to understand because additional supply cannot be created through a post-deployment mint function.
Burn function	No burn function	Supply reduction is not embedded as a token feature, so supply behavior remains simple and predictable.
Blacklist / whitelist	Not implemented	Transfers are not conditioned on special address lists in the token contract.
Pause	Not implemented	Token transfers are not exposed to a global administrative pause mechanism.
Upgradeability / proxy	Not implemented	Token logic is not designed to be replaced through a proxy pattern.
Transaction taxes	No buy, sell, or transfer taxes	Transfers do not apply contract-level fee deductions or routing logic.
Wallet / transaction limits	Not implemented	The token contract does not add size-based transfer restrictions or wallet caps.
Cooldown / anti-bot logic	Not implemented	The token follows standard transfer behavior without timing-based restrictions.

OpenZeppelin Implementation

OpenZeppelin Contracts is a widely used library for implementing standard token behavior. HORUS uses an OpenZeppelin ERC20 implementation pattern rather than a custom token engine. This is relevant because standardized interfaces are more familiar to wallets, explorers, developers, and reviewers.

OpenZeppelin ERC20 includes standard concepts such as balances, transfers, approvals, allowances, name, symbol, and decimals. The decimals value is used by interfaces to display token amounts; internally, token arithmetic is represented as integer values. For HORUS, the published decimals value is 18.

Using a standard implementation does not guarantee that a token is risk-free. It improves reviewability by reducing the amount of unusual custom logic and by aligning with known ERC20 behavior.

Contract Security Model

The HORUS contract security model should be understood as a minimal-permission, fixed-logic model. The token contract does not expose owner-driven mutation functions, and it does not rely on an upgradeable proxy. This reduces the number of administrative actions participants need to monitor at the token level.

However, security is not only a matter of contract code. Wallet private key protection, treasury management, liquidity custody, website integrity, DNS security, social-channel impersonation, and user approval hygiene remain important. A transparent token contract can still be affected by off-chain operational failures or by user-level mistakes.




Figure 2. Security model summary: minimal ERC20 surface, no owner controls, no proxy path, public verification, and separate operational security concerns.

Contract Limitations

The HORUS token contract is intentionally limited. It does not implement on-chain governance, staking, yield distribution, reflections, buyback logic, automated liquidity management, vesting enforcement, blacklisting, whitelisting, or future minting. These omissions are part of the predictable token design and should not be misrepresented as missing hidden features.

A limited token contract also means that some operational policies must be managed outside the token itself. For example, if the project publishes treasury updates, liquidity updates, or wallet-use policies, those processes are not automatically enforced by the HORUS token contract unless separate smart contracts are later deployed and verified.

Token Standard

HORUS is presented as a BEP-20 token on BNB Smart Chain. BEP-20 tokens are ERC20-compatible tokens operating within the BNB Smart Chain environment. This compatibility supports common wallet and explorer interactions, including token transfers, balance queries, allowances, and standard event tracking.

The token name is HORUS, the symbol is HORUS, and the decimals value is 18. The official contract address for this whitepaper is 0xaa235398f544F624a663d2B76f801177eE4E678A. Readers should always copy the address from official documentation or verify it directly on BscScan to avoid interacting with an impersonation token.

Field	Value
Project Name	HORUS Crypto
Token Name	HORUS
Symbol	HORUS
Network	BNB Smart Chain
Token Standard	BEP-20 / ERC20-compatible
Smart Contract Address	0xaa235398f544F624a663d2B76f801177eE4E678A
BscScan Token Page	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A
Official Website	https://horuscrypto.com
Official Email	info@horuscrypto.com
Logo / Brand Reference	https://horuscrypto.com/en
Decimals	18
Total Supply	1,000,000,000 HORUS
Supply Type	Fixed supply
Supply Creation	Minted once during deployment only
Compiler	v0.8.35+commit.47b9dedd

Token Lifecycle

The HORUS token lifecycle begins with contract compilation, deployment, one-time minting of the fixed supply, allocation to designated wallets, source verification, and public use through standard token transfers. After deployment, the token contract operates according to its deployed logic.

Because no post-deployment mint function is included, the supply lifecycle is intentionally narrow. The relevant lifecycle questions become: where was the supply allocated, how are project wallets used over time, are disclosures maintained, and do external ecosystem components accurately distinguish themselves from the token contract?




Figure 3. Token flow from deployment and one-time mint through allocation and standard ERC20 transfers.

Deployment Process

Deployment is the process by which the compiled smart contract is published to BNB Smart Chain. According to the project specification, supply is minted once during deployment only. The deployed contract can then be verified on a block explorer so that users can compare source code, ABI, compiler settings, and on-chain bytecode.

The documented BscScan token page for this whitepaper is <https://bscscan.com/token/0xaa235398f544f624a663d2b76f801177e4e678a>. BscScan currently identifies the token as HORUS (HORUS), lists the max total supply as 1,000,000,000 HORUS, shows the token contract with 18 decimals, and displays source-code verification information for the contract address supplied in this document.

The deployment process should be accompanied by internal records including deployment transaction, compiler version, constructor parameters, allocation wallet addresses, and source verification artifacts. If not all data is publicly disclosed at once, the whitepaper should identify placeholders clearly rather than inventing details.




Figure 4. Contract lifecycle from compilation to deployment, one-time mint, verification, and standard operation.

Tokenomics

Tokenomics describes how the fixed HORUS supply is allocated and how those allocation categories support the project. The total supply is 1,000,000,000 HORUS. The allocation model includes liquidity, community rewards, ecosystem growth, foundation treasury, research and development, marketing and partnerships, strategic reserve, and team allocation.

The allocation percentages sum to 100 percent. These categories are descriptive and should be supported by transparent wallet labeling, public reporting, and responsible treasury procedures. Allocation categories do not guarantee that tokens will be spent, locked, released, or used in a particular way unless separate binding mechanisms are implemented and disclosed.

Wallet	HORUS	%	Purpose
Liquidity Wallet	100,000,000	10%	Initial and ongoing market liquidity support for accessible trading venues and transparent market formation.
Community Rewards Wallet	200,000,000	20%	Community incentives, education campaigns, participation programs, and contributor engagement.
Ecosystem Growth Wallet	200,000,000	20%	Developer grants, integrations, tooling, ecosystem pilots, and partner-oriented expansion.

Wallet	HORUS	%	Purpose
Foundation Treasury Wallet	220,000,000	22%	Long-term treasury for continuity, infrastructure, legal, compliance, operations, and strategic execution.
Research & Development Wallet	100,000,000	10%	Engineering, testing, audits, prototypes, security tooling, and technical research.
Marketing & Partnerships Wallet	100,000,000	10%	Brand communication, educational media, public relations, events, exchange discussions, and partnerships.
Strategic Reserve Wallet	50,000,000	5%	A conservative reserve for future contingencies, strategic opportunities, or risk-managed ecosystem needs.
Team Wallet	30,000,000	3%	Long-term contributor alignment and retention under transparent internal allocation policies.




Figure 5. Token allocation pie chart based on the fixed total supply of 1,000,000,000 HORUS.

Wallet Allocation

The wallet allocation model divides the full token supply into eight functional categories. Each category has a stated purpose. Clear categorization helps readers understand why tokens exist in particular wallets and how future reporting can be structured.

The most important transparency practice is consistency between published allocation labels and on-chain wallet activity. A wallet named as a community rewards wallet should not be described as a different category later without a public explanation. Similarly, any movement of treasury, reserve, or team tokens should be communicated in a way that does not mislead holders or reviewers.




Figure 6. Wallet allocation diagram showing the eight fixed allocation categories and their percentages.

Liquidity Strategy

The liquidity wallet receives 100,000,000 HORUS, representing 10 percent of the fixed supply. The purpose of this wallet is to support market access through liquidity provisioning where appropriate. Liquidity strategy should be documented carefully because liquidity affects the ability of participants to buy or sell tokens, but it does not remove market risk or guarantee price stability.

A responsible liquidity strategy should disclose relevant venues, lock structures where used, wallet movements, and any material changes to liquidity arrangements. If liquidity is locked through a third-party service or separate smart contract, that lock should have its own public reference and risk explanation.

Community Growth Strategy

The community rewards wallet receives 200,000,000 HORUS, representing 20 percent of total supply. Its purpose is to support education, engagement, contributor programs, and community participation. Community rewards should be distributed according to transparent criteria and should avoid misleading promises about financial return.

Community growth should focus on informed participation rather than speculative urgency. Effective programs may include technical education, security-awareness campaigns, documentation translations, developer outreach, feedback programs, ambassador activities, and responsible content distribution.

Treasury Management

The foundation treasury wallet receives 220,000,000 HORUS, representing 22 percent of total supply. The treasury is the largest allocation category and should be managed with particular discipline. Its role may include infrastructure, legal work, compliance review, operational continuity, administrative expenses, and strategic execution.

Treasury transparency can include periodic wallet reports, transaction explanations, budget categories, multisig or custody policies where applicable, and separation of treasury operations from personal or unrelated activity. The HORUS token contract itself does not enforce treasury spending rules unless separate treasury contracts are later deployed and verified.

Research & Development Strategy

The research and development wallet receives 100,000,000 HORUS, representing 10 percent of supply. R&D; supports technical exploration, prototypes, audits, monitoring tools, security improvements, documentation systems, and developer infrastructure.

R&D; activity should be documented in a way that distinguishes between completed work, prototypes, planned work, and speculative ideas. This prevents confusion between implemented features and future technical direction. Any future smart contract released as part of R&D; should be separately verified and documented.

Marketing Strategy

The marketing and partnerships wallet receives 100,000,000 HORUS, representing 10 percent of supply. Marketing should communicate the project clearly without exaggeration. It should not promise profits, guaranteed exchange listings, guaranteed liquidity, or future token price performance.

Partnership communication should be factual and verifiable. Announcements should specify whether a relationship is exploratory, signed, technical, commercial, community-based, or fully integrated. This is especially important in blockchain markets where unsupported partnership language can mislead readers.

Strategic Reserve

The strategic reserve wallet receives 50,000,000 HORUS, representing 5 percent of supply. A reserve allocation gives the project flexibility for future contingencies, strategic needs, ecosystem opportunities, or risk-managed responses to changing conditions.

Reserve usage should be conservative and transparent. The existence of a reserve should not be presented as price support or as a guarantee of liquidity. It is an operational category, not a promise of market intervention.

Team Allocation Philosophy

The team wallet receives 30,000,000 HORUS, representing 3 percent of total supply. The stated purpose is long-term contributor alignment and retention. A relatively small team allocation can reduce concerns about excessive insider concentration, but transparency still matters.

The whitepaper does not invent vesting terms or lock schedules that have not been implemented or disclosed. If the team allocation becomes subject to formal lock contracts, vesting contracts, or public schedules, those details should be added with verifiable contract references.

Ecosystem Development

HORUS ecosystem development may include documentation, wallet tracking, dashboard interfaces, developer tools, community channels, educational content, and separate smart-contract components. These items should be described as ecosystem layers and not as hidden features of the HORUS token contract.

A healthy ecosystem requires clear documentation for both technical and non-technical users. Users should know where to find the official contract address, how to verify BscScan data, how to identify official communications, and how to avoid phishing or impersonation.

Project Ecosystem Diagram

Token, website, explorer references, and future integrations must remain clearly separated.




Figure 7. Project ecosystem diagram showing the token, website, BscScan verification, HORUS Vault, developer integrations, community channels, and future tools.

Developer Ecosystem

The developer ecosystem should prioritize accurate contract references, clean repository structure, reproducible build information, interface documentation, and examples for reading token data. Developers building integrations should avoid assuming that ecosystem claims are implemented in the token contract unless they are visible in the verified ABI or source code.

Useful developer resources may include ABI files, TypeScript interface examples, Solidity interfaces, front-end integration examples, wallet configuration instructions, contract metadata, and security guidelines for users approving token allowances.

Future Integrations

Future integrations may include portfolio dashboards, explorer widgets, wallet integrations, community reward dashboards, treasury transparency pages, analytics panels, and integration with decentralized applications. Any future integration should identify whether it is informational, custodial, non-custodial, off-chain, or on-chain.

If future smart contracts are deployed, they should have their own addresses, source verification, ABI references, audit status, role model, and risk section. The HORUS token contract should not be described as containing future integrations unless those integrations are part of the verified token code.

Governance

HORUS does not implement on-chain governance in the token contract described in this whitepaper. Token holding alone does not automatically create on-chain voting rights, proposal execution authority, parameter control, or treasury execution inside the token contract.

Project decision-making, if conducted through off-chain community processes, should be described as off-chain governance or community consultation rather than binding on-chain governance. If on-chain governance is introduced later through separate contracts, it should be documented as a new system with its own security model.

Risk Analysis

HORUS Crypto is subject to a range of risks. A simple token contract can improve predictability but cannot eliminate the risks that exist around blockchain assets. Readers should evaluate technical risk, market risk, liquidity risk, regulatory risk, custody risk, operational risk, ecosystem risk, and communication risk.

- Smart contract risk: verified source code reduces opacity but does not prove absence of bugs or integration issues.
- Market risk: token prices can be volatile, illiquid, or affected by external market behavior.
- Liquidity risk: users may not be able to trade desired amounts at expected prices.
- Operational risk: project wallets, DNS, hosting, social channels, or communications can be compromised.
- Regulatory risk: digital asset rules vary across jurisdictions and may change over time.
- User risk: mistaken transfers, phishing, malicious approvals, and wallet compromise can lead to irreversible loss.
- Ecosystem risk: future components may introduce new dependencies not present in the token contract.

Security Best Practices

Security best practices apply to both the project team and users. For the project, best practices include source verification, reproducible deployment records, public wallet labels, treasury controls, separation of duties, documentation updates, independent reviews, and careful communication. For users, best practices include verifying the contract address, using trusted wallets, avoiding suspicious links, and reviewing token approvals.

Users should always verify the contract address before adding or trading a token. For HORUS, the address documented in this whitepaper is 0xaa235398f544F624a663d2B76f801177eE4E678A. Users should compare the full address rather than relying only on token names or symbols, because impersonation tokens can use similar names.

Transparency Policy

The HORUS transparency policy should be built around public identifiers and verifiable records. The official website, official email, BscScan token page, contract address, wallet allocation descriptions, and whitepaper version history should be maintained consistently.

When information is not yet available, the project should state that it is not yet available rather than filling the gap with assumptions. This is especially important for audit status, GitHub repository URLs, social links, lock contracts, exchange listings, and future integrations.

Reference	URL / Status
Official Website	https://horuscrypto.com
Official English Website	https://horuscrypto.com/en
Official Email	info@horuscrypto.com
Token Contract	0xaa235398f544F624a663d2B76f801177eE4E678A
BscScan Token Page	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A

Reference	URL / Status
Logo / Brand Reference	https://horuscrypto.com/en
Website Hero / Brand Image Reference	https://horuscrypto.com/banner-en.png
Social Channels	Not included in this version unless confirmed by the project owner; future links should be announced through the official website.

Open Source Philosophy

Open source practices support reviewability, reproducibility, and community understanding. A verified contract on BscScan is an important step, but open source philosophy can extend further through repositories, documentation, issue tracking, deployment scripts, testing instructions, and changelogs.

The HORUS project should publish technical materials in a way that lets independent reviewers compare claims against code. If a repository is not yet public, this whitepaper should avoid inventing one. When a repository becomes official, it should be linked from the official website and this document should be updated.

GitHub Repository Structure

A future official GitHub repository can be structured to separate smart contract code, audits, deployment metadata, website documentation, diagrams, and integration examples. The repository should clearly identify the deployed HORUS token contract and should not mix unrelated experimental contracts with production code without labels.

- /contracts - verified Solidity source and interfaces.
- /deployments/bsc-mainnet - deployment metadata, address references, compiler settings, and verification notes.
- /abi - exported ABI files used by front-end and integration tools.
- /docs - whitepaper, technical notes, tokenomics, and security documentation.
- /diagrams - architecture, token flow, wallet allocation, security model, and roadmap diagrams.
- /audits - audit reports or review letters when available.
- /examples - wallet, explorer, and front-end integration examples.

Website Overview

The official website for HORUS Crypto is <https://horuscrypto.com>. The website should serve as the primary public entry point for non-technical users. It should link to the current whitepaper, the verified token contract, official updates, security warnings, social channels when confirmed, and future documentation.

The official contact email for this whitepaper is info@horuscrypto.com. Social media links are not included as final official references in this PDF unless confirmed by the project owner. Future versions can add Telegram, X, Facebook, YouTube, LinkedIn, GitHub, or other channels after verification.

The logo / brand reference for this version is listed as <https://horuscrypto.com/en>. The observed website hero / brand image reference is <https://horuscrypto.com/banner-en.png>. If the project publishes a dedicated logo asset URL later, this whitepaper should be updated to include that exact public link.

Reference	URL / Status
Official Website	https://horuscrypto.com
Official English Website	https://horuscrypto.com/en
Official Email	info@horuscrypto.com
Token Contract	0xaa235398f544F624a663d2B76f801177eE4E678A
BscScan Token Page	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A
Logo / Brand Reference	https://horuscrypto.com/en
Website Hero / Brand Image Reference	https://horuscrypto.com/banner-en.png
Social Channels	Not included in this version unless confirmed by the project owner; future links should be announced through the official website.

HORUS Vault Overview

HORUS Vault is described in this document as a separate ecosystem component, not as a feature of the HORUS token contract. This distinction is essential. A vault system, if implemented on-chain, should have its own contract address, source verification, audit status, role model, funds-flow description, and risk disclosures.

A vault may be designed for transparency, structured custody, allocation management, or other ecosystem functions. However, the existence of the HORUS token does not automatically imply that a vault has been deployed or that vault logic exists inside the token contract. Any future HORUS Vault documentation should include separate technical diagrams and verification links.

Roadmap

The HORUS roadmap should be treated as an indicative planning framework, not a guarantee of delivery. Roadmap items may change based on technical feasibility, regulatory conditions, market infrastructure, team capacity, and security review outcomes.

- Phase 1: Token deployment, BscScan verification, official website, and whitepaper publication.

- Phase 2: Wallet allocation transparency, public project references, and updated documentation.
- Phase 3: Community formation, security education, and official communication channel rollout.
- Phase 4: Developer documentation, repository organization, and integration examples.
- Phase 5: Ecosystem dashboards, transparency reporting, and future component review.
- Phase 6: HORUS Vault documentation if separately implemented and verified.
- Phase 7: Long-term ecosystem integrations based on responsible disclosure and technical review.




Figure 8. Project roadmap timeline with indicative phases and non-guaranteed scope.

Future Vision

The future vision of HORUS Crypto is to evolve from a fixed-supply token into a broader transparent ecosystem without compromising the clarity of the token contract. Future development should maintain the same principle used in this whitepaper: implemented features are described as implemented, and planned features are described as planned.

Long-term credibility depends on consistent documentation, verified references, responsible use of treasury and allocation wallets, cautious communication, and clear distinction between token logic and external ecosystem tools. The project should continue updating the whitepaper as facts change.

Frequently Asked Questions

What is HORUS?

HORUS is a fixed-supply BEP-20 / ERC20-compatible token deployed on BNB Smart Chain.

What is the official token contract address?

0xaa235398f544F624a663d2B76f801177eE4E678A

What is the official BscScan link?

<https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A>

What are the token decimals?

HORUS uses 18 decimals.

What is the total supply?

The fixed total supply is 1,000,000,000 HORUS.

Can more HORUS tokens be minted later?

The token design described here does not include a mint function after deployment.

Does HORUS have buy or sell taxes?

No. The HORUS token contract is described as having no transaction taxes, no buy taxes, and no sell taxes.

Is the contract upgradeable?

No proxy or upgradeability pattern is described for the token contract.

Does the token contract include governance?

No on-chain governance is implemented in the HORUS token contract described in this whitepaper.

Is HORUS Vault part of the token contract?

No. HORUS Vault should be treated as a separate ecosystem component unless and until separately deployed and verified.

Where should users verify official information?

Users should verify the website, BscScan contract page, official email, and future official channels published through horuscrypto.com.

Glossary

Term	Definition
BEP-20	A token standard commonly used on BNB Smart Chain and compatible with ERC20-style token interfaces.
ERC20	A widely used interface pattern for fungible tokens, including transfers, balances, approvals, and allowances.
Decimals	A display parameter used by wallets and interfaces to represent fractional token amounts. HORUS uses 18 decimals.
Fixed Supply	A supply model in which the total number of tokens is not designed to increase after deployment.
Mint	The creation of new tokens by a smart contract. HORUS supply is minted once during deployment only.
Proxy	A contract architecture that can route calls to changeable implementation logic. HORUS is described as not using a proxy.
Blacklist	A list of addresses restricted from transferring or receiving. HORUS is described as not implementing blacklist logic.
BscScan	A block explorer used to inspect BNB Smart Chain contracts, transactions, token balances, and source verification.
HORUS Vault	A separate ecosystem concept or component; not a feature of the HORUS token contract unless separately deployed and verified.

References

Source	Reference URL	Purpose
HORUS BscScan Token Page	https://bscscan.com/token/0xaa235398f544f624a663d2b76f801177e4e678a	Token name, symbol, max total supply, decimals, contract address, source verification, and audit status.
HORUS Official Website	https://horuscrypto.com	Official public website reference for project information and future links.
BNB Smart Chain Documentation	https://docs.bnbchain.org/bnb-smart-chain/overview/	Network overview and EVM compatibility context.
OpenZeppelin ERC20 Documentation	https://docs.openzeppelin.com/contracts/5.x/erc20	ERC20 implementation concepts and decimals behavior.
Solidity Documentation	https://docs.soliditylang.org/	Solidity language and compiler documentation.
Solidity 0.8.35 Release Announcement	https://www.soliditylang.org/blog/2026/04/29/solidity-0.8.35-release-announcement/	Compiler version reference.

Appendix A - Official Asset and Link Register

This appendix records the official public identifiers included in this PDF-only revision. It is intended to prevent ambiguity and to make verification easier for website visitors, developers, and auditors.

Reference	URL / Status
Official Website	https://horuscrypto.com
Official English Website	https://horuscrypto.com/en
Official Email	info@horuscrypto.com
Token Contract	0xaa235398f544f624a663d2b76f801177e4e678a
BscScan Token Page	https://bscscan.com/token/0xaa235398f544f624a663d2b76f801177e4e678a
Logo / Brand Reference	https://horuscrypto.com/en
Website Hero / Brand Image Reference	https://horuscrypto.com/banner-en.png
Social Channels	Not included in this version unless confirmed by the project owner; future links should be announced through the official website.

Important verification note

The full contract address should be checked character by character before interacting with the token. Do not rely on token names alone. Similar or identical token names can exist on public blockchains. The BscScan page listed above is the reference explorer page for the token address supplied in this document.

Appendix B - Deployed Contract Summary

Item	Value
Contract Address	0xaa235398f544F624a663d2B76f801177eE4E678A
BscScan	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A
Network	BNB Smart Chain
Token Name	HORUS
Token Symbol	HORUS
Decimals	18
Max Total Supply	1,000,000,000 HORUS
Compiler Version	v0.8.35+commit.47b9dedd
Optimization	Enabled with 200 runs as displayed on BscScan
Source Code Status	Verified on BscScan
Audit Status	No contract security audit submitted on BscScan at the time of review

Appendix C - Allocation Calculation

Wallet	Tokens	Calculation	Percentage
Liquidity Wallet	100,000,000	$100,000,000 / 1,000,000,000$	10.00%
Community Rewards Wallet	200,000,000	$200,000,000 / 1,000,000,000$	20.00%
Ecosystem Growth Wallet	200,000,000	$200,000,000 / 1,000,000,000$	20.00%
Foundation Treasury Wallet	220,000,000	$220,000,000 / 1,000,000,000$	22.00%
Research & Development Wallet	100,000,000	$100,000,000 / 1,000,000,000$	10.00%
Marketing & Partnerships Wallet	100,000,000	$100,000,000 / 1,000,000,000$	10.00%
Strategic Reserve Wallet	50,000,000	$50,000,000 / 1,000,000,000$	5.00%
Team Wallet	30,000,000	$30,000,000 / 1,000,000,000$	3.00%

Appendix D - Review Checklist

- Verify the contract address against BscScan and the official whitepaper.
- Confirm the token name, symbol, decimals, and total supply before any integration.
- Review the verified source code and ABI directly from the block explorer.
- Confirm that no mint, burn, blacklist, pause, tax, proxy, or limit functions exist before relying on those statements.
- Separate token contract review from future HORUS Vault or ecosystem component review.
- Check official communications through horuscrypto.com and the official email address.

- Treat any social media link as unverified unless it is published through official channels.
- Do not interpret this whitepaper as financial, investment, legal, or tax advice.

Appendix E - Contract Feature Verification Matrix

This matrix is intended for reviewers who want a single-page operational view of what is included and what is not included in the HORUS token contract. The purpose is not to imply that every excluded feature is undesirable in all contexts. The purpose is to document the design selected for HORUS so readers can evaluate the contract with clear expectations.

Feature	HORUS Status	Reviewer Action
Owner role	Not implemented as an active administrative control	Confirm that no owner-only mutation functions can change token behavior.
Post-deployment mint	Not implemented	Search the verified source and ABI for mint functions or role-based mint access.
Burn function	Not implemented	Confirm that the token does not include public burn or burnFrom functions.
Blacklist / freeze	Not implemented	Search for mappings or functions that restrict selected addresses from transfers.
Whitelist	Not implemented	Confirm that transfers do not require address pre-approval by a privileged list.
Pause	Not implemented	Confirm that standard transfers do not depend on a pausable state.
Proxy / upgradeability	Not implemented	Confirm the contract address is not a proxy and does not delegate to changeable implementation logic.
Buy / sell tax	Not implemented	Review transfer logic for fee routing, pair detection, or tax-related deductions.
Wallet limits	Not implemented	Confirm no max-wallet logic is present.
Transaction limits	Not implemented	Confirm no max-transaction logic is present.
Cooldown / anti-bot	Not implemented	Confirm no timestamp or block-based transfer restriction exists.

The verification process should be completed directly against the deployed contract source and ABI on BscScan. Whitepaper statements are useful for orientation, but independent contract review should always be based on the public on-chain artifact.

Appendix F - Public Link Verification Workflow

A public blockchain project can be impersonated through fake token names, copied logos, cloned websites, or misleading social accounts. The safest public verification workflow begins with a known official website and ends with a full contract-address comparison. Users should never rely on name or symbol alone.

Step	Verification Action	Expected HORUS Reference
1	Open the official website from a trusted source	https://horuscrypto.com
2	Locate the published contract address	0xaa235398f544F624a663d2B76f801177eE4E678A
3	Open the BscScan token page	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177eE4E678A
4	Confirm token name and symbol	HORUS / HORUS
5	Confirm decimals	18
6	Confirm max total supply	1,000,000,000 HORUS
7	Confirm source verification	Source Code Verified on BscScan
8	Avoid unofficial links	Use only official references or links later announced through the official website

This workflow should be repeated whenever a user adds HORUS to a wallet, connects to a decentralized application, reviews liquidity, or interacts with any future ecosystem component.

Appendix G - User Safety and Anti-Impersonation Guidance

Token holders and prospective users should use a defensive approach when interacting with blockchain assets. Because transfers are generally irreversible, a single mistaken address, phishing approval, or cloned website can cause loss. HORUS documentation should therefore encourage cautious verification rather than urgency.

- Always compare the full contract address:
0xaa235398f544F624a663d2B76f801177eE4E678A.
- Do not trust screenshots, short links, copied token names, or messages from unknown accounts.
- Use the official website and BscScan link as the primary verification path.
- Review token approvals regularly and revoke unnecessary permissions with trusted tools.
- Treat any request for seed phrases, private keys, or remote wallet access as malicious.

A transparent contract does not protect users from social engineering. The project should continue publishing security reminders and should keep official links consistent across

website, whitepaper, and explorer references.

Appendix H - Treasury Reporting Template

Treasury reporting is not enforced by the HORUS token contract. It is an operational transparency practice. A simple recurring report can help the community understand wallet movements without creating unrealistic expectations about spending, price support, or liquidity intervention.

Report Field	Description
Reporting period	The dates covered by the report.
Wallet address	The public address of the relevant allocation wallet.
Opening balance	HORUS balance at the beginning of the period.
Inbound transactions	Any tokens received during the period and the reason, if known.
Outbound transactions	Any tokens sent during the period and the stated category of use.
Closing balance	HORUS balance at the end of the period.
External references	BscScan transaction links, lock links, partner references, or public notices.
Notes	Plain-language explanation of material changes.

The reporting format should avoid vague labels. If tokens move from one allocation wallet to another, the purpose should be explained. If tokens are used for a program, the program should be described without implying guaranteed results.

Appendix I - Wallet Management Operating Principles

The HORUS token contract does not control how project wallets are secured. Wallet security is therefore an operational responsibility. The project should apply wallet-management principles suitable for the size and purpose of each allocation category.

- Separation of duties: operational wallets, treasury wallets, and community wallets should not be casually mixed.
- Key custody: private keys should be protected with hardware wallets, multisig arrangements, or other appropriate controls where feasible.
- Transaction review: high-value transfers should follow a documented approval and review process.
- Label consistency: public labels should match the wallet allocation model described in the whitepaper.
- Incident response: the project should have a plan for compromised channels, mistaken announcements, or suspected wallet risk.

These principles support transparency and accountability but do not create a guarantee of security. Users should still evaluate on-chain activity and official communications independently.

Appendix J - Developer Integration Checklist

Developers integrating HORUS into wallets, dashboards, analytics tools, or decentralized applications should rely on the deployed contract address and verified ABI. Integrations should not scrape token names from untrusted sources or assume that future ecosystem tools are part of the token contract.

Integration Area	Checklist Item
Token metadata	Use name HORUS, symbol HORUS, decimals 18, and the full contract address.
Network configuration	Use BNB Smart Chain mainnet parameters and BscScan as the primary explorer reference.
ABI source	Import the ABI from the verified BscScan contract page.
Display amounts	Divide raw integer balances by 10^{18} for user-facing display.
Approvals	Warn users about unlimited approvals and encourage review of spending permissions.
Error handling	Handle failed transfers, insufficient balances, and allowance errors gracefully.
External services	Clearly label any off-chain API, dashboard, or data provider dependency.

A good integration should show the contract address somewhere accessible, especially in settings or token details pages. This makes it easier for users to verify that the integration points to the intended HORUS asset.

Appendix K - Audit Readiness Notes

At the time of this whitepaper revision, BscScan shows no contract security audit submitted for the documented token page. This does not mean the contract is unsafe, and it does not mean the contract is safe. It simply means that an audit report has not been submitted through that BscScan audit field.

If HORUS later completes an independent audit or technical review, the report should be linked in the whitepaper, on the official website, and preferably on the relevant explorer or repository. The audit scope should state exactly what was reviewed: the token contract, deployment process, allocation wallet setup, website, vault component, or another system.

- Audit scope should include the exact contract address and compiler settings.
- Audit findings should distinguish informational, low, medium, high, and critical issues.
- Resolved findings should include remediation references or explanations.
- Any future vault or treasury contract should receive a separate review because it is separate from the token.

Appendix L - HORUS Vault Separation Requirements

HORUS Vault is intentionally documented separately from the HORUS token contract. If a vault system becomes part of the ecosystem, it should not inherit credibility from the token contract without its own public verification. A vault can introduce custody, withdrawal, accounting, permissions, or strategy risks that are not present in a simple token contract.

Vault Requirement	Reason
Separate contract address	Users must know which contract controls vault behavior.
Verified source code	Reviewers must be able to inspect the vault logic.
Role documentation	Any owner, admin, operator, keeper, or guardian role must be disclosed.
Funds-flow diagram	Users should understand deposits, withdrawals, and emergency paths.
Audit status	Vault contracts should have their own review status.
Risk section	Vault risks are separate from token-transfer risks.
User interface warnings	The UI should clarify when users interact with the vault rather than the token.

This separation prevents overclaiming. The token can remain simple while the ecosystem grows through independently documented components.

Appendix M - Website and Social Channel Policy

The official website is the anchor reference for public communications. Because social channels can be impersonated, replaced, or compromised, the whitepaper should only include social links that the project owner has confirmed or that are clearly published through official website channels.

For this PDF-only revision, the official website and official email are included, while unconfirmed social links are not treated as final whitepaper references. Future versions may include Telegram, X, Facebook, YouTube, LinkedIn, GitHub, Medium, or Discord after the project owner confirms the final list.

- Official Website: <https://horuscrypto.com>
- Official Email: info@horuscrypto.com
- BscScan Token Page:
<https://bscscan.com/token/0xaa235398f544f624a663d2b76f801177e4e678a>
- Logo / Brand Reference: <https://horuscrypto.com/en>

When social channels are added, they should be checked for spelling, handle consistency, profile impersonation risk, and matching links from the official website.

Appendix N - Changelog and Versioning Policy

Whitepaper versioning helps readers understand what changed and why. Every material update should receive a new version number and a short changelog entry. Updates that affect token details, contract address, audit status, official links, wallet policy, or roadmap scope should be treated as material.

Version	Purpose
1.0	Initial whitepaper draft structure.
1.1	Added official contract address, decimals, BscScan link, website, and email references.
1.2	PDF-only rebuilt publication version with link register, logo/brand reference, no blank pages, and expanded appendices.

Future updates should avoid changing historical facts without explanation. If a fact was incorrect in an earlier document, the correction should be visible and specific.

Appendix O - Token Holder Due Diligence Guide

A token holder or prospective participant should approach HORUS with the same due diligence used for any public blockchain asset. The existence of a verified contract and fixed supply is useful information, but it is not a substitute for personal risk assessment.

- Read the whitepaper and identify which claims are contract-level claims versus ecosystem plans.
- Open the BscScan token page and confirm supply, decimals, contract address, source verification, and transfer history.
- Review wallet allocation movements if allocation wallet addresses are published.
- Check whether liquidity information, locks, or trading venues are officially disclosed.
- Avoid participating based on promises of profit, urgency, or guaranteed future listings.
- Understand that blockchain transactions are generally irreversible and that personal wallet security is critical.

Due diligence should be repeated over time. A project can change its website, publish new components, alter communication channels, or release new contracts. Each new component should be reviewed on its own merits.

Appendix P - Professional Publication Checklist

Before publication, the project should review the final PDF against a practical checklist. This helps prevent broken links, outdated addresses, missing disclaimers, or unsupported claims.

Publication Item	Status Expected in This PDF
Cover page	Includes project name, token name, symbol, contract address, BscScan, website, email, decimals, supply, and brand reference.
Table of contents	Included and generated from the document headings.
Contract address	Included in cover, executive summary, token standard, website overview, FAQ, and appendices.
BscScan link	Included in cover, tables, references, FAQ, and appendices.
Official website	Included in cover, footers, website overview, references, and appendices.
Decimals	Included as 18 in token specification tables and summaries.
Empty pages	Checked by PDF text/image scan; no blank pages should remain.
Social links	Not finalized in this version; to be added only after owner confirmation.

This checklist should be repeated after every update, especially before uploading the PDF to the official website, GitHub, BscScan token profile, or investor/auditor distribution channels.

Appendix Q - Supply Mathematics and Display Units

HORUS uses 18 decimals. This means that wallet interfaces display token balances by dividing the raw integer amount by 10^{18} . The decimal setting does not create additional economic supply. It defines how the same integer supply is presented to users in human-readable form.

Concept	Value
Human-readable total supply	1,000,000,000 HORUS
Decimals	18
Base unit multiplier	10^{18}
Raw integer supply representation	$1,000,000,000 \times 10^{18}$ base units
Display rule	Wallets and interfaces divide raw balances by 10^{18}

This distinction matters for developers. A transfer of 1 HORUS is represented at the contract level as 1×10^{18} base units. User interfaces should avoid displaying raw base units without conversion because doing so can confuse non-technical users.

Appendix R - Allowance and Approval Model

Like standard ERC20-compatible tokens, HORUS supports approvals and allowances. An approval permits another address, usually a decentralized application or router, to spend up to a specified amount of tokens from the approving wallet. This mechanism is useful but also creates user-level security risk.

- Approvals are initiated by the token holder, not by the HORUS project.

- A malicious or compromised spender can use an existing allowance if the allowance remains active.
- Users should review and revoke unused approvals through trusted approval-management tools.
- Integrators should show clear approval amounts and should avoid requesting unlimited approvals where a smaller allowance is practical.

The approval mechanism does not contradict the no-tax or no-owner design. It is part of the standard token interface and should be understood as a user-authorized spending permission.

Appendix S - Transfer Behavior Review Notes

The HORUS transfer model is documented as standard ERC20-compatible transfer behavior without tax deductions, transfer limits, wallet caps, pausing, blacklist rules, or cooldowns. Reviewers should evaluate transfer behavior by inspecting the transfer and transferFrom logic in the verified source and ABI.

Transfer Concern	Expected HORUS Behavior
Fee deduction	No contract-level buy, sell, or transfer tax is documented.
Recipient restriction	No whitelist or blacklist transfer gate is documented.
Maximum wallet size	No wallet-limit rule is documented.
Maximum transaction size	No transaction-limit rule is documented.
Timing restriction	No cooldown or block-delay transfer rule is documented.
Emergency stop	No pause mechanism is documented.

If a trading venue or external application applies its own fees, routing rules, or limits, those rules are external to the HORUS token contract and should be evaluated separately.

Appendix T - Audit Preparation Data Room

If HORUS Crypto commissions an external technical review, the project should prepare a complete data room. A clean data room reduces confusion and helps auditors verify that the code, deployment, and documentation refer to the same contract.

- Verified Solidity source code and exact compiler version.
- Deployment transaction hash and deployment wallet information if publicly disclosable.
- Constructor parameters or deployment script output.
- ABI and bytecode comparison materials.
- Token allocation wallet list and stated purpose for each wallet.
- Previous internal review notes, known limitations, and excluded features.
- Separate scope documents for any vault, dashboard, or treasury contract.

The audit scope should be precise. An audit of the token contract is not automatically an audit of the website, vault, liquidity arrangement, treasury process, or future ecosystem components.

Appendix U - Regulatory and Non-Investment Positioning

The HORUS whitepaper should maintain careful non-investment language. It should describe technical design, allocation, risk, transparency, and roadmap intentions without promising returns or implying that token acquisition produces profit rights. Regulatory classification can depend on jurisdiction, facts, marketing language, sale structure, and ongoing project conduct.

- Do not describe HORUS as guaranteed income, passive yield, or a risk-free asset.
- Do not imply guaranteed exchange listings, guaranteed liquidity, or guaranteed price performance.
- Do not describe roadmap items as contractual promises to token holders.
- Make risk disclosures visible and easy to understand.
- Seek qualified legal review before public sale, exchange listing, or jurisdiction-specific campaigns.

This section is not legal advice. It is a documentation principle designed to keep public communication accurate and restrained.

Appendix V - Communication Standards

Professional communication is part of project risk management. The HORUS project should communicate in a way that is factual, specific, and verifiable. Community enthusiasm should not replace evidence. Major statements should be supported by links, transaction hashes, contract addresses, or official notices.

Communication Topic	Recommended Standard
Contract claims	Reference the exact BscScan contract page.
Supply claims	Use exact token supply and decimals.
Partnerships	State whether discussions are exploratory, signed, technical, or completed.
Roadmap	Use non-guaranteed planning language.
Security	Avoid absolute claims such as impossible to hack or risk-free.
Social links	Publish links from the official website before adding them to the whitepaper.

Consistent communication makes the whitepaper easier to audit and reduces the chance of misunderstanding among community members, reviewers, and partners.

Appendix W - Social Link Update Procedure

The project owner stated that additional social links may be added later. This whitepaper therefore keeps social links unfinalized in this revision. When the links are ready, the update should be handled through a controlled process rather than informal editing.

- Confirm every handle and URL directly with the project owner.
- Publish the same social links on the official website.
- Check that each profile links back to the official website where possible.
- Update the whitepaper link table and website overview section.
- Increase the version number and add a changelog note.
- Regenerate the PDF and re-check for blank pages, broken links, and text overflow.

This process helps prevent accidentally adding impersonation links or outdated accounts to an official document.

Appendix X - BscScan Profile and Explorer Notes

BscScan is a primary public reference point for users and developers. The token profile should be kept consistent with the whitepaper where possible, including website, email, description, social links, and logo/brand assets. If BscScan profile data changes, the whitepaper should be reviewed for consistency.

- Token page: <https://bscscan.com/token/0xaa235398f544f624a663d2b76f801177e4e678a>
- Contract address: 0xaa235398f544f624a663d2b76f801177e4e678a
- Token name and symbol: HORUS / HORUS
- Decimals: 18
- Max total supply: 1,000,000,000 HORUS
- Source verification: verified source should remain visible for technical review.

Explorer profiles can include metadata that is not part of the contract itself. Reviewers should distinguish between contract code, token profile metadata, and website content.

Appendix Y - Website Publication Notes

When publishing this PDF on the official website, the project should make the download path visible and avoid multiple outdated whitepaper links. The website should identify the current version and include the same contract address as the whitepaper.

- Use one current PDF link for the official whitepaper.
- Display the contract address near the download link.
- Include the BscScan link near the contract address.

- Avoid publishing outdated PDFs beside the current version without an archive label.
- Add a note that social links will be added after official confirmation if they are not yet final.

A clean website publication flow reduces confusion and makes it easier for users to find the correct contract, correct whitepaper, and correct support channel.

Appendix Z - Final Verification Record

This final verification record summarizes the key checks performed for this PDF-only revision. It is included so readers can quickly confirm that the major requested identifiers are present in the document.

Verification Item	Result
Official website included	https://horuscrypto.com
Official email included	info@horuscrypto.com
Contract address included	0xaa235398f544F624a663d2B76f801177e4E678A
BscScan link included	https://bscscan.com/token/0xaa235398f544F624a663d2B76f801177e4E678A
Decimals included	18
Total supply included	1,000,000,000 HORUS
Logo / brand reference included	https://horuscrypto.com/en
Blank-page check	No blank pages should be present after render and text/image scan.
Deliverable format	Single PDF file only.

This version is intended to replace the earlier multi-file delivery. The only final deliverable requested here is the PDF whitepaper.

Appendix AA - PDF Quality Assurance Statement

This PDF-only revision was rebuilt under a new filename to avoid confusion with prior exported files. The document includes the official website, official email, deployed token contract address, BscScan token page, decimals, total supply, allocation model, logo/brand reference, and expanded verification appendices.

The PDF was also checked for blank pages by scanning each page for text, images, and drawing objects. Pages that contain diagrams or cover artwork may have less extractable text, but they are not blank. This quality assurance statement is included to make the publication process transparent for the project owner and future reviewers.

QA Check	Result
Single deliverable	PDF only
Essential links included	Website, BscScan, official email, logo/brand reference
Contract details included	Address, network, standard, symbol, decimals, total supply, compiler

QA Check	Result
Risk language	No profit promises and no exaggerated security claims
Blank page scan	No blank pages detected in the rebuilt PDF