



Z.C.E

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

شركة الزهراء
للمقاولات الهندسية
والتوريدات

Project Name:

www

Client Name:

www

Capacity:

www



Z.C.E

شركة الزهراء
للمقاولات الهندسية
والتوريدات

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

WWW



Z.C.E

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

شركة الزهراء
للمقاولات الهندسية
والتوريدات

1. Belt Conveyor



Z.C.E

شركة الزهراء
للمقاولات الهندسية
والتوريدات

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

Sec01: General Data

Field	Value
Manufacturer	Winkel
Quantity	1

Sec02: Design Data

Field	Value
Width	800
Length	2000

Sec03: Gearbox Data

Field	Value
Trade Mark	SEW
Model	SA57T

Sec04: Motor Data

Field	Value
Trade Mark	SEW
Rated Power	0.37 kW
Supply Voltage	380 V, 3 Phases, 50 Hz
Insulation	Class F
Temp Rise	Class B
Ingress Protection	IP65

Sec05: Material Data

Field	Value
Frame	Hot deep galvanized steel



Z.C.E

شركة الزهراء
للمقاولات الهندسية
والتوريدات

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

Roller







Hot deep galvanized steel

Bolts & Nuts

AISI 304 (A2)

Conveyor

Rubber 10 mm (3Ply cotton/nylon)



TURN KEY CONTRACTORS:				
Z.C.E		ELZABAA		
AUTOSATRAD ROAD _ ARAB ABO SAAD _ CAIRO _ EGYPT				
elzabaa.sag2014@gmail.com				
TITALE				
Belt conveyor				
SCALE	REF. DWG. NO.		SIZE	REV.
DRAWN	PREPARED	CHECKED	APPROVED	DATE
K.T	A.S	A.S	S.MICHAEL	



Z.C.E

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

شركة الزهراء
للمقاولات الهندسية
والتوريدات

2. Mechanical Screen



Z.C.E

شركة الزهراء
للمقاولات الهندسية
والتوريدات

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

Sec01: General Data

Field	Value
Manufacturer	Factory
Quantity	1

Sec02: Design Data

Field	Value
Type	Multi tack
Flow	0.11 m3/sec
No. of Rake	3
Width	580 mm
Length	3000 mm
Dead plate	4 mm
Space between bars	25 mm
Bar Type	Rectangular
Bar section	10x20 mm
Inclination	75 Deg

Sec03: Gearmotor Data

Field	Value
Gearbox Trade mark	SEW
Model	SA77/T
Electric Motor Trade Mark	SEW
Rated Power	0.18 kW
Supply Voltage	380 V, 3 Phases, 50 Hz
Insulation	Class F
Temp Rise	Class B



Z.C.E

شركة الزهراء
للمقاولات الهندسية
والتوريدات

EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying

Ingress Protection

IP65

Sec04: Control panel Data


Field	Value
Local control panel	Electrostatic painting
Panel thicknesses	2 mm
Protection	IP 54
Component	Schneider
Operation	Manual / Automatic timer switch

Sec05: Material Data

Field	Value
Material of Frame & Guide	AISI 316
Dead plate	AISI 316
Rake	AISI 316
Bar screen	AISI 316
Sprocket	AISI 316
Motorize shaft	AISI 316
Bolts & Nuts	AISI 316 (A4)

Sec06: Other Data

Field	Value
Channel Width	600 mm
Channel Depth	1180 mm



TURN KEY CONTRACTORS:				
Z.C.E				
AUTOSATRAID ROAD _ ARAB ABOSSAAD _ CAIRO _ HELWAN				
elzabaraa.sag2014@gmail.com				
TITALE				
Mechanical screen				
SCALE	REF. DWG. NO.			SIZE
DRAWN	PREPARED	CHECKED	APPROVED	DATE
K.T	A.S	A.S	S.MICHAEL	