

Project Name:

Α4

Client Name:

qqq

Capacity:

qq



qqq



1. Mechanical Screen



Sec01: General Data

Field	Value
Manufacturer	letos Factory
Service	Inlet Area
Fluid	Sewage
Operation	Automatic & Manual
Quantity of Units	1
Country of Origin	Egypt

Sec02: Design Data

Field	Value	
Туре	Mechanical Coarse Screen-Multi rack	
Channel Depth	1500	
Channel Width	400	
Water Depth	600	
Bar Thickness	10	
Bar Width	50	
Bar Spacing	25	
Inclination Degree	60	

Sec03: Gearmotor Data

Field	Value
Power	0.37
Power Supply	380/3/50
Driving Unit Service Factor	2
Motor Insulation Protection	IP 65
Isolation / Temp. Class	Class F/B



Motor Brakes	Included
Torque limiter	Included
Gear Motor	Rossi/Bonfiglioli

Sec04: Control panel Data

Field	Value
Voltage	380
Phase	3
Frequency	50
Insulation Protection	IP 65
Panel Thickness	2
Panel Material	Coated Steel
Components Type	Schneider

Sec05: Material Data

Field	Value
Screen Bars	Stainless Steel 316
Frame	Stainless Steel 316
Rack	Stainless Steel 316
Rack (Teeth)	Artelon
Sprockets	Stainless Steel 316
Dead Plate	Stainless Steel 316
Chain	Stainless Steel 316
Bolts & Nuts	A4

Sec06: Other Data

Field	Value
One Rack	Yes



Two sets of bearings	Yes

