

# شركة الزهراء للمقاولات الهندسية والتوريدات

# **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

Project Name:

TestingBB\_20\_36

Client Name:

q

Capacity:

q



شركة الزهراء للمقاولات الهندسية والتوريدات

# **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

# 1. Manual Screen

#### Sec01: General Data

| Field        | Value   |
|--------------|---------|
| Manufacturer | Factory |
| Quantity     | 1       |
| Operation    | Manual  |

# Sec02: Design Data

| Field             | Value       |
|-------------------|-------------|
| Flow              | 0.11 m3/s   |
| Width             | 570 mm      |
| Length            | 2000 mm     |
| Hand rake         | No. 2       |
| Space between bar | 25 mm       |
| Bar Type          | Rectangular |
| Bar section       | 10x30 mm    |
| Inclination       | 45 Deg      |

#### Sec03: Material Data

| Field      | Value    |
|------------|----------|
| Frame      | AISI 316 |
| Rake       | AISI 316 |
| Bar screen | AISI 316 |

#### Sec04: Channel Data

| Field         | Value  |
|---------------|--------|
| Channel Width | 600 mm |



شركة الزهراء للمقاولات الهندسية والتوريدات

# **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

Depth 1180 mm



شركة الزهراء للمقاولات الهندسية والتوريدات

# **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

# 2. Belt Conveyor

#### Sec01: General Data

| Field        | Value  |
|--------------|--------|
| Manufacturer | Winkel |
| Quantity     | 1      |

### Sec02: Design Data

| Field  | Value |
|--------|-------|
| Width  | 800   |
| Length | 2000  |

#### Sec03: Gearbox Data

| Field      | Value |
|------------|-------|
| Trade Mark | SEW   |
| Model      | SA57T |

#### Sec04: Motor Data

| Field              | Value                  |
|--------------------|------------------------|
| Trade Mark         | SEW                    |
| Rated Power        | 0.37 kW                |
| Supply Voltage     | 380 V, 3 Phases, 50 Hz |
| Insulation         | Class F                |
| Temp Rise          | Class B                |
| Ingress Protection | IP65                   |

#### **Sec05: Material Data**

| Field | Value |
|-------|-------|
|       |       |



شركة الزهراء للمقاولات الهندسية والتوريدات

### **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

Frame Hot deep galvanized steel

Roller Hot deep galvanized steel

Bolts & Nuts AISI 304 (A2)

Conveyor Rubber 10 mm (3Ply cotton/nylon)



شركة الزهراء للمقاولات الهندسية والتوريدات

### **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

# 3. Mechanical Screen

#### Sec01: General Data

| Field        | Value   |
|--------------|---------|
| Manufacturer | Factory |
| Quantity     | 1       |

### Sec02: Design Data

| Field              | Value       |
|--------------------|-------------|
| Туре               | Multi tack  |
| Flow               | 0.11 m3/sec |
| No. of Rake        | 3           |
| Width              | 580 mm      |
| Length             | 3000 mm     |
| Dead plate         | 4 mm        |
| Space between bars | 25 mm       |
| Bar Type           | Rectangular |
| Bar section        | 10x20 mm    |
| Inclination        | 75 Deg      |

#### Sec03: Gearmotor Data

| Field                     | Value                  |
|---------------------------|------------------------|
| Gearbox Trade mark        | SEW                    |
| Model                     | SA77/T                 |
| Electric Motor Trade Mark | SEW                    |
| Rated Power               | 0.18 kW                |
| Supply Voltage            | 380 V, 3 Phases, 50 Hz |



شركة الزهراء للمقاولات الهندسية والتوريدات

# **EIZAHRAA FOR ENGINEERING CONTRACTING AND Supplying**

Insulation Class F
Temp Rise Class B
Ingress Protection IP65

#### **Sec04: Control panel Data**

| Field               | Value                           |
|---------------------|---------------------------------|
| Local control panel | Electrostatic painting          |
| Panel thicknesses   | 2 mm                            |
| Protection          | IP 54                           |
| Component           | Schneider                       |
| Operation           | Manual / Automatic timer switch |

#### Sec05: Material Data

| Field                     | Value         |
|---------------------------|---------------|
| Material of Frame & Guide | AISI 316      |
| Dead plate                | AISI 316      |
| Rake                      | AISI 316      |
| Bar screen                | AISI 316      |
| Sprocket                  | AISI 316      |
| Motorize shaft            | AISI 316      |
| Bolts & Nuts              | AISI 316 (A4) |

#### Sec06: Other Data

| Field         | Value   |
|---------------|---------|
| Channel Width | 600 mm  |
| Channel Depth | 1180 mm |