



Project Name:

lasttest

Client Name:

It

Capacity:

It

## 1. Manual Screen

### Sec01: General Data

| Field             | Value         |
|-------------------|---------------|
| Manufacturer      | Ietos Factory |
| Service           | Inlet Area    |
| Fluid             | Sewage        |
| Operation         | Manual        |
| Quantity of Units | 1             |
| Country of Origin | Egypt         |

### Sec02: Design Data

| Field             | Value             |
|-------------------|-------------------|
| Type              | Bar Coarse Screen |
| Chanel Height (m) | 15                |
| Channel Width (m) | 1                 |
| Water Level (m)   | 0.75              |
| Bar Thickness (m) | 0.01              |
| Bar Width (m)     | 0.025             |
| Bar Spacing (m)   | 0.025             |
| Angle             | 90                |
| Hand Rack Qty     | 2                 |

### Sec03: Material Data

| Field | Value               |
|-------|---------------------|
| Frame | Stainless Steel 316 |
| Bars  | Stainless Steel 316 |

|              |                     |
|--------------|---------------------|
| Rake Tube    | Stainless Steel 316 |
| Rake Plate   | Stainless Steel 316 |
| Bolts & Nuts | A4                  |

## 2. Mechanical Screen

### Sec01: General Data

| Field             | Value              |
|-------------------|--------------------|
| Manufacturer      | Ietos Factory      |
| Service           | Inlet Area         |
| Fluid             | Sewage             |
| Operation         | Automatic & Manual |
| Quantity of Units | 1                  |
| Country of Origin | Egypt              |

### Sec02: Design Data

| Field                    | Value                               |
|--------------------------|-------------------------------------|
| Type                     | Mechanical Coarse Screen-Multi rack |
| Channel Depth            | 500                                 |
| Screen Width (mm)        | 300                                 |
| Water Level (mm)         | 600                                 |
| Bar Th (mm)              | 10                                  |
| Bar Width (mm)           | 500                                 |
| Bar Spacing (mm)         | 25                                  |
| Inclination Degree (Deg) | 70                                  |

### Sec03: Gearmotor Data

| Field                       | Value    |
|-----------------------------|----------|
| Power Required (Wat)        | 41.66    |
| Power Supply                | 380/3/50 |
| Driving Unit Service Factor | 2        |

|                             |           |
|-----------------------------|-----------|
| Motor Insulation Protection | IP 65     |
| Isolation / Temp. Class     | Class F/B |

#### Sec04: Control panel Data

| Field                 | Value |
|-----------------------|-------|
| Voltage               | 380   |
| Phase                 | 3     |
| Frequency             | 50    |
| Insulation Protection | IP 65 |
| Panel Thickness       | 2     |

#### Sec05: Material Data

| Field        | Value               |
|--------------|---------------------|
| Screen Bars  | Stainless Steel 316 |
| Frame        | Stainless Steel 316 |
| Rack         | Stainless Steel 316 |
| Rack (Teeth) | Artelon             |
| Sprockets    | Stainless Steel 316 |

#### Sec06: Other Data

| Field                | Value |
|----------------------|-------|
| One Rack             | Yes   |
| Two sets of bearings | Yes   |

### 3. Belt Conveyor

#### Sec01: General Data

| Field             | Value               |
|-------------------|---------------------|
| Manufacturer      | Ietos Factory       |
| Service           | Screening Area      |
| Fluid             | Screening Disposals |
| Operation         | Automatic & Manual  |
| Quantity of Units | 1                   |
| Country of Origin | Egypt               |

#### Sec02: Design Data

| Field          | Value      |
|----------------|------------|
| Belt Width     | 205        |
| Belt Length    | 603        |
| Belt Thickness | 10         |
| Mounting       | Horizontal |
| Chute          | Included   |

#### Sec03: Gearbox Data

| Field                       | Value      |
|-----------------------------|------------|
| Type of drive               | Gear Motor |
| Power                       | 11.90      |
| Power Supply                | 380/3/50   |
| Driving Unit Service Factor | 1.2        |
| Motor Insulation Protection | IP 66      |
| Isolation / Temp. Class     | Class F/B  |

|            |                   |
|------------|-------------------|
| Gear Motor | Rossi/Bonfiglioli |
|------------|-------------------|

#### Sec04: Motor Data

| Field                     | Value                    |
|---------------------------|--------------------------|
| Frame                     | Hot Dip Galvanized Steel |
| Idlers                    | Coated Steel Unit        |
| Belt                      | Triple-Ply Nylon Layer   |
| Driving & Driven Drum Set | Coated Steel Unit        |
| Belt Scraper              | Rubber                   |
| Bolts & Nuts              | A4                       |

#### Sec05: Material Data

| Field                            | Value |
|----------------------------------|-------|
| 1. One set of bearing            | Yes   |
| 2. Five rollers with accessories | Yes   |
| 3. One set of bearing for motor  | Yes   |