



TUGAS

Pemrograman Web Lanjut - Minggu 3

DISUSUN OLEH:

NAMA : Ferdi Riansyah Ramadhani Kusuma
NIM : 2241720264
JURUSAN : TEKNOLOGI INFORMASI
KELAS/ ABSEN : INFORMATIKA - 2H

PROGAM STUDI D-IV TEKNIK INFORMATIKA

JURUSAN TEKNOLOGI INFORMASI

POLITEKNIK NEGERI MALANG

2023

Tugas Praktikum

Steps

Halaman Home
Menampilkan halaman
awal website

Attachments

```
require __DIR__ . '/product/product.php';  
require __DIR__ . '/user/user.php';  
require __DIR__ . '/transaction/transaction.php';  
  
Route::get('/', function () {  
    return view('home');  
});
```

```
<!-- views > home.blade.php > @env > @head  
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <meta charset="UTF-8">  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
    <meta name="csrf-token" content="{{ csrf_token() }}">  
    {{-- <meta http-equiv="refresh" content="{{ config('session.lifetime') * 60 }}" --> --}}  
  
    <title>{{ config('app.name', 'Point Of Sales') }}</title>  
  
    @ Fonts -->  
    <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;600;700;800;900&family=Merito:wght@300;400;480;700;800;900&display=swap">  
  
    @ Alpine -->  
    <script src="https://cdn.jsdelivr.net/npm/alpinejs@2.7.8/dist/alpine.js" defer></script>  
  
    <style>  
        body {  
            font-family: 'Poppins', sans-serif;  
        }  
    </style>  
  
    {{-- <link rel="stylesheet" href="{{ asset('css/app.css') }}" --> --}}  
    @stack('styles')  
</head>  
  
<body class="antialiased n-0 p-0">  
    @yield('content')  
  
    <div class="row">  
        <div class="col-md-12">  
            <h2>Link List</h2>  
            <ul>  
                <li><a href="{{ route('user.profile', ['id' => 99, 'name' => 'Rian']) }}">User Profile</a></li>  
                <li><a href="{{ route('product.index') }}">Product</a></li>  
            </ul>  
            <ul>  
                <li><a href="{{ route('product.category.handle', ['category' => 'food-beverage']) }}">Food & Beverage</a></li>  
                <li><a href="{{ route('product.category.handle', ['category' => 'beauty-health']) }}">Beauty & Health</a></li>  
                <li><a href="{{ route('product.category.handle', ['category' => 'home-care']) }}">Home Care</a></li>  
                <li><a href="{{ route('product.category.handle', ['category' => 'baby-kid']) }}">Baby & Kid</a></li>  
            </ul>  
            <li><a href="{{ route('transaction.index') }}">Transaction</a></li>  
        </div>  
    </div>  
  
    @stack('modals')  
  
    @stack('scripts')  
</body>  
</html>
```

```
@extends('base')

@section('content')
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <h1>Home</h1>
                <p>Home content goes here</p>
            </div>
        </div>
    </div>
@endsection
```



localhost:7000/POS/public/

Home

Home content goes here

Link List

- [User Profile](#)
- [Product](#)
 - [Food & Beverage](#)
 - [Beauty & Health](#)
 - [Home Care](#)
 - [Baby & Kid](#)
- [Transaction](#)

Halaman Products
Menampilkan daftar
product (route prefix)
/category/food-beverage
/category/beauty-health
/category/home-care
/category/baby-kid

```
Route::group([
    'prefix'    => 'product/category',
    'as'        => 'product.category.',
], function () {
    Route::get('/{category}', [CategoryController::class, 'handle'])->name('handle');
});
```

2 references | 0 implementations

```
class CategoryController extends Controller
```

```
{
```

1 reference | 0 overrides

```
public function handle($category)
```

```
{
```

```
    return view('product.category.category')->with([
```

```
        'category' => $category
```

```
    ]);
```

```
}
```

```
}
```

```
@extends('base')
```

```
@section('content')
```

```
    <div class="container">
```

```
        <div class="row">
```

```
            <div class="col-md-12">
```

```
                <h1>{{ $category }}</h1>
```

```
                <p>{{ $category }} content goes here</p>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

```
@endsection
```



localhost:7000/POS/public/product/category/food-beverage

food-beverage

food-beverage content goes here

Link List

- [User Profile](#)
- [Product](#)
 - [Food & Beverage](#)
 - [Beauty & Health](#)
 - [Home Care](#)
 - [Baby & Kid](#)
- [Transaction](#)




localhost:7000/POS/public/product/category/beauty-health

beauty-health

beauty-health content goes here

Link List

- [User Profile](#)
- [Product](#)
 - [Food & Beverage](#)
 - [Beauty & Health](#)
 - [Home Care](#)
 - [Baby & Kid](#)
- [Transaction](#)



localhost:7000/POS/public/product/category/home-care

home-care

home-care content goes here

Link List

- [User Profile](#)
- [Product](#)
 - [Food & Beverage](#)
 - [Beauty & Health](#)
 - [Home Care](#)
 - [Baby & Kid](#)
- [Transaction](#)

	
<p>Halaman User Menampilkan profil pengguna (route param) /user/{id}/name/{name}</p>	<pre data-bbox="527 819 1421 1029">Route::group(['prefix' => 'user', 'as' => 'user.',], function () { Route::get('/{id}/name/{name}', [UserController::class, 'profile'])->name('profile'); });</pre> <pre data-bbox="527 1039 1421 1669">class UserController extends Controller { 1 reference 0 overrides public function profile() { return view('user.profile')->with(['id' => request()->id, 'name' => request()->name]); } }</pre>

```
@extends('base')

@section('content')
    <div class="container">
        <div class="row">
            <div class="col-12">
                <h1>User Profile</h1>
                </p>Id: {{ $id }}</p>
                <p>Name: {{ $name }}</p>
            </div>
        </div>
    </div>
@endsection
```

← → ↻ 🔒 📄 localhost:7000/POS/public/user/99/name/Rian

User Profile

Id: 99

Name: Rian

Link List

- [User Profile](#)
- [Product](#)
 - [Food & Beverage](#)
 - [Beauty & Health](#)
 - [Home Care](#)
 - [Baby & Kid](#)
- [Transaction](#)

Halaman Penjualan
Menampilkan halaman
transaksi POS

```
Route::group([
    'prefix'    => 'transaction',
    'as'        => 'transaction.'
], function () {
    Route::get('/', [TransactionController::class, 'index'])->name('index');
});
```

```
class TransactionController extends Controller
{
    1 reference | 0 overrides
    public function index()
    {
        return view('transaction.transaction');
    }
}
```

```
@extends('base')

@section('content')
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <h1>Transaction</h1>
                <p>Transaction content goes here</p>
            </div>
        </div>
    </div>
@endsection
```




localhost:7000/POS/public/transaction

Transaction

Transaction content goes here

Link List

- [User Profile](#)
- [Product](#)
 - [Food & Beverage](#)
 - [Beauty & Health](#)
 - [Home Care](#)
 - [Baby & Kid](#)
- [Transaction](#)