Learn HTML

Design website

```html
<!DOCTYPE html>
<html dir="ltr" lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link rel="shortcut icon" href="coding.ico" type="image/x-icon">
    <link rel="stylesheet" href="style.css">
    <title>Learning HTML</title>


</head>


<body>


    <header>

        <h3>
            <a href="about.html"> <img src="img/html-01.jpg"
width="44" lt="aaa"></a>
        </h3>

        <div dir="ltr">
            <div id="login">
                <div>
                    <form action="#">
                        <input list="language" placeholder="Choose
language">

                        <label for="language"></label>
                        <datalist id="language">
                        <option value="English">English</option>
                        <option value="Arabic">Arabic</option>
```

```html
                </datalist>
                </form>
            </div>

            <div>
                <input type="email" placeholder="email or
username"></input>
            </div>
            <div>
                <input type="password"
placeholder="password"></input>
            </div>
            <div>
                <input type="button" value="Login">
            </div>
            <div>
                <a href="regester.html" target="_blank">Create new
account</a>
            </div>
        </div>
    </div>
    <div id="dvSearch">
        <input type="text" placeholder="Search"></input>
    </div>
</header>

<!-- nav -->
<nav id="navId ">
    <div>
        <a href="about.html"> About</a>
        <a href="courses.html">Courses</a>
        <a href="contact.html">Contact</a>
    </div>
    <img src="img/html-icon.ico " alt="aaaa ">
    <label>(Hyper Text Markup Language)</label>
    <br>
    <hr>

</nav>
```

```html
<main>
    <section>
        <details class="details">
            <summary>Why I'm learning HTML ? </summary>
            <p>We will answer this question in following points:
            </p>
            <ul>
                <li>We learn HTML to raise the level of website
building skills.</li>
                <li>We learn HTML to will be designer.</li>
                <li>We learn HTML to building website.</li>
                <li>We learn HTML to be professional.</li>

            </ul>
        </details>

        <details class="details">
            <summary>Why I'm learning CSS ? </summary>
            <p>We will answer this question in following points:
            </p>
            <ul>
                <li>We learn CSS to raise the level of website
building skills.</li>
                <li>We learn CSS to will be designer.</li>
                <li>We learn CSS to building website.</li>
                <li>We learn CSS to be professional.</li>

            </ul>
        </details>

        <details class="details">
            <summary>Why I'm learning JS ? </summary>
            <p>We will answer this question in following points:
            </p>
            <ul>
                <li>We learn JS to raise the level of website
building skills.</li>
                <li>We learn JS to will be designer.</li>
```

```html
                    <li>We learn JS to building website.</li>
                    <li>We learn JS to be professional.</li>


                </ul>
            </details>



        </section><br>


        <hr>
    </main>
    <!-- aside -->
    <aside>
        <div class="div">
            <div>
                <h3 class="h3">AUDIO</h3>
                <audio src="audio/اصوات-الطيورBlue Jay Call.mp3" controls
autoplay muted loop preload="none"></audio>
                <!-- To choose the best source or the best extension -
for audio & video -->
                </audio>
            </div>

            <div>
                <h3 class="h3">VIDEO</h3>
                <video src="video/system.mp4 " controls width="122"
autoplay muted loop preload="metadata"
poster="img/coding.ico"></video>
            </div>
        </div>

        <hr>

    </aside>



    <section>
        <h1>Lorem ipsum dolor sit amet:</h1>
```

```html
<article>
    <p>Lorem ipsum dolor sit, amet consectetur adipisicing
elit. Sequi atque vero optio maxime asperiores, a minus, nostrum
eligendi sapiente ducimus enim odit!</p>

    <h2>Lorem ipsum dolor sit:</h2>
    <p>Lorem ipsum dolor sit, amet
        <em>consectetur adipisicing</em> elit. Sequi atque
        <mark> vero optio maxime</mark> asperiores, a minus,
nostrum eligendi sapiente ducimus enim odit!
    </p>

    <h2>Lorem ipsum dolor sit:</h2>
    <p><strong>Note:</strong> Lorem ipsum
        <small> dolor sit</small>, amet consectetur
adipisicing elit. Sequi atque vero optio maxime asperiores, a minus,
nostrum eligendi sapiente ducimus enim odit!</p>
    <hr>

    <h2>Lorem, ipsum dolor:</h2>
    <ol type="1" start="2">
        <li>Lorem ipsum dolor sit amet.</li>
        <li>Lorem ipsum dolor sit amet consectetur adipisicing
elit. voluptates vitae.</li>
        <li>Lorem ipsum dolor sit amet consectetur adipisicing
elit.</li>
    </ol>

    <h2>Lorem, ipsum dolor:</h2>
    <ul>
        <li>Lorem ipsum dolor sit amet.</li>
        <li>Lorem ipsum dolor sit amet consectetur adipisicing
elit. voluptates vitae.</li>
        <li>Lorem ipsum dolor sit amet consectetur adipisicing
elit.</li>
    </ul>

    <h2>Lorem, ipsum dolor:</h2>
    <dl>
```

```html
            <dt>Lorem ipsum dolor sit amet:</dt>
            <dd>Lorem ipsum dolor sit amet consectetur adipisicing
elit. voluptates vitae.</dd>
            <dd>Lorem ipsum dolor sit amet consectetur adipisicing
elit.</dd>
        </dl>

        <h2>Lorem, ipsum dolor:</h2>
        <dl>
            <dt>Lorem ipsum dolor sit amet:</dt>
            <dd>Lorem ipsum dolor sit amet consectetur adipisicing
elit. voluptates vitae.</dd>
            <dd>Lorem ipsum dolor sit amet consectetur adipisicing
elit.</dd>
        </dl>

        <hr>

        <nav>
            <ul>
                <h4>help</h4>
                <li>
                    <a href="# ">aaaaaaaaaaaaaaa</a>
                </li>
                <li>
                    <a href="# ">bbbbbbbbbbbbbbbbbbb</a>
                </li>
                <li>
                    <a href="# ">cccccccccccccccccccc</a>
                </li>
                <li>
                    <a href="# ">ddddddddddddddddd</a>
                </li>
                <li>
                    <a href="# ">eeeeeeeeeeeeeeee</a>
                </li>
                <li>
                    <a href="# ">fffffffffffffffffffffff</a>
```

```html
                </li>
                <li>
                    <a href="# ">gggggggggggggggggggg</a>
                </li>
            </ul>
        </nav>
        <hr>
    </section>
    <!-- .................................. -->


    <form action=" ">
        <label for="Browsers ">Choose favorite browser:</label>
        <select name=" " id="Browsers ">
            <option value="Chose ">----</option>
            <option value="Edge ">Edge</option>
            <option value="Chrome ">Chrome</option>
            <option value="Opera ">Opera</option>
        </select>
    </form>
    <hr>
    <form action=" ">
        <label for="Browsers ">Write text</label><br>

        <textarea name=" " id=" " cols="30 " rows="10 "></textarea>
    </form>

    <br>
    <hr>
    <!-- ......... Tables ...... Tr => rows - th => table head - td =>
table data ........ -->
    <table border="2" width="47%">
        <caption>جدول بيانات</caption>
        <thead>
            <tr>
                <th>Front-end frameworks</th>
                <th>Back-end frameworks</th>
                <th>Notes</th>
```

```html
                    </tr>
                </thead>
                <tbody>
                    <tr>
                        <td>React</td>
                        <td>Laravel</td>
                    </tr>
                    <tr>
                        <td>Angular</td>
                        <td>Django</td>
                    </tr>

                    <tr>
                        <td>Vue</td>
                        <td>Flask</td>
                    </tr>
                </tbody>

                <tfoot>
                    <tr>
                        <td>Phone:</td>
                        <td colspan="2">002189155667</td>
                    </tr>

                    <tr>
                        <td rowspan="2">Email:</td>
                        <td>hamoaak@gmail.com</td>
                    </tr>
                </tfoot>


        </table>
        <br>
        <hr>
        <iframe name="aaa " src="https://www.courses4arab.com/ "
frameborder="0 " width="300 " heiht="200 ">yahoo</iframe>
        <a href="https://courses4arab.com/ " target="aaa
">Courses4arab</a>
```

```html
    <a href="https://courses4arab.com/html/introduction-to-html "
target="aaa ">intro to html</a>
    <hr>
    <!-- <img src="coding.ico " width="120 " alt="alternative,البديل ">
    <img src="img/flamingo-icon.png " width="120 " alt="alternative ">
    <img src="img/11.jpg " width="120 " alt="البديل ">
    <img src="img/flower-10.jpg " width="120 " alt="alternative ">
    <img src="img/flower-01.jpeg " width="120 " alt="alternative ...
البديل "> -->
    <hr>

    <!-- <picture>
        <source media="(max-width:500px) " srcset="img/11.jpg ">
        <img src="img/html-icon.ico " alt="aaaa ">
    </picture> -->
    <!-- This tag apeare writting underline the image  -->
    <!-- <h2>AUDIO</h2>
    <audio src="C:\Users\hussin\Desktop\testHTML\alfateha.mp3 "
controls></audio><br> -->
    <!-- To choose the best source or the best extension - for audio &
video -->
    <!-- <audio controls>
        <source src="C:\Users\hussin\Desktop\testHTML\alfateha.mp3 ">
        <source src="C:\Users\hussin\Desktop\testHTML\alfateha.ogg ">
    </audio>
    <hr>
    <h2>VIDEO</h2>
    <video src="C:\Users\hussin\Desktop\audio\system.mp4 " controls
width="122 "></video>
    <br>
    <hr> -->
    <!-- The tag rel="noopener noreferrer " for security or safety ..
-->

    <!-- <a rel="noopener noreferrer " target="_blank "
href="https://courses4arab.com/html-course/html-course-
vid24.html#vid24 ">Courses 4 arabic</a><br> -->
    <hr>
    <!-- How to use img as link -->
```

```html
    <!-- Below needs review, I don't understand it .. -->

    <!-- <a rel="noop **ener noreferrer " target="_blank "
href="https://codershiyar.com " width="111 "> -->
    <div class="images">
        <h3>Images</h3>
    </div>
    <div class="images">
        <a><img src="img/html-01.jpg" alt="aaa" width="111"></a>
        <a><img src="img/html-02.jpg" alt="aaa" width="111"></a>
        <a> <img src="img/html-01.jpg" alt="aaa" width="111"></a><br>
    </div>
    <hr>
    <!-- How to send msg "email " -->

    <hr>
    <!-- How to go to somewhere inside the page ..
    <a href="#333 ">h1</a> -->
    <!-- ......................... Footer
............................. -->
    <footer>
        <div>

            <!-- Contacts -->
            <h3 class="cont">Contacts</h3>
            <div id="smedia">

                <div>
                    <!-- How to email -->
                    <a href="mailto:hamoaak@gmail.com">Email :
hamoaak@gmail.com</a>
                </div>

                <div>
                    <!-- How to call -->
                    <a href="tel:00218919055667">Phone
:   +218919055667</a>
```

```html
                </div>

            </div>
        </div>
        <hr>
        <!-- ............. social media-i-black ............... -->
        <ul>
            <li id="sm-i-b">
                <img src="sm-i-bl/fbook-i-bl.ico " width="30 " alt="fb
">
                <img src="sm-i-bl/twit-i-bl.ico " width="30 " alt="fb
">
                <img src="sm-i-bl/instag.ico " width="30 " alt="fb ">
                <img src="sm-i-bl/ytube-i-bl.ico " width="30 " alt="fb
">
                <img src="sm-i-bl/ghub-i-bl.ico " width="30 " alt="fb
">
                <img src="sm-i-bl/tgram-i-bl.ico " width="30 " alt="fb
">
                <img src="sm-i-bl/p-i-bl.ico " width="30 " alt="fb ">
            </li>
        </ul>
        <ul class="ul-lic">
            <li class="lic">
                <a href="# ">سياسة الخصوصية</a>
            </li>


            <li class="lic">
                <a href="#"> بنود الخدمة</a>
            </li>

            <li class="lic">
                <a href="#">Copyright © 2022</a>
            </li>

        </ul>
        <hr>
```

```html
    </footer>

</body>

</html>
```