

Queries to Als_20250926(五)

20250927_00

I'm a junior web developer. I need to follow up a project named ERB7 which was previously managed by a senior web developer who has left my company without telling me anything about ERB7. This project is a back-end web project using Django. Here is the 1st level file structure:

```
ERB7/  
.git  
.vscode  
config  
doctors  
listings  
pages  
static  
templates  
.env  
.gitignore  
db.sqlite3  
Makefile  
manage.py  
requirements.txt
```

Please give an explanation to each item of the above file structure including the nature and the function/purpose?

Absolutely, SIU! Here's a breakdown of each item in the first-level file structure of your Django-based project **ERB7**. Think of this as your backstage pass to understanding the architecture of your inherited web app:

📁 **Directories**

- **.git/**

- ***Purpose:** Tracks version control using Git.

- ***Function:** Stores commit history, branches, and configuration for collaboration and rollback.

- **.vscode/**

- ***Purpose:** Editor-specific settings for Visual Studio Code.

- ***Function:** Contains workspace settings, extensions, and debugging configurations.

- **config/**

Queries to Als_20250926(五)

```
- *Purpose:* Centralized configuration for the Django project.
- *Function:* Likely holds `settings.py`, `urls.py`, and `wsgi.py` or `asgi.py` —the
core setup files.

- **`doctors/`**
- *Purpose:* A Django app, probably for managing doctor-related data.
- *Function:* Contains models, views, templates, and admin configurations for doctors.

- **`listings/`**
- *Purpose:* Another Django app, likely for managing listings (e.g., services,
appointments).
- *Function:* Handles business logic and database interactions for listings.

- **`pages/`**
- *Purpose:* A Django app for static or informational pages (like About, Contact).
- *Function:* Manages simple views and templates for non-dynamic content.

- **`static/`**
- *Purpose:* Stores static assets like CSS, JavaScript, and images.
- *Function:* Used by Django's static file system to serve front-end resources.

- **`templates/`**
- *Purpose:* Holds HTML templates for rendering views.
- *Function:* Shared layout files and page-specific templates used across apps.

---

### 📄 **Files**

- **`.env`**
- *Purpose:* Environment variables file.
- *Function:* Stores sensitive data like secret keys, database URLs, and debug settings.

- **`.gitignore`**
- *Purpose:* Tells Git which files/folders to ignore.
- *Function:* Prevents committing things like `.env`, compiled files, or local settings.

- **`db.sqlite3`**
- *Purpose:* Default SQLite database file.
- *Function:* Stores all your app's data locally during development.

- **`Makefile`**
- *Purpose:* Automation script for common tasks.
```

Queries to Als_20250926(五)

- *Function:* Lets you run commands like migrations, tests, or server startup with shortcuts.

- **`manage.py`**

- *Purpose:* Django's command-line utility.

- *Function:* Used to run server, make migrations, create superusers, etc.

- **`requirements.txt`**

- *Purpose:* Lists Python dependencies.

- *Function:* Used to install all required packages with `pip install -r requirements.txt`.


If you want, I can help you visualize how these pieces interact or even walk you through customizing one of the apps. Want to dive deeper into any specific folder?

Queries to Als_20250926(五)

20250928_00

Following the above query, there are 14 items under ERB7 folder. Django uses MVTU(Model-View-Template-URL) approach. Am I right? If yes, please analyze these 14 items and put them under “Model”, “View”, “Template” and “URL” headings respectively with explanations?

You're absolutely on the right track, SIU! Django follows the **MVT** architecture—**Model**, **View**, **Template**—but the **URL** component is also crucial, so your “MVTU” interpretation is a smart extension. Let’s break down the 14 items in your `ERB7/` project folder and categorize them under **Model**, **View**, **Template**, and **URL**, based on their typical roles in a Django project.



Model

Responsible for data structure and database interaction.

- **doctors/**
 - Likely contains `models.py` defining Doctor-related data (e.g., name, specialty).
- **listings/**
 - Probably includes models for listing services, appointments, etc.
- **pages/**
 - May have simple models for static content or contact forms.
- **db.sqlite3**
 - The actual database file storing all model data during development.



View

Handles business logic and connects models to templates.

- **doctors/**
 - Contains `views.py` for rendering doctor-related pages.
- **listings/**
 - Includes views for displaying and managing listings.
- **pages/**
 - Hosts views for static or informational pages.
- **manage.py**
 - While not a view itself, it's used to run view-related commands like `runserver` or `migrate`.

Queries to Als_20250926(五)



Template

Defines how data is presented to users.

- **templates/**
 - Central folder for HTML templates used across apps.
- **static/**
 - Contains CSS, JS, and images that style and support templates.



URL

Maps URLs to views.

- **config/**
 - Likely contains `urls.py`, the main routing file for the project.
- **doctors/, listings/, pages/**
 - Each may have its own `urls.py` for app-specific routing.

Queries to Als_20250926(五)



Other (Support & Configuration)

Not directly part of MVTU but essential for project setup and maintenance.

Item	Purpose
<code>.git/</code>	Version control with Git.
<code>.vscode/</code>	Editor settings for VS Code.
<code>.env</code>	Stores environment variables like secret keys and DB credentials.
<code>.gitignore</code>	Tells Git which files/folders to ignore.
<code>Makefile</code>	Automates tasks like testing or running the server.
<code>requirements.txt</code>	Lists Python packages needed for the project.

Queries to Als_20250926(五)

If you want, I can help you trace how a request flows through this MVTU structure—from URL to View to Model to Template. Or we could even sketch out a new app together. What's your next move, SIU?

Queries to Als_20250926(五)

20250928_01

Following the above query, there is a folder called config under ERB7 folder. Here is the file structure of config:

```
config/  
__pycache__  
/__init__.cpython-310.pyc  
/settings.cpython-310.pyc  
/urls.cpython-310.pyc  
/wsgi.cpython-310.pyc  
staticfiles  
/css  
/img  
/js  
/webfonts  
__init__.py  
asgi.py  
settings.py  
urls.py  
wsgi.py
```

Please tell me the purposes and functions of the above items?

Great follow-up, SIU! The `config/` folder is the **core configuration hub** of your Django project. It's where Django is told how to behave—what settings to use, how to route URLs, and how to serve the app. Let's break down each item in the folder so you know exactly what role it plays:

Python Files (Core Django Configuration)

File	Purpose & Function
<code>__init__.py</code>	Marks the folder as a Python package. Required for imports to work properly.
<code>settings.py</code>	The heart of Django's configuration. Defines installed apps, middleware, database settings, static files, templates, security keys, and more.
<code>urls.py</code>	Maps URL paths to views. This is the central routing file that connects incoming requests to the correct app logic.
<code>wsgi.py</code>	Entry point for WSGI-compatible web servers (like Gunicorn or uWSGI) to serve your Django app. Used in production.

Queries to Als_20250926(五)

`asgi.py`

Similar to `wsgi.py`, but for ASGI-compatible servers (like Daphne or Uvicorn). Enables async features like WebSockets.



`__pycache__` / Folder

Item

`__init__.cpython-310.pyc`,
`settings.cpython-310.pyc`,
etc.

Purpose & Function

These are **compiled Python files** generated automatically to speed up execution. They mirror your `.py` files and are safe to ignore or delete—they'll regenerate as needed.



`staticfiles` / Folder

This folder is likely used to **collect and serve static assets** in production. It mirrors the structure of your `static/` folder but is managed by Django's `collectstatic` command.

Subfolder

Purpose

`css/` Stylesheets for your site.
`img/` Images used in templates or UI.
`js/` JavaScript files for interactivity.
`webfonts/` Custom fonts used in your design.



Summary

The `config/` folder is your Django project's **control center**. Here's how it fits into the MVTU structure:

- **Model:** Not directly involved.
- **View:** Indirectly supports views via routing (`urls.py`).
- **Template:** Supports template rendering via `settings.py` (template paths).
- **URL:** Directly handles URL routing (`urls.py`).
- **Deployment:** `wsgi.py` and `asgi.py` are critical for serving the app.

If you ever want to customize behavior—like adding middleware, changing database engines, or enabling debug mode—`settings.py` is your go-to file.

Want help tweaking any of these files for your own use case?

Queries to Als_20250926(五)

20250928_02

Following the above query, you mentioned a word “assets”. Please explain in detail the concept or definition of “assets” during the process of web development?

Absolutely, SIU! In web development, “**assets**” are the building blocks that shape how a website looks, feels, and functions. They’re not just decorative—they’re essential for performance, branding, interactivity, and user experience.

What Are Web Assets?

Web assets refer to all the digital resources that a website or web application uses to operate and present content. These include:

Design & Visual Assets

- **Images** (PNG, JPEG, SVG, WebP): Used for logos, icons, backgrounds, and illustrations.
- **Fonts** (WOFF, TTF): Custom typography for branding and readability.
- **Videos & Audio** (MP4, WebM, MP3): Enhance storytelling and engagement.
- **Icons & Illustrations**: Provide intuitive navigation and visual cues.

Code & Software Assets

- **HTML files**: Structure the content of web pages.
- **CSS files**: Style and layout the content (colors, spacing, typography).
- **JavaScript files**: Add interactivity (e.g., sliders, form validation).
- **Frameworks & Libraries**: Tools like Bootstrap, React, or jQuery that speed up development.

Functional Assets

- **Databases**: Store dynamic content like user data, posts, or products.
- **APIs**: Connect your site to external services (e.g., payment gateways, maps).
- **Plugins & Extensions**: Add features like SEO tools, contact forms, or analytics.

Security Assets

- **SSL Certificates**: Encrypt data between the user and server.
- **Authentication Systems**: Manage user login and access control.
- **Firewalls & Security Scripts**: Protect against malicious attacks.

Queries to Als_20250926(五)



SEO & Analytics Assets

- **Meta Tags & Keywords:** Help search engines understand and rank your site.
- **Sitemaps:** Guide crawlers through your site's structure.
- **Analytics Tools:** Track user behavior (e.g., Google Analytics, heatmaps).



Hosting & Delivery Assets

- **Domain Name:** Your website's address (e.g., `www.erb7.com`).
- **Web Hosting:** Where your site's files live.
- **CDN (Content Delivery Network):** Speeds up asset delivery by caching files globally.



Accessibility Assets

- **ALT Text:** Describes images for screen readers.
- **ARIA Labels:** Improve navigation for users with disabilities.



Why Assets Matter

- **Performance:** Optimized assets load faster and improve user retention.
- **Branding:** Consistent visuals and fonts reinforce your identity.
- **Functionality:** Assets like scripts and APIs make your site dynamic and responsive.
- **Accessibility:** Inclusive assets ensure everyone can use your site.
- **Security:** Protects users and data from threats.

If you're working on ERB7, your `static/` and `staticfiles/` folders are where many of these assets live. Want help organizing or optimizing them for faster load times or better SEO?

Queries to Als_20250926(五)

20250928_03

Following the above queries, there are three apps under ERB7 i.e. doctors, listings and pages. Here is the file structure of each of these app:

```
doctors/  
__pycache__  
migrations  
__init__.py  
admin.py  
apps.py  
models.py  
tests.py  
views.py
```

```
listings/  
__pycache__  
migrations  
__init__.py  
admin.py  
apps.py  
models.py  
tests.py  
urls.py  
views.py
```

```
pages/  
__pycache__  
migrations  
__init__.py  
admin.py  
apps.py  
models.py  
tests.py  
urls.py  
views.py
```

Please explain in detail the purpose and function of each item in the above file structures?

“urls.py” is missing under doctors/. What is the reason behind that?

Queries to Als_20250926(五)

You're asking all the right questions, SIU! Let's break down the anatomy of each Django app—**doctors**, **listings**, and **pages**—and then tackle the mystery of the missing `urls.py` in the **doctors** app.



Common Django App Structure Explained

Each Django app is a self-contained module that handles a specific domain of your project. Here's what each file/folder typically does:



`__pycache__/`

- **Purpose:** Stores compiled `.pyc` files for faster execution.
- **Function:** Automatically generated by Python; not manually edited.



`migrations/`

- **Purpose:** Tracks changes to models over time.
- **Function:** Contains migration files that Django uses to update the database schema.



`__init__.py`

- **Purpose:** Marks the folder as a Python package.
- **Function:** Enables imports and module recognition.



`admin.py`

- **Purpose:** Registers models with Django's admin interface.
- **Function:** Allows you to manage app data via the built-in admin dashboard.



`apps.py`

- **Purpose:** Configuration class for the app.
- **Function:** Defines metadata like app name and ready hooks.



`models.py`

- **Purpose:** Defines the data structure.
- **Function:** Contains classes that map to database tables.

Queries to Als_20250926(五)



`tests.py`

- **Purpose:** Contains unit tests.
- **Function:** Ensures your app behaves correctly during development and deployment.



`views.py`

- **Purpose:** Handles logic for processing requests and returning responses.
- **Function:** Connects models to templates or APIs.



`urls.py` (*only in listings and pages*)

- **Purpose:** Maps URL patterns to views.
- **Function:** Allows modular routing within the app.



Why Is `urls.py` Missing in `doctors/`?

Here are a few likely reasons:

1. Centralized Routing

- The `doctors` app might be routed entirely through the project's main `urls.py` (in `config/urls.py`), without needing its own internal routing.

2. Minimal Functionality

- If the app is used only for models or admin registration (e.g., no public-facing views), it may not require URL patterns.

3. Work in Progress

- The app might be under development, and `urls.py` hasn't been created yet.

4. Legacy or Refactored Code

- It's possible the app once had a `urls.py`, but routing was refactored into another app or centralized.



Best Practice Tip

Even if an app has minimal routing needs, it's a good idea to include a `urls.py` for modularity and scalability. It keeps your project clean and makes future updates easier.

Would you like help drafting a `urls.py` for the `doctors` app or reviewing how routing flows through your project? We can even sketch out a sample view and URL pattern together.

Queries to Als_20250926(五)

20250928_04

For the ERB7 project, there is a folder called static. Here is the structure of the folders under static:

```
static/  
admin  
css  
img  
js  
webfonts
```

What are the purposes and functions of these folders? Please explain.

Great observation, SIU! The `static/` folder in your Django project is where all the **front-end assets** live—these are the files that don't change dynamically and are served directly to the browser. Let's break down each subfolder and its role in shaping the user experience:

`static/` — The Asset Hub

This is the root directory for all static files in your project. Django uses it to collect and serve assets like stylesheets, scripts, and images.

`admin/`

- **Purpose:** Contains static files for Django's built-in admin interface.
- **Function:** Includes CSS, JS, and icons that style and power the admin dashboard.
- **Note:** Automatically included when you use `django.contrib.admin`.

`css/`

- **Purpose:** Holds Cascading Style Sheets.
- **Function:** Defines the visual styling of your site—colors, fonts, layout, spacing, responsiveness.
- **Example:** `main.css`, `theme.css`, or `bootstrap.min.css`.

Queries to Als_20250926(五)



img/

- **Purpose:** Stores image files.
- **Function:** Used for logos, icons, backgrounds, and illustrations in your templates.
- **Formats:** PNG, JPEG, SVG, WebP, etc.



js/

- **Purpose:** Contains JavaScript files.
- **Function:** Adds interactivity and dynamic behavior—form validation, sliders, modals, AJAX calls.
- **Example:** `main.js`, `jquery.min.js`, or `scripts.js`.



webfonts/

- **Purpose:** Hosts custom font files.
- **Function:** Enables unique typography across your site, enhancing branding and readability.
- **Formats:** WOFF, WOFF2, TTF, EOT.

How Django Uses These

- During development, Django serves these files directly using `STATICFILES_DIRS`.
- In production, you run `collectstatic` to gather all static files into one place (often `config/staticfiles/`) for efficient serving via CDN or web server.

If you'd like, I can help you optimize these assets for faster load times or even show you how to link them properly in your templates. Want to explore asset versioning or CDN integration next?

Queries to Als_20250926(五)

20250928_05

Following the above query, there are three folders under admin folder, namely css, img and js. The css folder contains some css files.

However, there is another folder called css directly under static. It also contains some css files.

Please tell me why it needs to keep two sets of css files under different folders?

Excellent observation, SIU! Having two separate `css/` folders—one under `static/admin/` and another directly under `static/`—is not duplication, but **intentional separation of concerns**. Here's why this structure exists and why it's smart:

Purpose of Each `css/` Folder

`static/admin/css/`

- **Purpose:** Contains CSS files specifically for Django's **admin interface**.
- **Function:** Styles the backend dashboard where site administrators manage content, users, and data.
- **Ownership:** These files are typically provided by Django itself or overridden by developers to customize the admin look.

`static/css/`

- **Purpose:** Contains CSS files for the **public-facing website**.
- **Function:** Styles the pages users see—like home, listings, doctor profiles, contact forms, etc.
- **Ownership:** These are your custom styles, written to match your brand and user experience.

Why Keep Them Separate?

Reason	Explanation
Modularity	Keeps admin styles isolated from front-end styles to avoid conflicts.
Maintainability	Easier to update or debug styles when each set serves a distinct purpose.

Queries to Als_20250926(五)

Performance	Only loads necessary styles for each interface—admin users don’t need front-end styles and vice versa.
Security & Control	Admin interface may have stricter styling rules or be hidden from public users.
Customization	You can theme the admin separately without affecting the main site.



Bonus Insight: How Django Serves These

- Django uses `STATICFILES_DIRS` to locate these folders.
- During deployment, `collectstatic` gathers all static files—including both sets of CSS—into a unified directory (often `staticfiles/`) for efficient serving.

If you ever want to customize the admin interface (e.g., change colors, fonts, or layout), you’d work inside `static/admin/css/`. For public styling, stick to `static/css/`.

Want help creating a custom theme for your admin dashboard or optimizing your front-end styles for performance?

Queries to Als_20250926(五)

20250928_06

For the above-mentioned project ERB7, it has a folder called “templates”. Here is the files and folders under “templates”:

templates/

listings/
listing.html
listings.html
search.html

pages/
about.html
index.html

partials/
_footer.html
_navbar.html
_topbar.html

base.html

- (1) Please explain in detail the purposes and functions of the above items.
- (2) What are the main differences between listing.html and listings.html?
- (3) Some html files’ names begin with an underscore e.g. _footer.html while others’ names don’t begin with an underscore e.g. about.html. What is the reason behind that?

You're diving deep into Django templating, SIU—and I love it! Let's unpack the structure and purpose of your `templates/` folder in the ERB7 project, and clarify the naming conventions and file roles.



(1) Detailed Explanation of Each Item



`listings/`

Templates related to the **listings app**, likely used to display services, appointments, or items.

- `listing.html`

Queries to Als_20250926(五)

- Displays a **single listing**—e.g., details of one doctor or service.
 - Used when viewing an individual item.
- **listings.html**
 - Displays a **list of multiple listings**—e.g., all available doctors or services.
 - Used for overview or browsing pages.
- **search.html**
 - Displays **search results** based on user queries.
 - Often includes filters, sorting, and dynamic content.

pages/

Templates for static or informational pages.

- **about.html**
 - Shows information about the site, team, or mission.
 - Typically a static page.
- **index.html** (*note: typo in your message as “index.html”*)
 - The **homepage** of the site.
 - Often includes featured content, navigation, and calls to action.

partials/

Reusable template fragments—like components in modern front-end frameworks.

- **_footer.html**
 - Contains the site’s footer—contact info, links, copyright.
- **_navbar.html**
 - Contains the navigation bar—site menu, logo, login/logout links.
- **_topbar.html**
 - May include a top strip with alerts, user info, or quick links.

base.html

- The **master layout** template.
- Defines the overall HTML structure—`<head>`, `<body>`, and includes blocks like `{% block content %}`.
- Other templates extend this using `{% extends "base.html" %}` for consistency.

Queries to Als_20250926(五)

(2) Difference Between `listing.html` and `listings.html`

File	Purpose	Typical Use
<code>listing.html</code>	Shows one item in detail	Viewing a single listing
<code>listings.html</code>	Shows multiple items	Browsing all listings

Think of `listing.html` as a **profile page**, and `listings.html` as a **directory or gallery**.

(3) Why Some Files Start with an Underscore (_)

Convention: Underscore Prefix = Partial Template

- Files like `_footer.html` and `_navbar.html` are **not standalone pages**.
- They are **included** in other templates using `{% include "_footer.html" %}`.
- The underscore signals: “This is a fragment, not a full page.”

No Underscore = Full Page Template

- Files like `about.html` and `index.html` are **complete pages**.
- They are rendered directly via views and URLs.

Summary

- **Templates** are organized by app and purpose.
- **Partials** are reusable components to avoid repetition.
- **Naming conventions** help developers quickly identify the role of each file.

If you want, I can help you refactor your templates for better reuse or show you how to pass context data from views to templates. Ready to level up your front-end logic?

Queries to Als_20250926(五)

20250928_07

Following the above queries, I've analyzed the contents of the nine html files below.

(1)listing.html

(2)listings.html

(3)search.html

(4)about.html

(5)index.html

(6)_footer.html

(7)_navbar.html

(8)_topbar.html

(9)base.html

Here is a summary:

It is found that there are some strange brackets in the above HTML files, for example:

```
{% extends 'base.html' %}
{% block content%}
{% load static %}
{% endblock %}
{% comment %} (something) {% endcomment %}
<a href={% url "pages:index" %} >
<a class="navbar-brand" href={% url "pages:index" %} >
<img src={% static 'img/logo.png' %} class="logo" alt="" />
<li {% if '/' == request.path %}
    class="nav-item active mr-3"
    {% else %}
    class="nav-item mr-3"
    {% endif %}
>
<li {% if 'about' in request.path %} class="nav-item mr-3 active"
    {% else %}
```


Queries to Als_20250926(五)

```
        class="nav-item mr-3"
        {% endif %}>
<a class="nav-link" href={% url "pages:about" %} >About</a>
<a class="nav-link" href={% url "listings:listings" %}
    >Inpatient medical services</a>
    >
<link rel="stylesheet" href={% static 'css/all.css' %} />
<link rel="stylesheet" href={% static 'css/bootstrap.css' %} />
<link rel="stylesheet" href={% static 'css/lightbox.min.css' %} />
<link rel="stylesheet" href={% static 'css/style.css' %} />
<body>
    {% include 'partials/_topbar.html' %}
    {% include 'partials/_navbar.html' %}
    {% block content %}{% endblock %}
    {% include 'partials/_footer.html' %}
    <script src={% static 'js/jquery-3.3.1.min.js' %}></script>
    <script src={% static 'js/bootstrap.bundle.min.js' %}></script>
    <script src={% static 'js/lightbox.min.js' %}></script>
    <script src={% static 'js/main.js' %}></script>
</body>
```

Please tell me:

- What are these strange brackets? What are their purposes?
- Do these brackets represent a type of computing language? If yes, what is its name? what is its syntax?
- What is the work flow in the project ERB7 after using these brackets?

You're spot on, SIU—those “strange brackets” are the secret sauce behind Django’s dynamic templating system. Let’s break it all down:

(a) What Are These Strange Brackets?

These are **Django Template Tags and Filters**, enclosed in `{% ... %}` or `{{ ... }}`.

Two Main Types:

- `{% ... %}` → **Template Tags**: Control logic, structure, and behavior (e.g., loops, conditions, includes).

Queries to Als_20250926(五)

- `{{ ... }}` → **Template Variables**: Output dynamic content (e.g., `{{ listing.title }}`).

Purpose:

They allow your HTML files to:

- Extend layouts
- Include reusable components
- Load static files
- Insert dynamic data
- Apply conditional logic
- Route URLs dynamically

(b) Do These Brackets Represent a Language?

Yes—they're part of the **Django Template Language (DTL)**.

What Is DTL?

A lightweight templating language built into Django to mix Python logic with HTML.

Syntax Examples:

Tag	Purpose
<code>{% extends 'base.html' %}</code>	Inherit layout from a base template
<code>{% block content %} ... {% endblock %}</code>	Define a content section
<code>{% include 'partials/_navbar.html' %}</code>	Insert reusable HTML fragment
<code>{% load static %}</code>	Enable use of <code>{% static 'path' %}</code> for assets
<code>{% url 'pages:index' %}</code>	Dynamically generate URLs
<code>{% if condition %} ... {% else %} ... {% endif %}</code>	Conditional rendering
<code>{% comment %} ... {% endcomment %}</code>	Add non-visible notes for developers

(c) Workflow in ERB7 Using These Brackets

Here's how Django processes your templates using these tags:

Queries to Als_20250926(五)

1. Request Comes In

- A user visits a URL like `/listings/`.

2. URL Routing

- `urls.py` maps the URL to a view function.

3. View Logic

- The view fetches data from models (e.g., listings) and passes it to a template.

4. Template Rendering

- Django loads the appropriate `.html` file.
- It processes `{% extends %}`, `{% include %}`, and `{% block %}` to build the full page.
- It replaces `{{ variables }}` with actual data.
- It resolves `{% static %}` and `{% url %}` to real paths.

5. Response Sent

- The final HTML is sent to the browser, fully assembled and styled.



Example: Rendering `listings.html`

1. **View:** Fetches all listings.
2. **Template:**
 - Extends `base.html`
 - Includes `_navbar.html` and `_footer.html`
 - Loops through listings with `{% for listing in listings %}`
 - Uses `{{ listing.title }}` to display data
3. **Browser:** Sees a polished page with dynamic content.

If you want, I can walk you through building a custom template from scratch or show you how to pass context data from views to templates. Ready to code your own dynamic page?

Queries to Als_20250926(五)

20250928_08

What are the meanings/definitions of the HTML tags below? Are they all correct? Please explain.

```
<img src=... class=... />
<li></li>
<a class=... href=... >...</a>
<link rel=.. href=... />
<script src=...></script>
```

Great question, SIU! You're looking at some of the most commonly used HTML tags that bring structure, style, and interactivity to web pages. Let's break down each one and confirm whether they're correct and how they function.

✓ 1. `<img src=... class=... />`

◆ Meaning:

- `<img>`: Embeds an image into the page.
- `src`: Specifies the image file path or URL.
- `class`: Assigns CSS styling via class selectors.

✓ Correct Syntax:

```

```

🧠 Notes:

- Self-closing tag.
- Always include `alt` for accessibility and SEO.

✓ 2. `<li></li>`

Queries to Als_20250926(五)

◆ Meaning:

- ****: List item tag used inside **** (unordered list) or **** (ordered list).

✓ Correct Syntax:

```
<ul>
  <li>Item 1</li>
  <li>Item 2</li>
</ul>
```

🧠 Notes:

- Not self-closing.
- Must be nested inside a list container.

✓ 3. **...**

◆ Meaning:

- **<a>**: Anchor tag for hyperlinks.
- **href**: Destination URL or path.
- **class**: CSS styling hook.

✓ Correct Syntax:

```
<a class="nav-link" href="/about">About Us</a>
```

🧠 Notes:

- Can link to internal pages, external sites, or even trigger JavaScript.

✓ 4. **<link rel=... href=... />**

◆ Meaning:

- **<link>**: Defines relationships between the document and external resources.
- **rel**: Type of relationship (e.g., stylesheet, icon).

Queries to Als_20250926(五)

- **href:** Path to the resource.

✓ Correct Syntax:

```
<link rel="stylesheet" href="css/style.css" />
```

🧠 Notes:

- Commonly used in <head> for stylesheets and favicons.
- Self-closing tag.

✓ 5. <script src=...></script>

◆ Meaning:

- **<script>:** Embeds or links to JavaScript code.
- **src:** Path to external JS file.

✓ Correct Syntax:

```
<script src="js/main.js"></script>
```

🧠 Notes:

- Not self-closing.
- Can also contain inline JavaScript between the opening and closing tags.

🧠 Summary

Tag	Purpose	Self-Closing?
	Displays images	✓ Yes
	List item	✗ No
<a>	Hyperlink	✗ No
<link>	External resource (e.g., CSS)	✓ Yes
<script>	JavaScript	✗ No

Queries to Als_20250926(五)

All the tags you've listed are **valid and correctly used**, assuming proper attribute values are supplied. If you'd like, I can show you how these tags work together in a real-world layout or help you build a responsive navigation bar using them.

Queries to Als_20250926(五)

Appendix: Full contents of 9 files as at 20250928

(1)listing.html

```
{% extends 'base.html' %} {% block content%} {% load static %}
```

```
<h1>listing.html</h1>
```

```
{% endblock %}
```

(2)listings.html

```
{% extends 'base.html' %} {% block content%} {% load static %}
```

```
<section id="showcase-inner" class="py-5 text-white">
```

```
    <div class="container">
```

```
        <div class="row text-center">
```

```
            <div class="col-md-12">
```

```
                <h1 class="display-4">Browse Our Clinic</h1>
```

```
                <p class="lead">
```

```
                    Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sunt,  
                    pariatur!
```

```
                </p>
```

```
            </div>
```

```
        </div>
```

```
    </div>
```

```
</section>
```

```
<!-- Breadcrumb -->
```

```
<section id="bc" class="mt-3">
```

```
    <div class="container">
```

```
        <nav aria-label="breadcrumb">
```

```
            <ol class="breadcrumb">
```

```
                <li class="breadcrumb-item">
```

```
                    {% comment %} (DONE)index {% endcomment %}
```


Queries to Als_20250926(五)

```
<a href="{% url 'pages:index' %}" > <i class="fas fa-home"> </i> Home</a>
</li>
<li class="breadcrumb-item active">Browse Listings</li>
</ol>
</nav>
</div>
</section>

<!-- Listings -->
<section id="listings" class="py-4">
  <div class="container">
    <div class="row">
      <!-- Listing 1 -->
      <div class="col-md-6 col-lg-4 mb-4">
        <div class="card listing-preview">
          {% comment %} image {% endcomment %}
          
          <div class="card-img-overlay">
          </div>
          <div class="card-body">
            <div class="listing-heading text-center">
              <h4 class="text-primary">Harmony Health Clinic</h4>
              <p>
                <i class="fas fa-map-marker text-secondary"> </i> Kowloon Bay
```

Queries to Als_20250926(五)

```
</p>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-th-large"> </i> Restrooms
  </div>
  <div class="col-6">
    <i class="fas fa-dumbbell"> </i> Treatment
  </div>
</div>
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-bed"> </i> Bedrooms
  </div>
  <div class="col-6">
    <i class="fas fa-bath"> </i> Bathrooms
  </div>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12"> <i class="fas fa-user"> </i> Ms. Ma</div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
```

Queries to Als_20250926(五)

```
<hr />
{% comment %} listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a>
>
</div>
</div>
</div>

<!-- Listing 2 -->
<div class="col-md-6 col-lg-4 mb-4">
  <div class="card listing-preview">
    {% comment %} image {% endcomment %}
    
    <div class="card-img-overlay">
    </div>
    <div class="card-body">
      <div class="listing-heading text-center">
        <h4 class="text-primary">Evercare Medical Center</h4>
        <p>
          <i class="fas fa-map-marker text-secondary"> </i> Kowloon
          City
        </p>
      </div>
    </div>
```

Queries to Als_20250926(五)

```
<hr />
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-th-large"> </i> Restrooms
  </div>
  <div class="col-6">
    <i class="fas fa-dumbbell"> </i> Treatment
  </div>
</div>
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-bed"> </i> Bedrooms
  </div>
  <div class="col-6">
    <i class="fas fa-bath"> </i> Bathrooms
  </div>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12">
    <i class="fas fa-user"> </i> Ms. Chung
  </div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
```

Queries to Als_20250926(五)

```
{% comment %} listing {% endcomment %}

<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a>
>
</div>
</div>
</div>

<!-- Listing 3 -->
<div class="col-md-6 col-lg-4 mb-4">
  <div class="card listing-preview">
    {% comment %} image {% endcomment %}
    
    <div class="card-img-overlay">
    </div>
    <div class="card-body">
      <div class="listing-heading text-center">
        <h4 class="text-primary">VitalPath Wellness Clinic</h4>
        <p>
          <i class="fas fa-map-marker text-secondary"> </i> Sham Shui
          Po
        </p>
      </div>
    </div>
  </div>
</div>
```

Queries to Als_20250926(五)

```
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-th-large"> </i> Restrooms
  </div>
  <div class="col-6">
    <i class="fas fa-dumbbell"> </i> Treatment
  </div>
</div>
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-bed"> </i> Bedrooms
  </div>
  <div class="col-6">
    <i class="fas fa-bath"> </i> Bathrooms
  </div>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12"> <i class="fas fa-user"> </i> Ms. Chan</div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
<hr />
{% comment %} listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
```

Queries to Als_20250926(五)

```
> More Info</a>

>
</div>
</div>
</div>

<!-- Listing 4 -->
<div class="col-md-6 col-lg-4 mb-4">
  <div class="card listing-preview">
    {% comment %} image {% endcomment %}
    
    <div class="card-img-overlay">
    </div>
    <div class="card-body">
      <div class="listing-heading text-center">
        <h4 class="text-primary">BrightCare Health Clinic</h4>
        <p>
          <i class="fas fa-map-marker text-secondary"> </i> Sha Tin
        </p>
      </div>
      <hr />
      <div class="row py-2 text-secondary">
        <div class="col-6">
          <i class="fas fa-th-large"> </i> Restrooms
```

Queries to Als_20250926(五)

```
</div>
<div class="col-6">
  <i class="fas fa-dumbbell"> </i> Treatment
</div>
</div>
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-bed"> </i> Bedrooms
  </div>
  <div class="col-6">
    <i class="fas fa-bath"> </i> Bathrooms
  </div>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12"> <i class="fas fa-user"> </i> Ms. Chan</div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
<hr />
{% comment %} listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a>
>
</div>
```


Queries to Als_20250926(五)

```
</div>
</div>

<!-- Listing 5 -->
<div class="col-md-6 col-lg-4 mb-4">
  <div class="card listing-preview">
    {% comment %} image {% endcomment %}
    
    <div class="card-img-overlay">
    </div>
    <div class="card-body">
      <div class="listing-heading text-center">
        <h4 class="text-primary">TrueCare Medical Clinic</h4>
        <p>
          <i class="fas fa-map-marker text-secondary"></i> Lai King
        </p>
      </div>
      <hr />
      <div class="row py-2 text-secondary">
        <div class="col-6">
          <i class="fas fa-th-large"></i> Restrooms
        </div>
        <div class="col-6">
          <i class="fas fa-dumbbell"></i> Treatment
        </div>
      </div>
    </div>
  </div>
</div>
```

Queries to Als_20250926(五)

```
</div>
</div>
<div class="row py-2 text-secondary">
  <div class="col-6">
    <i class="fas fa-bed"> </i> Bedrooms
  </div>
  <div class="col-6">
    <i class="fas fa-bath"> </i> Bathrooms
  </div>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12"> <i class="fas fa-user"> </i> Ms. Chan</div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
<hr />
{% comment %} listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a
>
</div>
</div>
</div>
```

Queries to Als_20250926(五)

```
<!-- Listing 6 -->
<div class="col-md-6 col-lg-4 mb-4">
  <div class="card listing-preview">
    {% comment %} image {% endcomment %}
    
    <div class="card-img-overlay">
    </div>
    <div class="card-body">
      <div class="listing-heading text-center">
        <h4 class="text-primary">Healing Horizons Clinic</h4>
        <p>
          <i class="fas fa-map-marker text-secondary"></i> Wai Chai
        </p>
      </div>
      <hr />
      <div class="row py-2 text-secondary">
        <div class="col-6">
          <i class="fas fa-th-large"></i> Restrooms
        </div>
        <div class="col-6">
          <i class="fas fa-dumbbell"></i> Treatment
        </div>
      </div>
    </div>
  </div>
</div>
```

Queries to Als_20250926(五)

```
<div class="col-6">
  <i class="fas fa-bed"> </i> Bedrooms
</div>
<div class="col-6">
  <i class="fas fa-bath"> </i> Bathrooms
</div>
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12"> <i class="fas fa-user"> </i> Ms. Chan</div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
<hr />
{% comment %} listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a>
>
</div>
</div>
</div>
</div>
</div>

<div class="row">
  <div class="col-md-12">
```

Queries to Als_20250926(五)

```
<ul class="pagination">
  <li class="page-item disabled">
    <a class="page-link" href="#">&laquo;</a>
  </li>
  <li class="page-item active">
    <a class="page-link" href="#">1</a>
  </li>
  <li class="page-item">
    <a class="page-link" href="#">2</a>
  </li>
  <li class="page-item">
    <a class="page-link" href="#">3</a>
  </li>
  <li class="page-item">
    <a class="page-link" href="#">&raquo;</a>
  </li>
</ul>
</div>
</div>
</div>
</section>
```

{% endblock %}

[\(3\)search.html](#)

{% extends 'base.html' %} {% block content%} {% load static %}

<h1>search.html</h1>

{% endblock %}

Queries to Als_20250926(五)

(4)about.html

```
{% extends 'base.html' %} {% block content%} {% load static %}
```

```
<section id="showcase-inner" class="py-5 text-white">
  <div class="container">
    <div class="row text-center">
      <div class="col-md-12">
        <h1 class="display-4">About BC Health Care</h1>
        <p class="lead">
          Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sunt,
          pariatur!
        </p>
      </div>
    </div>
  </div>
</section>

<!-- Breadcrumb -->
<section id="bc" class="mt-3">
  <div class="container">
    <nav aria-label="breadcrumb">
      <ol class="breadcrumb">
        <li class="breadcrumb-item">
          {% comment %} (DONE)fix index.html {% endcomment %}
          <a href={% url 'pages:index' %} > <i class="fas fa-home"> </i> Home</a>
        </li>
        <li class="breadcrumb-item active">About</li>
```

Queries to Als_20250926(五)

```
</ol>
</nav>
</div>
</section>

<section id="about" class="py-4">
  <div class="container">
    <div class="row">
      <div class="col-md-8">
        <h2>
          We Search For The Your health, your home – we help you find the
          right clinic.
        </h2>
        <p class="lead">
          Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sunt,
          pariatur!
        </p>
        {% comment %} (DONE)fix image {% endcomment %}
        <img src={% static 'img/about.jpg' %} alt="" />
        <p class="mt-4">
          Lorem ipsum dolor sit amet consectetur adipisicing elit.
          Perspiciatis esse officia repudiandae ad saepe ex, amet neque quod
          accusamus rem quia magnam magni dolorum facilis ullam minima
          preferendis? Exercitationem at quaerat commodi id libero eveniet
          harum preferendis laborum molestias quia.
        </p>
      </div>
    </div>
  </div>
```

Queries to Als_20250926(五)

```
<div class="card">
  {% comment %} fix image {% endcomment %}
  
  <div class="card-body">
    <h5 class="card-title">Top Doctor</h5>
    <h6 class="text-secondary">Kyle chan</h6>
    <p class="card-text">
      Lorem ipsum dolor sit amet consectetur adipisicing elit. Omnis
      nesciunt amet, illo itaque similique repellat. content.
    </p>
  </div>
</div>
</div>
</div>
</div>
</div>
</section>

<!-- Work -->
<section id="work" class="bg-dark text-white text-center">
  <h2 class="display-4">We Work For You</h2>
  <h4>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Autem velit
    aperiam, unde aliquid at similique!
  </h4>
```


Queries to Als_20250926(五)

```
<hr />
{% comment %} fix listings.html {% endcomment %}
<a href="listings.html" class="btn btn-secondary text-white btn-lg"
  >View Our Featured Listings</a>
>
</section>

<!-- Team -->
<section id="team" class="py-5">
  <div class="container">
    <h2 class="text-center pb-4">Our Team</h2>
    <div class="row text-center">
      <div class="col-md-4">
        {% comment %} fix image {% endcomment %}
        
        <h4>Kyle Chan</h4>
        <p class="text-success">
          <i class="fas fa-award text-success"></i> Doctor
        </p>
        <hr />
        <p><i class="fas fa-phone"></i> (852)-555-5555</p>
        <p><i class="fas fa-envelope-open"></i> kyle@healthcare.co</p>
      </div>
```

Queries to Als_20250926(五)

```
<div class="col-md-4">
  {% comment %} fix image {% endcomment %}
  
  <h4>Emma Lee</h4>
  <p class="text-success">Doctor</p>
  <hr />
  <p><i class="fas fa-phone"> </i> (852)-444-4444</p>
  <p><i class="fas fa-envelope-open"> </i> emma@healthcare.co</p>
</div>

<div class="col-md-4">
  {% comment %} fix image {% endcomment %}
  
  <h4>Jenny Cheung</h4>
  <p class="text-success">Doctor</p>
  <hr />
  <p><i class="fas fa-phone"> </i> (852)-333-3333</p>
```

Queries to Als_20250926(五)

```
<p><i class="fas fa-envelope-open"></i> jenny@healthcare.co</p>
</div>
</div>
</div>
</section>
```

{% endblock %}

[\(5\)index.html](#)

{% extends 'base.html' %} {% block content %}

<!-- Showcase -->

```
<section id="showcase">
```

```
<div class="container text-center">
```

```
<div class="home-search p-5">
```

```
<div class="overlay p-5">
```

```
<h1 class="display-4 mb-4">Clinic Searching Just Got So Easy</h1>
```

```
<p class="lead">
```

Lorem ipsum dolor sit, amet consectetur adipisicing elit.

Recusandae quas, asperiores eveniet vel nostrum magnam voluptatum
tempore! Consectetur, id commodi!

```
</p>
```

```
<div class="search">
```

{% comment %} fix search {% endcomment %}

```
<form action="search.html">
```

<!-- Form Row 1 -->

```
<div class="form-row">
```

```
<div class="col-md-12 mb-3">
```

```
<label class="sr-only">Keywords</label>
```

Queries to Als_20250926(五)

```
<input
  type="text"
  name="keywords"
  class="form-control"
  placeholder="Keyword (Clinic, Doctor, City name, Town name, etc)"
/>
</div>
</div>
<!-- Form Row 2 -->
<div class="form-row">
  <div class="col-md-4 mb-3">
    <label class="sr-only">District</label>
    <select name="district" class="form-control">
      <option selected="true" disabled="disabled">
        District (All)
      </option>
      <option value="IL">Islands</option>
      <option value="KT">Kwai Tsing</option>
      <option value="NR">North</option>
      <option value="SK">Sai Kung</option>
      <option value="ST">Sha Tin</option>
      <option value="TP">Tai Po</option>
      <option value="TW">Tsuen Wan</option>
      <option value="TM">Tuen Mun</option>
      <option value="YL">Yuen Long</option>
      <option value="KC">Kowloon City</option>
      <option value="KW">Kwun Tong</option>
      <option value="SS">Sham Shui Po</option>
```

Queries to Als_20250926(五)

```
<option value="WT">Wong Tai Sin</option>
<option value="YM">Yau Tsim Mong</option>
<option value="CW">Central & Western</option>
<option value="ER">Eastern</option>
<option value="SR">Southern</option>
<option value="WC">Wan Chai</option>
</select>
</div>
<div class="col-md-4 mb-3">
  <label class="sr-only">Bedrooms</label>
  <select name="bedrooms" class="form-control">
    <option selected="true" disabled="disabled">
      Night (All)
    </option>
    <option value="1">1</option>
    <option value="2">2</option>
    <option value="3">3</option>
    <option value="4">4</option>
    <option value="5">5</option>
    <option value="6">6</option>
    <option value="7">7</option>
    <option value="8">8</option>
    <option value="9">9</option>
    <option value="10">10</option>
  </select>
</div>
<div class="col-md-4 mb-3">
  <select name="price" class="form-control" id="type">
```

Queries to Als_20250926(五)

```
<option selected="true" disabled="disabled">
  Bedrooms (All)
</option>
<option value="1">Private Rooms</option>
<option value="2">Semi-Private Rooms</option>
<option value="3">Standard (Multi-bed) Rooms</option>
</select>
</div>
</div>
<button class="btn btn-secondary btn-block mt-4" type="submit">
  Submit form
</button>
</form>
</div>
</div>
</div>
</div>
</section>
```

<!-- Listings -->

```
<section id="listings" class="py-5">
  <div class="container">
    <h3 class="text-center mb-3">Inpatient medical services</h3>
    <div class="row">
      <!-- Listing 1 -->
      <div class="col-md-6 col-lg-4 mb-4">
        <div class="card listing-preview">
          {% comment %} fix image {% endcomment %}
```

Queries to Als_20250926(五)

```

<div class="card-img-overlay">
</div>
<div class="card-body">
  <div class="listing-heading text-center">
    <h4 class="text-primary">Harmony Health Clinic</h4>
    <p>
      <i class="fas fa-map-marker text-secondary"></i> Kowloon Bay
    </p>
  </div>
  <hr />
  <div class="row py-2 text-secondary">
    <div class="col-6">
      <i class="fas fa-th-large"></i> Restrooms
    </div>
    <div class="col-6">
      <i class="fas fa-dumbbell"></i> Treatment
    </div>
  </div>
  <div class="row py-2 text-secondary">
    <div class="col-6">
      <i class="fas fa-bed"></i> Bedrooms
    </div>
    <div class="col-6">
```

Queries to Als_20250926(五)

```
        <i class="fas fa-bath"></i> Bathrooms
    </div>
</div>
<hr />
<div class="row py-2 text-secondary">
    <div class="col-12"><i class="fas fa-user"></i> Ms. Ma</div>
</div>
<div class="row text-secondary pb-2">
    <div class="col-12">
        <i class="fas fa-clock"></i> Reservation required
    </div>
</div>
<hr />
{% comment %} fix listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
    >More Info</a>
>
</div>
</div>
</div>

<!-- Listing 2 -->
<div class="col-md-6 col-lg-4 mb-4">
    <div class="card listing-preview">
        {% comment %} fix image {% endcomment %}
        <img
            class="card-img-top"
            src="assets/img/clinics/clinic-2.jpg"
```


Queries to Als_20250926(五)

```
alt=""
/>
<div class="card-img-overlay">
</div>
<div class="card-body">
  <div class="listing-heading text-center">
    <h4 class="text-primary">Evercare Medical Center</h4>
    <p>
      <i class="fas fa-map-marker text-secondary"></i> Kowloon
      City
    </p>
  </div>
  <hr />
  <div class="row py-2 text-secondary">
    <div class="col-6">
      <i class="fas fa-th-large"></i> Restrooms
    </div>
    <div class="col-6">
      <i class="fas fa-dumbbell"></i> Treatment
    </div>
  </div>
  <div class="row py-2 text-secondary">
    <div class="col-6">
      <i class="fas fa-bed"></i> Bedrooms
    </div>
    <div class="col-6">
      <i class="fas fa-bath"></i> Bathrooms
    </div>
  </div>
```

Queries to Als_20250926(五)

```
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12">
    <i class="fas fa-user"></i> Ms. Chung
  </div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"></i> Reservation required
  </div>
</div>
<hr />
{% comment %} fix listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a>
>
</div>
</div>
</div>

<!-- Listing 3 -->
<div class="col-md-6 col-lg-4 mb-4">
  <div class="card listing-preview">
    {% comment %} fix image {% endcomment %}
    
<div class="card-img-overlay">
</div>
<div class="card-body">
  <div class="listing-heading text-center">
    <h4 class="text-primary">VitalPath Wellness Clinic</h4>
    <p>
      <i class="fas fa-map-marker text-secondary"></i> Sham Shui
      Po
    </p>
  </div>
  <hr />
  <div class="row py-2 text-secondary">
    <div class="col-6">
      <i class="fas fa-th-large"></i> Restrooms
    </div>
    <div class="col-6">
      <i class="fas fa-dumbbell"></i> Treatment
    </div>
  </div>
  <div class="row py-2 text-secondary">
    <div class="col-6">
      <i class="fas fa-bed"></i> Bedrooms
    </div>
    <div class="col-6">
      <i class="fas fa-bath"></i> Bathrooms
    </div>
  </div>
```

Queries to Als_20250926(五)

```
</div>
<hr />
<div class="row py-2 text-secondary">
  <div class="col-12"> <i class="fas fa-user"> </i> Ms. Chan</div>
</div>
<div class="row text-secondary pb-2">
  <div class="col-12">
    <i class="fas fa-clock"> </i> Reservation required
  </div>
</div>
<hr />
{% comment %} fix listing {% endcomment %}
<a href="listing.html" class="btn btn-primary btn-block"
  >More Info</a>
>
</div>
</div>
</div>
</div>
</div>
</div>
</section>

<section id="services" class="py-5 bg-secondary text-white">
  <div class="container">
    <div class="row text-center">
      <div class="col-md-4">
        <i class="fas fa-comment fa-4x mr-4"> </i>
      </div>
    </div>
  </div>
</section>
```

Queries to Als_20250926(五)

```
<h3>Consulting Services</h3>
<p>
  Lorem ipsum dolor sit amet consectetur adipisicing elit. Incidunt,
  debitis nam! Repudiandae, provident iste consequatur hic
  dignissimos ratione ea quae.
</p>
</div>
<div class="col-md-4">
  <i class="fas fa-home fa-4x mr-4"> </i>
  <hr />
  <h3>Inpatient Services</h3>
  <p>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Incidunt,
    debitis nam! Repudiandae, provident iste consequatur hic
    dignissimos ratione ea quae.
  </p>
</div>
<div class="col-md-4">
  <i class="fas fa-suitcase fa-4x mr-4"> </i>
  <hr />
  <h3>Primary Care Package</h3>
  <p>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Incidunt,
    debitis nam! Repudiandae, provident iste consequatur hic
    dignissimos ratione ea quae.
  </p>
</div>
</div>
```

Queries to Als_20250926(五)

```
</div>
</section>
```

```
{% endblock %}
```

(6)_footer.html

```
<!-- Footer -->
<footer id="main-footer" class="py-4 bg-primary text-white text-center">
  Copyright &copy;
  <span class="year"></span> BC Health Care
</footer>
```

(7)_navbar.html

```
<!-- Navbar -->
{% load static %}
<nav class="navbar navbar-expand-lg navbar-dark bg-primary sticky-top">
  <div class="container">
    {% comment %} (DONE)fix index.html {% endcomment %}
    <a class="navbar-brand" href="{% url "pages:index" %}" >
      
    </a>
    <button
      class="navbar-toggler"
      type="button"
      data-toggle="collapse"
      data-target="#navbarNavAltMarkup"
    >
      <span class="navbar-toggler-icon"></span>
```

Queries to Als_20250926(五)

```
</button>

<div class="collapse navbar-collapse" id="navbarNavAltMarkup">
  <ul class="navbar-nav">
    <li {% if '/' == request.path %}
      class="nav-item active mr-3"
    {% else %}
      class="nav-item mr-3"
    {% endif %}
    >
      {% comment %} (DONE)fix index.html {% endcomment %}
      <a class="nav-link" href="{% url 'pages:index' %}" >Home</a>
    </class=>
    <li {% if 'about' in request.path %} class="nav-item mr-3 active"
    {% else %}
      class="nav-item mr-3"
    {% endif %}>
      {% comment %} (DONE)fix about.html {% endcomment %}
      <a class="nav-link" href="{% url 'pages:about' %}" >About</a>
    </li>
    <li class="nav-item mr-3 active"

  >

  <li class="nav-item mr-3">
    {% comment %} (DONE)fix listings.html {% endcomment %}
    <a class="nav-link" href="{% url 'listings:listings' %}"
      >Inpatient medical services</a>
  >
```

Queries to Als_20250926(五)

```
</li>
</ul>

<ul class="navbar-nav ml-auto">
  <li class="nav-item mr-3">
    {% comment %} fix register.html {% endcomment %}
    <a class="nav-link" href="register.html">
      <i class="fas fa-user-plus"></i> Register</a
    >
  </li>
  <li class="nav-item mr-3">
    {% comment %} fix login.html {% endcomment %}
    <a class="nav-link" href="login.html">
      <i class="fas fa-sign-in-alt"></i>

      Login</a
    >
  </li>
</ul>
</div>
</div>
</nav>
```

(8)_topbar.html

```
<!-- Top Bar -->
<section id="top-bar" class="p-3">
  <div class="container">
    <div class="row">
```


Queries to Als_20250926(五)

```
<div class="col-md-4">
  <i class="fas fa-phone"> </i> (852)-555-5555
</div>
<div class="col-md-4">
  <i class="fas fa-envelope-open"> </i> contact@healthcare.co
</div>
<div class="col-md-4">
  <div class="social text-right">
    <a href="#">
      <i class="fab fa-twitter"> </i>
    </a>
    <a href="#">
      <i class="fab fa-facebook"> </i>
    </a>
    <a href="#">
      <i class="fab fa-linkedin"> </i>
    </a>
    <a href="#">
      <i class="fab fa-instagram"> </i>
    </a>
    <a href="#">
      <i class="fab fa-pinterest"> </i>
    </a>
  </div>
</div>
</div>
</div>
</div>
</section>
```

Queries to Als_20250926(五)

(9)base.html

{% load static %}

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<meta http-equiv="X-UA-Compatible" content="ie=edge" />

<!-- Font Awesome -->

<link rel="stylesheet" href="{% static 'css/all.css' %}" />

<!-- Bootstrap -->

<link rel="stylesheet" href="{% static 'css/bootstrap.css' %}" />

<!-- lightbox-->

<link rel="stylesheet" href="{% static 'css/lightbox.min.css' %}" />

<!-- Custom -->

<link rel="stylesheet" href="{% static 'css/style.css' %}" />

<title>BC Health Care</title>

</head>

<body>

{% include 'partials/_topbar.html' %}

{% include 'partials/_navbar.html' %}

{% block content %} {% endblock %}

{% include 'partials/_footer.html' %}

<script src="{% static 'js/jquery-3.3.1.min.js' %}"> </script>

<script src="{% static 'js/bootstrap.bundle.min.js' %}"> </script>

<script src="{% static 'js/lightbox.min.js' %}"> </script>

<script src="{% static 'js/main.js' %}"> </script>

Queries to Als_20250926(五)

```
</body>
```

```
</html>
```