

a
Top 20 candidates ranked by hippocampal breadth, cortex support, evidence (• FDR < 0.05)
1 ADAMTS9
2 ELL2
3 VEGFA
4 BCL6
5 YBX3
6 HIF1A
7 SLC39A10
8 SLC2A3
9 FOSL2
10 HIPK2
11 SESN3
12 PDE10A
13 CHSY1
14 RNF24
15 ADGRE2
16 GLUL
17 NCALD
18 STAT3
19 COL4A2
20 LAMB1
n.t.
Hpc Micro
Hpc Endo
Hpc Peri
Hpc Astro
Hpc Oligo
Ctx Micro
Ctx Endo
Ctx Peri
Ctx Astro
Ctx Oligo
log2FC (AD/Control)
2
1
0
−1
−2
b
Computed annotation
Breadth (Hpc)
Human–mouse identity (%)
Accessibility
4 89 Secreted
3 90 Intracellular
3 84 Secreted
3 95 Intracellular
3 87 Intracellular
3 91 Intracellular
2 87 Cell surface
2 83 Cell surface
2 95 Intracellular
2 97 Intracellular
2 94 Intracellular
2 70 Intracellular
2 94 Secreted
2 98 Cell surface
2 n/a Cell surface
2 95 Cell surface
2 100 Unknown
2 100 Intracellular
2 84 Secreted
2 93 Secreted
c
ADAMTS9 Oligo
ELL2 Endo
VEGFA Astro
BCL6 Peri
log2(CPM + 1), per donor sample
Hpc
Ctx
d
STRING v12 (score ≥ 0.7): 6 of 20 candidates connect (not in STRING: VEGFA)
TYROBP
PLCG2
TREM2
MAPT
APOE
PSEN1
BIN1
CLU
MS4A6A
APP
ADAM10
INPP5D
ABCA7
SORL1
CD2AP
PICALM
BCL6
STAT3
HIF1A
SLC2A3
COL4A2
LAMB1
Candidate, up in AD
Candidate, down in AD
AD GWAS / reference gene