

A
Transferred subtype
AC-like
cycling
MES-like
OC-like
OPC-like
B
Mouse of origin
Sample16
Sample6
Sample14
Sample11
Sample13
C
Top genes outside the defining sets
SLC6A11
ACSBG1
GRIA1
CXCL10
TMSB4X
OAS3
TOR2A
SLC39A4
PLEKHG3
ADGRL3
CSMD3
IGSF9B
STMN1
HIST1H1B
TUBA1B
10.0
7.5
5.0
2.5
0.0
−2.5
−5.0
−7.5
−10.0
Wilcoxon z
OPC-like
AC-like
OC-like
MES-like
cycling
D
Is the separation real?
silhouette in PCA space
0.000
−0.025
−0.050
−0.075
−0.100
−0.125
−0.150
−0.175
all genes
markers removed
subtype
subtype, labels permuted
mouse of origin
E
Library complexity
genes detected per cell
3000
2500
2000
1500
1000
500
OPC-like
AC-like
OC-like
MES-like
cycling
F
Subtype mix per mouse
Sample5
Sample2
Sample13
Sample6
Sample10
Sample14
Sample16
Sample8
Sample15
Sample7
Sample4
Sample11
Sample12
Sample1
0.0
0.2
0.4
0.6
0.8
1.0
share of tumour cells