

Info basic multi threading and templet task

The screenshot displays the MBSC.BATCH2 WDW (Model Bank) interface. It features a top toolbar with various action icons and a 'More Actions' button. Below the toolbar, a red-bordered box highlights several error messages:

- TXN.TYPE MISSING FT.TXN.TYPE.CONDITION - RECORD
- DEBIT.ACC MISSING ACCOUNT - RECORD
- DEBIT.CUR MISSING CURRENCY - RECORD
- CREDIT.ACC MISSING ACCOUNT - RECORD

The main form contains fields for transaction details:

- Txn Type: AC
- Debit Acc: 100048
- Debit Cur: USD
- Debit Amt: 232
- Credit Acc: 100048
- Reserved1 through Reserved8: (empty)

Below the main form, there is a section for 'Txn Type' and 'Debit Acc' with values DVD, DC, FFV, and 232, and a 'Credit Acc' field with value 10048. The status 'MISS' is indicated next to these fields.

At the bottom, a browser tab is visible with the title 'MBSC BATCH2 - Google Chrome'.

DBTools JQL

165 Records Counted

DBTools JQL

0 Records Counted

DBTools JQL

Execute of CLEAR-FILE F.BATCH.STATUS succeeded with output:

DBTools JQL

0 Records Counted

Results 1 - 19 of 59

FUNDS.TRANSFER - Default List

Id	Transaction type	Debit acct no	In debit acct no	Curren
FT22096279B9	AC	106119		1
FT220962PBSQ	AC	107018		1
FT220965G9NR	AC	106108		1
FT220967QGLC	AC	106097		1
FT220968X403	AC	106089		1
FT22096CM2Z4	AC	106167		1
FT22096D8RQF	AC	106558		1
FT22096GG2QH	AC	106631		1
FT22096GKQQ7	AC	106879		1
FT22096JRYLN	AC	106127		1
FT22096JYR3Y	AC	106542		1
FT22096K9JR7	AC	106647		1
FT22096Q0Y9C	AC	106658		1
FT22096STL80	AC	106585		1
FT22096TMT6T	AC	106135		1
FT22096YBSJT	AC	106593		1
FT22096ZM7LF	AC	106078		1

AGENT.STATUS	PROCESS.ID	CURRENT.SERVICE
RUNNING	367460388	TSM
RUNNING	366280749	BNK/MBSC.BATCH
RUNNING	366149678	BNK/MBSC.BATCH
RUNNING	367329317	BNK/MBSC.BATCH
RUNNING	367198246	BNK/MBSC.BATCH
RUNNING	367067175	BNK/MBSC.BATCH
RUNNING	366936104	BNK/MBSC.BATCH
RUNNING	366805033	BNK/MBSC.BATCH
RUNNING	366673962	BNK/MBSC.BATCH
RUNNING	366542891	BNK/MBSC.BATCH
RUNNING	366411820	BNK/MBSC.BATCH

DBTools JQL

590 Records Counted

*-----

* <Rating>-7</Rating>

*-----

SUBROUTINE MBSC.BATCH2.FIELDS

*-----

*<doc>

* Template for field definitions routine MBSC.BATCH2.FIELDS

*

* @author tcoleman@temenos.com

* @stereotype fields template

* @uses Table

* @public Table Creation

* @package infra.eb

* </doc>

*-----

* Modification History :

*

* 19/10/07 - EN_10003543

* New Template changes

*

* 14/11/07 - BG_100015736

* Exclude routines that are not released

*-----

*** <region name= Header>

*** <desc>Inserts and control logic</desc>

 \$INSERT I_COMMON

 \$INSERT I_EQUATE

 \$INSERT I_DataTypes

 \$USING EB.Template

*** </region>

*-----

```
CALL Table.defineId("ID", T24_String) ;* Define Table id
```

```
*-----
```

```
neighbour=""
```

```
fieldName='TXN.TYPE'
```

```
fieldLength='4'
```

```
fieldType='A'
```

```
EB.Template.TableAddfielddefinition(fieldName,fieldLength,fieldType,neighbour)
```

```
EB.Template.FieldSetcheckfile('FT.TXN.TYPE.CONDITION')
```

```
EB.Template.FieldSetdefault('AC')
```

```
neighbour=""
```

```
fieldName='DEBIT.ACC'
```

```
fieldLength='36'
```

```
fieldType='A'
```

```
EB.Template.TableAddfielddefinition(fieldName,fieldLength,fieldType,neighbour)
```

```
EB.Template.FieldSetcheckfile('ACCOUNT')
```

```
neighbour=""
```

```
fieldName='DEBIT.CUR'
```

```
fieldLength='3'
```

```
fieldType='A'
```

```
EB.Template.TableAddfielddefinition(fieldName,fieldLength,fieldType,neighbour)
```

```
EB.Template.FieldSetcheckfile('CURRENCY')
```

```
neighbour=""
```

```
fieldName='DEBIT.AMT'
```

fieldLength='18'

fieldType='A'

EB.Template.TableAddfielddefinition(fieldName,fieldLength,fieldType,neighbour)

neighbour=""

fieldName='CREDIT.ACC'

fieldLength='36'

fieldType='A'

EB.Template.TableAddfielddefinition(fieldName,fieldLength,fieldType,neighbour)

EB.Template.FieldSetcheckfile('ACCOUNT')

*-----

EB.Template.TableAddreservedfield('RESERVED1')

EB.Template.TableAddreservedfield('RESERVED2')

EB.Template.TableAddreservedfield('RESERVED3')

EB.Template.TableAddreservedfield('RESERVED4')

EB.Template.TableAddreservedfield('RESERVED5')

EB.Template.TableAddreservedfield('RESERVED6')

EB.Template.TableAddreservedfield('RESERVED7')

EB.Template.TableAddreservedfield('RESERVED8')

EB.Template.TableAddreservedfield('RESERVED9')

EB.Template.TableAddreservedfield('RESERVED10')

Neighbour=""

EB.Template.TableAddlocalreferencefield(Neighbour)

EB.Template.TableAddoverridefield()

CALL Table.setAuditPosition ;* Poputale audit information

*-----

RETURN

*-----

END

*-----

* <Rating>-13</Rating>

*-----

SUBROUTINE MBSC.BATCH2

*-----

*<doc>

* TODO add a description of the application here.

* @author youremail@temenos.com

* @stereotype Application

* @package TODO define the product group and product, e.g. infra.eb

* </doc>

*-----

* TODO - You MUST write a .FIELDS routine for the field definitions

*-----

* Modification History :

*-----

* 19/10/07 - EN_10003543

* New Template changes

*-----

* <region name= Inserts>

\$INSERT I_COMMON

\$INSERT I_EQUATE

\$INSERT I_Table

* </region>

*-----

Table.name = 'MBSC.BATCH2' ;* Full application name including product prefix

Table.title = 'MBSC BATCH2' ;* Screen title

Table.stereotype = 'H' ;* H, U, L, W or T

Table.product = 'EB' ;* Must be on EB.PRODUCT

Table.subProduct = '' ;* Must be on EB.SUB.PRODUCT

Table.classification = 'INT' ;* As per FILE.CONTROL

Table.systemClearFile = 'Y' ;* As per FILE.CONTROL

Table.relatedFiles = '' ;* As per FILE.CONTROL

Table.isPostClosingFile = '' ;* As per FILE.CONTROL

Table.equatePrefix = 'BATCH2' ;* Use to create I_F.EB.LOG.PARAMETER

*-----

Table.idPrefix = '' ;* Used by EB.FORMAT.ID if set

Table.blockedFunctions = '' ;* Space delimited list of blocked functions

Table.trigger = '' ;* Trigger field used for OPERATION style fields

*-----

RETURN

END

SUBROUTINE MBSC.BATCH(SEL.LIST.ID)

\$INSERT I_COMMON

\$INSERT I_EQUATE

\$INSERT I_MBSC.BATCH.COMMON

\$INSERT I_F.FUNDS.TRANSFER

\$INSERT I_F.MBSC.BATCH2

R.FT=' '

R.FT<FT.TRANSACTION.TYPE>='AC'

R.FT<FT.DEBIT.ACCT.NO>=SEL.LIST.ID

R.FT<FT.DEBIT.CURRENCY>='USD'

R.FT<FT.DEBIT.AMOUNT>='10'

R.FT<FT.CREDIT.ACCT.NO>='USD1090515070001'

OFS.MSG = ' '

TRANSACTION.ID = ' '

Y.APPLICATION = 'FUNDS.TRANSFER'

Y.FUNC = 'I'

Y.OPER = 'PROCESS'

Y.VERSION = 'FUNDS.TRANSFER,BATCH2'

Y.GTS.MODE = '1'

Y.NO.OF.AUTH = '0'

Y.OFS.SOURCE = 'BATCH2'

Y.THE.RESPONSE = ' '

Y.TXN.RESULT = ' '

CALL OFS.BUILD.RECORD(Y.APPLICATION, Y.FUNC, Y.OPER, Y.VERSION, Y.GTS.MODE, Y.NO.OF.AUTH, TR

CALL OFS.CALL.BULK.MANAGER(Y.OFS.SOURCE, OFS.MSG, Y.THE.RESPONSE, Y.TXN.RESULT)

RETURN

END

```
SUBROUTINE MBSC.BATCH.LOAD
$INSERT I_COMMON
$INSERT I_EQUATE
$INSERT I_MBSC.BATCH.COMMON
$INSERT I_F.FUNDS.TRANSFER
$INSERT I_F.MBSC.BATCH2
$INSERT I_F.ACCOUNT

FN.FT='F.FUNDS.TRANSFER'
FN.MBSC.BATCH2='F.MBSC.BATCH2'
FN.ACCOUN='F.ACCOUNT'
CALL OPF(FN.FT,F.FT)
CALL OPF(FN.MBSC.BATCH2 , F.MBSC.BATCH2)
CALL OPF(FN.ACCOUN,F.ACCOUN)

RETURN
END
```

```
SUBROUTINE MBSC.BATCH.SELECT
$INSERT I_COMMON
$INSERT I_EQUATE
$INSERT I_MBSC.BATCH.COMMON
$INSERT I_F.FUNDS.TRANSFER
$INSERT I_F.MBSC.BATCH2

SEL.CMD = 'SELECT ':F.ACCOUN:' WITH CATEGORY EQ 1001 AND CURRENCY EQ USD'

CALL EB.READLIST(SEL.CMD, SEL.LIST.ID , '' ,NO.OF.REC,SEL.ERR)

CALL BATCH.BUILD.LIST('',SEL.LIST.ID)

RETURN
END
```