

Poll not starting? (/faq#connection) How to use?

5. How to show (represent) "+24" in signed compleme

..

≣

Questions • Links • Look

Questions @





multiple choice

<u>2</u>



<u>3</u>

"-24" - "+32" = ? in signed magnitude:

Base-5: $(-X)-(+Y) = (-X)+(-Y) = -(X+Y) = 1(24+32) = (111)_5$

Votes:

37

+20

Voters:

37

Overflow

multiple choice

× _

SETTINGS

- ✓ Hide answers while polling ②
- ✓ Mark the correct answer ②
- ✓ Show results in % ②

X Remove question

QUESTION TYPE

single choice

multiple choice

<u>E</u>		Votes:	Voters:	
	Is there any sign position in signed complement?	38	38	
	Yes	8	x _C	כ
	No	30	o × _	✓

SETTINGS

- ✓ Hide answers while polling ②
- ✓ Mark the correct answer ②
- ✓ Show results in % ②

★ Remove question

QUESTION TYPE

single choice

multiple choice

<u>**x**</u> _

<u>**x**</u> _

<u>×</u> _

<u>×</u> _

Base-5: (24)_5 because it is already positive

Base-5: (024) 5 because we need sign position with 0

Base-5: 5's comp(24) = $(44-24+1) = (21)_5$

Base-5: (024) 10 because we need to expand the range

Base-10: (24)_10

SETTINGS

- ✓ Hide answers while polling ②
- ✓ Mark the correct answer ②
- ✓ Show results in % ②

X Remove question

multiple choice

QUESTION TYPE

single choice

<u>6</u>

How to show (represent) "-24" in signed complement?

Base-3: not possible

Base-5: (-24)_5

Base-5: 5's comp(24) = $(44-24+1) = (21)_5$

Base-10: 10's comp(24) = (99-24+1) = (76) 10

Votes: Voters:

0

0

0 **x** _

0 **x** _

<u>**x**</u> _

<u>×</u> _<

Votes:

0

Voters:

0

0 **x** _

0 **X** _

0 **x** _

0 🗶 🔽

SETTINGS

- ✓ Hide answers while polling ②
- ✓ Mark the correct answer ②
- ✓ Show results in % ②

★ Remove question

QUESTION TYPE

single choice

multiple choice

7	
	Pad "-24" to 5 positions:

Base-5: (00421)_5

Base-5: (44421)_5

Base-10: (00076)_10

Base-10: (99976)_10

SETTINGS

- ✓ Hide answers while polling ②
- ✓ Mark the correct answer ②
- ✓ Show results in % ②

★ Remove question

QUESTION TYPE

single choicemultiple choice

POLL OPTIONS

Select "Restrict this poll" if you want to allow voting only for voters that have a valid authorization token. Once you have saved your poll, you will be able to download a list of authorization tokens. Distribute these tokens to the authorized voters (one token for each voter) before you start the poll.

Restrict this Poll



Questions • Links • Look

L	.in	ks	0
---	-----	----	---

Vote

http://etc.ch/6PAC

✓ Show short URL

Your audience needs this link to cast votes.



You can also use this QR code (http://etc.ch/6PAC/?qr) to communicate the vote link. (http://etc.ch/6PAC/?qr)

Results

https://directpoll.com/r?XDbzPBd3ixYqg8xTMOEj60cOmToPhGiDmylDb1SAa2

This link will always show the real-time results of the current question. Show it on a big canvas. •

Cockpit

https://directpoll.com/c?XDVhEtVwhjfGwdSJpWlGF1Gg7JCkAMuV5

This is your administration link. Make sure not to lose it. •

% Advanced Links

<u>DirectPoll (/)</u>	Send the administration links.	MENU				
hfani@uwindsor.ca						
	▼ Send					
	Questions • Links • Look					
		🖺 Save Poll				
l ook 0						
Look ② ☐ Display vote URL on result page						
Display vote OINE of Tesuit page						

f <u>**Y**</u> S⁺ (https:///tupsku/ttpaidte/plouskog/fibing/gs.talgerls/101i7€53925H/6891599250044579)

Open result pages: 0

Connected voters: 3

Open cockpits: 1

© Netcetera 2014-2021 <u>info@directpoll.com (mailto:info@directpoll.com)</u>

Version 2.6.1