

Paradigm Shifts in Team Recommendation: From Historical Subgraph Optimization to Emerging Graph Neural Network (Half-Day Tutorial)

Mahdis Saeedi
University of Windsor, Canada
msaeedi@uwindsor.ca

Christine Wong
University of Windsor, Canada
wong93@uwindsor.ca

Hossein Fani ✉
University of Windsor, Canada
hfani@uwindsor.ca

ABSTRACT

Collaborative team recommendation involves selecting experts with certain skills to form a team who will, more likely than not, accomplish a task successfully. To automate the traditionally tedious and error-prone manual process of team formation, researchers from several scientific spheres have proposed methods to tackle the problem. In this tutorial, while providing a taxonomy of team recommendation works based on their algorithmic approaches, we foremost perform a comprehensive study of the graph-based approaches that comprise the pioneering works in this field, then cover the graph neural network-based studies as the cutting-edge class of approaches. Further, we provide unifying definitions, formulations, and evaluation schema. Last, we introduce details of training strategies, benchmarking datasets, and useful open-source tools, as well as a performance comparison of the works. Finally, we identify directions for future works.

1 INTENDED AUDIENCE

In this tutorial, *i)* we target *beginner* or *intermediate* researchers, industry technologists, and practitioners with a broad interest in recommender or information retrieval systems. *ii)* Furthermore, this tutorial targets audiences from the graph neural network (GNN) community for a comprehensive review of subgraph optimization objectives and calls them for further development of effective yet efficient graph neural networks for team recommendation. Last, having regard to the unified comparative analysis, this tutorial enables *iii)* organizations and practitioners to compare different models and readily pick the most suitable one for their application to form collaborative teams of experts whose success is *almost surely* guaranteed. The target audience needs to be *familiar* with graph theory and machine learning. The tutorial will not make assumptions about the audience's knowledge of advanced techniques and sufficient details will be provided as needed, ensuring the content is accessible and understandable.

Background Knowledge: The target audience for this tutorial will be those *familiar* with graph theory and neural network architectures. Where appropriate, the tutorial will make no assumption about the audience's knowledge of more advanced techniques, such as subgraph bi-objective optimization methods or graph convolutional networks. As such, sufficient details will be provided as appropriate so that the content will be accessible and understandable to those with a fundamental understanding of such principles.

2 PRIOR TUTORIALS

Despite the substantial number of computational models for team recommendation, there is, however, yet to be a comprehensive tutorial with comparative analysis and critical reviews on approaches'

applicability in real-world scenarios, especially when each comes with a domain-specific method with no standard implementation, incapable of accommodating different use cases. To start filling this gap, we provided a tutorial at UMAP24¹ centered on a narrowed scope of subgraph optimization with experts being *online* skilled users. To foster future research, we aim to present this *comprehensive* tutorial to review seminal solutions based on a novel taxonomy from a computational perspective with a special focus on the emerging graph neural network-based methods. In our tutorial, we bring forth a unifying and vetted methodology to the various definitions in this realm, criticize assumptions and comparative benchmarks, and point out shortfalls to smooth the path for future directions.

3 PRESENTERS (IN-PERSON)

Mahdis Saeedi (She/Her) is a Postdoctoral Fellow at the School of Computer Science and a Lecturer at the Department of Mathematics, University of Windsor. She has taught graph theory, linear algebra, and graph representation learning at undergraduate and graduate levels. During her PhD, she focused on theoretical aspects of graph mining, including edge ideals in bipartite and glued graphs. She has published in the field's premier venues, such as ECIR, WISE, UMAP, Transactions of Combinatorics, and the Journal of Algebra. **Christine Wong (She/Her)** is an *undergraduate* student in the School of Computer Science, University of Windsor, with outstanding research contributions resulting in publications at SIGIR, CIKM, and UMAP conferences. She has received the Graduate Assistance Excellence award, the Presidents's Renewable Entrance Scholarship, and the Silver Medal at the UWill Discover 2023 competition.

Hossein Fani (He/Him)² is an Assistant Professor at the School of Computer Science, University of Windsor. His research is at the intersection of Social Network Analysis, User Modeling, and Information Retrieval, with a diverse team of 15+ HQP, funded by NSERC-DG, NSERC-RTI, and CFI-JELF. Fani's research appears in Elsevier's IP&M, ACM's TOIS, Wiley's JASIST, and SIGIR, CIKM, and ECIR. He translates his research into techniques for the industry while leading R&D funded by NSERC Alliance and Mitacs Accelerate. He has been granted three patents by the USPTO for his research, including US10,885,131, US11,768,522, and US12,067,625.

Fani's teaching experience spans over 15 years in countries with different cultures and educational systems. He has taught core courses, including natural language communication and graph representation learning, in multi-section classes ranging from 30 (graduate) to 200+ (undergraduate) with in-person, hyflex, and online modalities. He has developed two graduate courses, including big data analytics and the reciprocal role of AI, science, and society.

¹<https://www.um.org/umap2024/tutorials/>

²<https://fani-lab.github.io/>

Paradigm Shifts in Team Recommendation: From Historical Subgraph Optimization to Emerging Graph Neural Network (Half-Day Tutorial)

Mahdis Saeedi
University of Windsor, Canada
msaeedi@uwindsor.ca

Christine Wong
University of Windsor, Canada
wong93@uwindsor.ca

Hossein Fani*
University of Windsor, Canada
hfani@uwindsor.ca

1 SYNOPSIS

Team recommendation involves selecting experts with certain skills to form a successful task-oriented team. This tutorial provides a comprehensive study of conventional graph-based and a detailed review of cutting-edge neural network-based methods through unified definitions and formulations, along with insights into future research directions and real-world applications.

2 MOTIVATION

Team recommendation aims to automate forming teams of experts whose combined skills, applied in coordinated ways, can successfully solve difficult tasks. Successful teams have firsthand effects on creating organizational performance in academia, manufacturing, law, freelancing, and the healthcare sector, among others. Recommending a successful team whose members can effectively collaborate and deliver the outcomes within the specified constraints such as planned budget and timeline is challenging due to the immense number of candidates with various backgrounds, personality traits, and skills, as well as *unknown* synergistic balance among them; not all teams with *best* experts are necessarily successful [9].

Traditionally, teams were formed manually by relying on human experience and instinct, which is a tedious, error-prone, and suboptimal process due to *i*) hidden personal and societal biases, *ii*) a multitude of criteria to optimize, *iii*) an overwhelming number of candidates, among other reasons. Team formation can be heavily influenced by subjective opinions that already inherit hidden unfair societal biases, largely ignoring the *diversity* in recommended experts and resulting in discrimination and reduced visibility for an already disadvantaged *female* experts, disproportionate selection of *popular* experts, and racial/gender disparities. Additionally, since this process involves a multitude of criteria including project importance, budget, time constraints and team size limitations, the decision-making is all the more difficult. On top of these, expert candidates should be examined based on individual and relative factors such as technical abilities, availability, individual cost, personality traits and negotiation skills, among others, which makes manual team formation on a large scale almost impossible.

Together with business sectors like LinkedIn¹, researchers have long been endeavouring to develop computational models to analyze massive collections of experts and efficiently learn relationships between experts and their skills in the context of successful and unsuccessful teams and excel at recommending *almost surely* successful teams. This has resulted in a rich body of various approaches grounded in computational and social science theoretical

and conceptual frameworks wherein the problem definition of team recommendation remains the same essentially, while it has been referred to by such other names as team allocation, team composition, and team formation.

3 RELEVANCE TO THE COMMUNITY

Team recommendation problem falls under social information retrieval (**Social IR**), where the right group of experts are searched to solve the tasks at hand or only with the assistance of social resources. In this tutorial, *i*) we target *beginner* or *intermediate* researchers, industry technologists and practitioners with a broad interest in developing recommender systems, willing to have a whole picture of team recommendation techniques. *ii*) Furthermore, this tutorial targets audiences from the graph neural network (GNN) community for a comprehensive review of subgraph optimization objectives and calls them for further development of effective yet efficient graph neural networks with a special focus on team recommendation. Last, having regard to the unified comparative analysis, this tutorial enables *iii*) organizations and practitioners to compare different models and readily pick the most suitable one for their application to form *almost surely* guaranteed successful teams.

4 TUTORIAL OUTLINE (180 MINUTES)

Foremost, we briefly introduce intuitive definitions of a *team* and some representatives, historical to modern and state-of-the-art methods for solving the team recommendation problem, motivating the importance of the problem, followed by a novel taxonomy of computational methods in this field, as shown in Figure1. From search-based methods, we focus on graph construction and subgraph optimization techniques, as they comprise the pioneering body of research. Then, we continue on learning-based methods, particularly graph neural network-based methods, which have been building up the following and yielding to state-of-the-art performances. Then, we discuss evaluation methodologies, including the datasets, metrics, and comparative baselines that exist in the literature. Then, we continue the tutorial by presenting seemingly unrelated but highly valuable applications of team recommendation in education, research, and health care, followed by major lines of future research. Finally, we conclude the tutorial with hands-on experience on a benchmark library for neural team recommendation research.

4.1 Pioneering Techniques (25 minutes)

The foremost computational models for the team recommendation problem conceived in the operations research (OR) where objectives have to be optimized via an integer linear and/or nonlinear programming (IP). Such work, however, was premised on the mutually

*<https://fani-lab.github.io/>

¹www.linkedin.com




Figure 1: The taxonomy of team recommendation methods. The gray areas are excluded from our tutorial.

independent selection of experts and overlooked the organizational and/or social ties. In our tutorial, we have excluded these methods.

4.1.1 Subgraph Optimization Objectives (5 minutes). The graph-based approaches recommend teams via subgraph optimization of *objectives* where the different aspects of real-world teams are captured like communication cost[6], budget, levels of proficiency[5], and geographical proximity. In our tutorial, we formalized over 13 objectives in a unified framework with integrated notations.

4.1.2 Subgraph Optimization Techniques (20 minutes). Subgraph optimization problems are NP-hard. Therefore, heuristics have been developed to solve optimization in polynomial time through greedy and/or approximation algorithms. In our tutorial, we describe the seminal heuristics in three groups: *i*) those that target minimizing communication cost only; *ii*) those that consider additional objectives such as personnel cost, expertise level and geographical proximity jointly with communication cost; and, *iii*) those considering maximizing the teams' density only.

4.2 Learning-based Heuristics (65 minutes)

Recently, a paradigm shift to learning-based methods has been observed for team recommendation due to the advances in machine learning, graph neural networks in particular [10]. These methods are different in that they learn the inherent structure of the ties among experts and their skills. Learning-based methods bring efficiency while enhancing efficacy due to the inherently iterative and online learning procedure, and can address the limitations of subgraph optimization solutions with respect to scalability, as well as dynamic expert networks [12]. In our tutorial, we explain this line of research categorized based on *i*) model architectures and *ii*) training strategies.

4.2.1 Neural Architectures (35 minutes). Neural team recommendation has started with autoencoders and is being followed through other neural-based architectures like a simple feedforward network whose parameters are learned by either maximum likelihood optimization or maximizing a posterior using Bayesian neural models[11]. Naturally enough, graph neural networks have also

been receiving growing attention for the team recommendation problem for their expressive performance on the vector representation of the experts and their ties, and we will lay out their details in our tutorial.

4.2.2 Training Strategies (15 minutes). We explain various strategies to train neural model parameters, including *i*) negative sampling[2] and *ii*) streaming training[4]. Neural models learn from instances of teams labelled with success or failure. However, benchmark datasets in team recommendation may lack *unsuccessful* teams. In the absence of explicit labels for unsuccessful teams, researchers proposed different negative sampling heuristics to draw virtually unsuccessful teams and show their synergy to the model convergence and improved inference during training and test, respectively.

4.2.3 Evaluation Methodology (15 minutes). In our tutorial, we lay out the methodologies to evaluate the performance of approaches. We discuss the benchmark datasets and what has been considered as *successful* teams to function as the gold truth. Also, we explore quantitative and qualitative metrics utilized to measure the quality of the recommended teams compared to the gold truth.

4.3 Applications (20 minutes)

In this part of our tutorial, we further explain novel applications of team recommendation besides its common use cases.

4.3.1 Group Learning (10 minutes). Team recommendations find immediate application in group-based learning environments. In online classes, where physical presence and interaction are absent, team recommendation connects students to share ideas and build relationships. This not only enhances their social skills but also combats the isolation that can sometimes accompany remote learning [8]. In large classes, where individual interactions with the instructor may be limited, group work ensures that students still have ample opportunities to engage with the material. Moreover, team recommendation in online and large classes promotes accountability and responsibility. When students work together towards a common goal, they are accountable not only to themselves but also to their team members. This dynamic motivates students to




Figure 2: Female-advocate loss regularization.

stay on track, meet deadlines, and contribute actively to the group's success.

4.3.2 Reviewer Assignment (5 minutes). Another immediate application of team recommendation is in peer-review assignments [1] where a group of reviewers are paired with manuscripts within the reviewers' expertise for high-quality reviews while managing conflicts of interests. Like team recommendation, herein, research topics (skills) and reviewers (experts) are mapped into a latent space and, given a manuscript about a subset of research topics, team recommendation aims to recommend reviewers with top- k closest vectors to the vectors of the research topics.

4.3.3 Palliative Care (5 minutes). Another application of team recommendation is in healthcare, which assigns a team of caregivers to patients who seek help for their daily activities due to disease or disorders [14]. The challenge lies in optimally assigning care providers in teams to address patients' needs while considering factors such as communication, distance, and contract costs.

4.4 Future Directions (20 minutes)

Although remarkable progress has been made, several open issues and potential future directions are worth more research and will further unleash the great potential of recommending effective teams.

4.4.1 Fair and Diverse Team Recommendation (10 minutes). The primary focus of existing methods is the maximization of the success rate for the recommended teams, largely ignoring diversity in the recommended list of experts. Meanwhile, social science research provides compelling evidence about the synergistic effects of diversity on team performance; diversity breeds innovation and increases teams' success by enabling a stronger sense of community and support, reducing conflict, and stimulating more creative thinking. However, there is little to no diversity-aware algorithmic method that mitigates unfair societal biases in team recommendation algorithms. In our tutorial, we introduce notions of fairness along with the protected attributes and study debiasing algorithms to mitigate the potential unfairness in the models' recommended teams.

4.4.2 Spatial Team Recommendation (5 minutes). In search of an optimal team, companies further look for experts in a region where the organization is *geographically* based. Existing methods use skills as a primary factor while overlooking geographical location. We conclude our tutorial by bringing forth the *spatial* team recommendation problem; that is, given a set of experts, skills and

geolocations, the goal is to determine if the combination of skills and geolocations in forming teams has synergistic effects.

4.4.3 End-to-End Graph Neural Network (5 minutes). Neural models that accept dense vector representation of skills in the input layer outperformed the sparse occurrence vectors. However, the dense vectors are learned separately in an unsupervised manner using a graph neural network, oblivious to supervised information about successful teams [13]. However, the team recommendation problem can be reformulated into a link prediction in an expert graph to directly and jointly learn dense vectors of skills and experts and recommend an optimum subset of experts as a team through predicting links, eschewing the unnecessary complications by the two-phase graph representation learning and neural model fine-tuning.

4.5 Hands-On (50 minutes)

We introduce publicly available libraries for team recommendation. Notably, we provide hands-on experience with OpenTF² [3], an open-source benchmark library for neural models that: *i*) can efficiently preprocess large-scale datasets, *ii*) can be easily extended or customized to new neural methods, and *iii*) is extensible to experiments on new datasets from other domains. We also introduce Adila³[7], that enables further in-processing female-advocate loss regularization (Figure 2) and/or post-processing reranking to the list of recommended experts to reassure the desired fair outcome.

REFERENCES

- [1] Meltem Aksoy, Seda Yanik, and Mehmet Fatih Amasyali. 2023. Reviewer Assignment Problem: A Systematic Review of the Literature. *J. Artif. Intell. Res.* 76 (2023), 761–827.
- [2] Arman Dashti, Saeed Samet, and Hossein Fani. 2022. Effective Neural Team Formation via Negative Samples. In *CIKM*. ACM, 3908–3912.
- [3] Arman Dashti, Karan Saxena, Dhvani Patel, and Hossein Fani. 2022. OpenTF: A Benchmark Library for Neural Team Formation. In *CIKM*. ACM, 3913–3917.
- [4] Hossein Fani, Reza Barzegar, Arman Dashti, and Mahdis Saeedi. 2024. A Training Strategy for Future Collaborative Team Prediction. In *ECIR (Lecture Notes in Computer Science)*. Springer.
- [5] Julio Juárez and Carlos A. Brizuela. 2018. A multi-objective formulation of the team formation problem in social networks: preliminary results. In *GECCO*, Hernán E. Aguirre and Keiki Takadama (Eds.). ACM, 261–268.
- [6] Theodoros Lappas, Kun Liu, and Evimaria Terzi. 2009. Finding a team of experts in social networks. In *SIGKDD*. ACM, 467–476.
- [7] Hamed Loghmani and Hossein Fani. 2023. Bootless Application of Greedy Re-ranking Algorithms in Fair Neural Team Formation. In *BIAS (Communications in Computer and Information Science, Vol. 1840)*. Springer, 108–118.
- [8] Larry K Michaelsen, Arletta Bauman Knight, and L Dee Fink. 2023. *Team-based learning: A transformative use of small groups in college teaching*. Taylor & Francis.
- [9] Satyam Mukherjee, Yun Huang, Julia Neidhardt, Brian Uzzi, and Noshir Contractor. 2019. Prior shared success predicts victory in team competitions. *Nature human behaviour* 3, 1 (2019), 74–81.
- [10] Hoang Nguyen, Radin Rad, Feras N. Al-Obeidat, Ebrahim Bagheri, Mehdi Kargar, Divesh Srivastava, Jaroslaw Szlichta, and Fattane Zarrinkalam. 2023. Learning heterogeneous subgraph representations for team discovery. *Inf. Retr. J.* 26, 1 (2023), 8.
- [11] Radin Hamidi Rad, Hossein Fani, Ebrahim Bagheri, Mehdi Kargar, Divesh Srivastava, and Jaroslaw Szlichta. 2024. A Variational Neural Architecture for Skill-based Team Formation. *ACM Trans. Inf. Syst.* 42, 1 (2024), 7:1–7:28.
- [12] Radin Hamidi Rad, Hossein Fani, Mehdi Kargar, Jaroslaw Szlichta, and Ebrahim Bagheri. 2020. Learning to Form Skill-based Teams of Experts. In *CIKM '20*. ACM, 2049–2052.
- [13] Anna Sapientza, Palash Goyal, and Emilio Ferrara. 2019. Deep Neural Networks for Optimal Team Composition. *Frontiers Big Data* 2 (2019), 14.
- [14] Kalyani Selvarajah, Pooya Moradian Zadeh, Ziad Kobti, Mehdi Kargar, Mohd Tazim Ishraque, and Kathryn Pfaff. 2018. Team Formation in Community-Based Palliative Care. In *INISTA 2018, Thessaloniki, Greece, July 3-5, 2018*. IEEE.

²<https://github.com/fani-lab/OpenTF>

³<https://github.com/fani-lab/Adila>