

besmeAllah

Adding a Map Legend for Drawing Items using 3 lines of code


Maptor tutorial series

<https://github.com/hosseinnarimanirad/Maptor/tree/master/docs>

Hossein Narimani Rad @ **maptor**

swipe →

Final Output Preview



What You'll Learn

By the end of this tutorial, you will be able to:

- Add a **map legend** for drawing items on the map (points, lines, polygons).
- Access default actions for these items so you can:
 - View a list of all drawings.
 - Delete individual drawings.
 - Edit points, lines, and polygons directly on the map.
 - Export drawings as a **Shapefile** (SHP).
 - Display labels for your drawings on the map.

Note: *You can also create custom commands for the legend. However, that goes beyond the scope of this tutorial and will be covered in a future lesson.*

Add the legend in XAML

1. Define the **Maptor namespace** in your `MainWindow.xaml` (or the window where you want to add the legend and have set the `DataContext` for it).

```
<Window ...  
    xmlns:maptor="clr-namespace:IRI.Maptor.Jab.Controls.View;assembly=IRI.Maptor.Jab.Controls">  
    ...  
</Window>
```

2. Add the **MapDrawingLegendView** Control to your layout (3 lines of code).

```
<Expander Header="Drawing Items" IsExpanded="True" Margin="0,1,0,0" Cursor="Hand">  
    <maptor:MapDrawingLegendView MinHeight="90"/>  
</Expander>
```

3. After adding the legend, click on any item to view its available commands.

What Happens Behind the Scenes

When you add the `MapDrawingLegendView` in XAML, it automatically **binds to all drawing items** (points, lines, and polygons) on the map—assuming you've set the **DataContext** for the window correctly as explained in the first tutorial.

The legend provides a set of **predefined commands** for each drawing item:

- **Delete**
- **Zoom to Item**
- **Edit Geometry**
- **Export as SHP**
- **Show/Hide Labels**

You can also extend its functionality by adding more predefined commands or creating **custom commands**. These advanced topics will be covered in future tutorials.

Full Sample Code

A full example is available on [GitHub](#)¹.

After cloning the project, update your App.xaml to set DrawingLegendWindow.xaml as the StartupUri:



```
<Application x:Class="FirstMapApp.App"
    xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
    xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
    StartupUri="SampleWindows/DrawingLegendWindow.xaml">
```

New to maptor? start [here](#).

¹ <https://github.com/hosseinnarimanirad/MaptorSamples>



Hossein Narimani Rad

