Blackjack

Xin Li

Joshua Ortiga

Jonathan Le

December 19, 2022

1 Background

1.1 Blackjack Rules

The rules of Blackjack are simple. Every card in Blackjack (excluding Jokers) are weighed to be worth a certain amount of points. All cards from 2-10 are valued at their respective ranks. Face cards (Jack, Queen, and King) are valued at 10 points. Finally, Aces are valued at either 1 or 11 points, and can switch their values at any stage of the game.

The game starts with the dealer and the player drawing two cards, with the dealer only showing one of their cards. In Blackjack, you have the ability to either hit or stand. Hitting will draw you another card, while standing will end your turn, revealing the other dealer's card, and letting the dealer hit until they are at 17 points or higher.

The goal of the game is to get 21, or closer to 21 points than the dealer without exceeding 21 points. If you have more points than the dealer, you win the game. If the points are equal, you draw. and finally if you have less points than the dealer, and the dealer's points do not exceed 21, you lose (bust).

One final aspect of Blackjack to note is that in a real game, money and betting is involved. However, this research paper will not cover that aspect of the game. Therefore, surrendering, doubling down and splitting bets will not be considered for the scope in the research conducted.

1.2 Standard Optimal Strategy

The optimal strategy when playing a standard game of Blackjack is depicted in the figure below. Since betting money is outside the scope of our experiment, any time it is optimal to double down, we will consider it as as a hit instead.

Blackjack - Hit, Stand, Double or Split?

, , ,											
Dealer's Upcard											
Your cards		2	3	4	5	6	7	8	9	10 J Q K	ACE
Blackjack		S	5	S	5	5	5	S	\$	S	5
	4 to 8	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
	9	Н	Н	Н	DD	DD	Н	Н	Н	Н	Н
_	10	Н	Н	DD	DD	DD	Н	Н	Н	Н	Н
Ace)	11	DD	DD	DD	DD	DD	DD	DD	DD	DD	DD
ou)	12	Η	Η	S	S	S	Ξ	Ξ	Н	Н	Η
	13	S	S	S	S	S	Ι	Ι	Н	Н	I
Hands	14	S	S	S	S	S	Ξ	Η	Н	Н	Ι
Ĭ	15	5	S	S	S	S	Ι	Η	Н	Н	I
Hard	16*	S	S	S	S	S	Н	Н	Н	Н	H
Ĭ	17	S	S	S		S	S	S	S	S	Н
	18	S	S	S	S	S	S	S	S	S	S
	19	S	S	S	S	S	S	S	S	S	S
	20	S	5	S	S	S	5	S	S	S	5
Ace)	AA =12*	Н	Н	Н	DD	DD	Н	Н	Н	Н	Н
1000	A2 =13	Н	Ξ	Н	DD	DD	Ι	π	Н	Н	H
B .	A3=14	Н	Н	Н	DD	DD	Н	Н	Н	Н	H
(with	A4=15	Н	Н	DD	DD	DD	Н	H	Н	Н	Н
	A5=16	Н	Н	DD	DD	DD	Н	Н	Н	Н	Н
spu	A6=17	Н	DD	DD	DD	DD	Ι	Н	Н	Н	Η
Hands	A7=18	Н	DD	DD	DD	DD	S	S	Н	Н	Н
	A8=19	S	S	S	5	5	S	S	S	5	S
Soft	A9=20	5	S	S	S	S	S	S	S	S	S
* Split Aces or 8's if allowed S=Stand H = Hit DD = Do						ouble l	Down				

For more information please visit: kjartan.co.uk/games

The x-axes of the charts in the figure describes the dealer's known score. In Blackjack, only one of the dealer's initial cards is shown. This means that you can only know some of the dealer's score while it is your turn. The player must do their best to play their hand based on what they think the other dealer's card is.

The y-axes of the charts in the figure describes what cards the player has. This is also an important factor when the player decides their move because the player needs to play more conservatively if they are at high risk of busting (most notably, when the player has more than 11 points).

In the figure, there are two sections: hard hands and soft hands. The player is has a soft hand when they have an ace in their hand, and can safely hit without busting. This is because an Ace can be valued at 1 or 11 throughout the game, so the player's points can effectively "wrap around" back to a lower value if they exceed 21 points. This makes hitting far safer, which is why the player should be more willing to hit if they do have a soft hand.

In contrast, when a player has no Aces, they have a *hard hand*. The strategy is to play much more conservatively when you have a *hard hand*. This is because if the player goes over 21 points without drawing the Ace, then they bust and automatically lose the game.

1.3 Hypothetical Rule Changes

Blackjack has existed for a long time now, therefore it is a solved game. However, the details of this paper will discuss a hypothetical rule change to the game. What if the game was played such that no face cards (Jacks, Queens, and Kings) were not in the decks? How would the META (most effective tactic available) of the game change?

1.4 Methodology

Since testing games of Blackjack manually would take a very long time, our group wrote some Python scripts to simulate game of Blackjack in order to gather data for our research. Xin Li wrote the original simulator as a summer project. Josh Ortiga forked it and modified it to be used to generate the necessary data to conduct our research.

In our Blackjack simulator repository, there are four important scripts used to gather our data. All of the scripts automate games of Blackjack and save the data and the graphs of the data to the *data* folder. If you are interested, we encourage that you play around with the parameters and generate some data yourself! For more details on how to use the scripts, consult the *readme* found in the Github repository.

- 1. optimal_standard.py Simulates standard games of Blackjack and uses the optimal strategy in the figure above.
- 2. unoptimal_nofaces.py Simulates games of Blackjack with the new rules (no face cards) using the same optimal strategy for the standard game of Blackjack.
- 3. optimal_nofaces.py Simulates games of Blackjack with our new optimal strategy given no face cards.
- 4. $calc_busts.py$ Simulates games of Blackjack with no face cards, and records the statistics of the dealer's face-up card and the frequency that the dealer busts.

2 Results

2.1 Optimal Strategy for Vanilla Blackjack

Resource - Blackjack Strategy Guide


- hard_hands = player has no aces in hand
- soft_hands = player has ace(s) in hand
- Key = dealer's face up card
- Value pairs = total values in player's hand, range to hit

```
hard_hands = {
    1: (4,17), # Dealer has ace
    2: (4,12),
    3: (4,12),
    4: (4,11),
    5: (4,11),
    6: (4,11),
    7: (4,16),
    8: (4,16),
    9: (4,16),
    10: (4,16),
    11: (4,17), # Dealer has ace
}
```

```
soft_hands = {
    1: (12,18), # Dealer has ace
    2: (12,18),
    3: (12,18),
    4: (12,18),
    5: (12,18),
    6: (12,18),
    7: (12,17),
    8: (12,17),
    9: (12,18),
    10: (12,18),
    11: (12,18), # Dealer has ace
}
```


After running a million test cases using the standard strategy on the vanilla deck, these were the results:

```
{
    "lose": 475543,
    "draw": 83990,
    "win": 440467
}
```



After running a million test cases using the standard strategy on the no-face deck, these were the results:

```
{
    "lose": 509087,
    "draw": 82112,
    "win": 408801
}
```



2.2 Modified Strategy For No-Face Blackjack

Due to the lack of face cards in the deck, the modified optimal strategy increases the player's hit range significantly.

When the dealer's face up card is 2, 3, 4, 5 or 6, and the player has a hard hand, the player should hit on 16, and stand on 17.

When the dealer's face up card is an ace and the player has a hard hand, the player should hit on 17, and stand on 18.

Optimal Modified Hard Hands:

```
hard_hands = {
    1: (4,17), # Dealer has ace
    2: (4,16),
```

```
3: (4,16),

4: (4,16),

5: (4,16),

6: (4,16),

7: (4,16),

8: (4,16),

9: (4,16),


10: (4,16),

11: (4,17), # Dealer has ace
```

The strategy for soft hands does not change for the modified blackjack game.

After running a million test cases using the modified strategy on the no-face deck, these were the results:

```
{
    "lose": 457774,
    "draw": 102835,
    "win": 439391
}
```



2.3 Developing the Modified Strategy

By removing all the face cards in the deck, the deck will consist of 12 less 10-values cards.

Number of each card in the modified deck:


- Ace: 4
- Two: 4
- Three: 4
- Four: 4
- Five: 4
- Six: 4
- Seven: 4
- Eight: 4
- Nine: 4
- Ten: 4

Total number of cards in modified deck: 40.

Test results after running the standard strategy a million times with the modified no-face deck:

```
{
    "lose": 509432,
    "draw": 81430,
    "win": 409138,
    "dealer_bust": {
        "10": 12127,
        "2": 20734,
        "3": 22150,
        "4": 24376,
        "5": 26588,
        "6": 26146,
        "7": 16392,
        "8": 14458,
```

```
"9": 13691,
        "Ace": 3518,
        "total": 180180
    },
    "dealer_card_freqs": {
        "10": 100209,
        "2": 100328,
        "3": 100232,
        "4": 99618,
        "5": 100033,
        "6": 99812,
        "7": 100654,
        "8": 99443,
        "9": 99926,
        "Ace": 99745,
        "total": 1000000
    }
}
```



Reasoning behind modified hard hands strategy when dealer's face up card is an ace (assuming player total hand is consisting of only two cards):

In the two cases where the Dealer has an ace, and player doesn't, the chances of the the dealer's face down card being an ace is $\frac{3}{37} = 0.0810810810810811$.

Combinations of cards in players hand that add up to 17: (7, 10), (8, 9).

Number of cards remaining in deck within the bust threshold (assuming dealer's other card is a card that's 4 or below): $(6\cdot4)-2=22$. Number of cards remaining in the deck below the bust threshold: $(4\cdot4)-2=14$. If the player stands at 18, the dealer has to bust for the player to win.

Probability of player busting: $\frac{22}{36} = 0.6111$

Probability of dealer busting calculated with $\frac{dealer_bust}{dealer_card_freqs}$ Key being starting face up card:

• Ace: $\frac{3518}{99745} = 0.035$

Reasoning behind modified hard hands strategy when dealer's face up card is not an ace (assuming player total hand is consisting of only two cards):

In the rest of the cases where the Dealer doesn't have an ace, and the player doesn't, the chances of the dealer's face down card being an ace is $\frac{4}{37} = 0.1081081081081081$. Combinations of cards in players hand that add up to 16: (6, 10), (7, 9), (8, 8).

Number of cards remaining in deck within the bust threshold (assuming dealer's other card is a card that's 4 or below): $(5\cdot 4)-2=18$. Number of cards remaining in deck below the bust threshold: $(5\cdot 4)-2=18$. If the player stands at 17, the dealer has to bust for the player to win.

Probability of player busting: $\frac{18}{36} = 0.5$

Probability of dealer busting calculated with $\frac{dealer_bust}{dealer_card_freqs}$ Key being starting face up card:

• Two: $\frac{20734}{100328} = 0.21$

• Three: $\frac{22150}{100232} = 0.22$

• Four: $\frac{24376}{99618} = 0.24$


• Five: $\frac{26588}{100033} = 0.27$

• Six: $\frac{26146}{99812} = 0.26$

• Seven: $\frac{16392}{100654} = 0.16$

• Eight: $\frac{14458}{99443} = 0.15$ • Nine: $\frac{13691}{99926} = 0.14$

• Ten: $\frac{12127}{100209} = 0.12$



Although the dealer's bust rates is much lower than the player's, if the player were to hit at 18 and above, the chances of busting would be much higher and not ideal. The mean bust rate of the dealer without an ace as a starting card would be: $\frac{sum_of_all_bust_rates}{\alpha} = 0.197$ This is equivalent to the player having a 20% chance of winning the game and an even higher chance of getting a tie.

Now if we observe the dealer's bust rates, we can see that the bust rates peak when they have a 5 as a starting face up card. Additionally, the bust rates are much lower from 7-10 (starting card) as compared to 2-6 for the dealer. This is because the dealer has a much higher chance of drawing a card that puts them at 17 or above when the dealer already has a starting face-up card that's more than 6, which lowers their chances of busting since they will not draw as much. The chances of the dealer busting if his starting card is 6 or below is much higher since there is a good chance that they could draw more times and not be at 17 yet.

When the dealer's starting face-up card is an ace, this means it could either be an 11 if it doesn't put them over 21, or a 1 if it does. This explains why the bust rate for when the dealer has an ace is so low at 3.5%. The amount of times they draw is dependent on their current ace's value, which lowers their bust rate significantly.

3 Summary

3.1 Results Synopsis

After running millions of test cases with different player starting hand values, analyzing the test results, and calculating each scenario's probability, we have come to the conclusion that our optimal, no-face Blackjack strategy would be to keep the soft_hands vanilla strategy and modify the hard_hands strategy.

Using the vanilla blackjack strategy on the modified deck was not ideal due to the missing face cards, and we have been able to produce much higher wins to losses ratio with the strategy that we have developed.

3.2 Table For No-Face Blackjack Strategy

		NO FACE BLACKJACK - HIT, STAND, DOUBLE OR SPLIT?										
		Dealer's Upcard										
	Handa	Your Cards	2	3	4	5	6	7	8	9	10	ACE
		Blackjack	S	S	S	S	S	S	S	S	S	S
		4 to 8	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
		9	Н	Н	Ι	Ι	Ι	Η	Н	Н	Н	Н
		10	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
		11	Н	Н	Н	Н	Η	Н	Н	Н	Н	Н
Hard Ha		12	Н	Н	Ι	Ι	Ι	Н	Н	Н	Н	Н
паги па	anus	13	Н	Н	Н	Н	Н	Н	Н	Н	Н	Н
		14	Н	Н	Н	Н	Η	Н	Н	Н	Н	Н
		15	Н	Н	Η	Η	Η	Н	Н	Н	Н	Н
		16	Н	Н	Ι	Ι	Ι	Ι	Н	Н	Н	Н
		17	S	S	(A)	(/)	(/)	()	S	S	S	Н
		18	S	S	S	S	S	S	S	S	S	S
		19	S	S	S	S	S	S	S	S	S	S
		20	S	S	S	S	S	S	S	S	S	S

3.3 Final Thoughts

As one of the most well known card games used for gambling, this project shows the weight remaining cards can have on a player's decision making and gives us a significantly better insight into the world of Blackjack.

As shown in our graph's within the background as well as results, removing face cards heavily swings the game towards the house as well as promoting more aggressive strategies in certain scenarios compared to using a normal deck.

Looking further, high cost cards favor the player's side of the game, as their one advantage over the dealer, being their ability to control when they stand or hit, allows them to maneuver around these cards preventing a bust. This can be seen when observing the chart of the unmodified deck where often the best strategy is aiming for the dealer to bust. When removing the face cards, the chance of busting goes down drastically. This allows the player as well as the

dealer to safely hit more often without as much fear of busting.

Applying this to other scenarios, we can assume that removing lower cost cards such as from 2-5 will result in the player often just standing as the risk of busting from just one hit is too much, resulting in a very boring match.

As for potential consequences in the casino industry, many casinos use numerous decks at once to mitigate much of the variation that comes with removing cards from the deck. This, however, doesn't completely nullify these changes. It is unlikely for a single person to completely memorize charts and tables for a given scenario of the deck, but with the rise in augmented reality technology, new programs and software similar to this, in the aspect of giving optimal moves to players, can be used to give players a heavy advantage, assuming players are able to use them without notice.

4 Works Cited

Blackjack Simulator

Glossary of Game Theory

Optimal Strategy Guide

Optimal Strategy Chart