



Berg+Schmidt Animal Nutrition

FloraVive

Most Unique Combination of Rumen Specific Yeast and Bacteria

COMPOSITION

- + *Saccharomyces cerevisiae*
- + *Propionibacterium freudenrichii*
- + *Yarrowia lypolytica*
- + *Bacillus subtilis*

IMPORTANT BENEFITS

- + Improves ruminal digestion
- + Improves milk yield
- + Improves fat and SNF
- + Improves feed intake
- + Reduces acidosis and bloating

ADVANTAGES:

- + Stimulates the growth of beneficial bacteria in the rumen.
- + Stabilizes the ruminal pH.
- + Increases the concentration of VFA in the rumen.
- + Enhances the milk production.
- + Increases the milk fat and milk protein levels.
- + Improves the feed intake and weight gain.
- + Improves FCR in calves.
- + Improves overall nutrient digestibility.
- + Reduces the risk of Acidosis.

ANIMAL FEED SUPPLEMENT NOT FOR MEDICINAL/HUMAN USE

USAGE

- + 1Kg/ton of Feed OR
- + Large Ruminant - 10g/day/animal
- + Small Ruminants- 5g/day/animal
- + Or As Directed by Veterinarian



from the date of



BP GLU

Rumen Protected Bypass Sugar

COMPOSITION

- + Rumen Protected Sugar

BENEFITS

- + Provides 60% bypass sugar and 40% bypass fat
- + Provides instant energy in the form of glucose and bypass fat
- + Improves milk production in all stage of lactation due to instant glucose availability
- + Reduces the chances of stress related to heat, transportation and calving
- + Reduces the chances of breakdown of body fats during transition period
- + Faster involution of uterus and reduce delay in next conception
- + Reduces inter-calving period

USAGE AND ADMINISTRATION

- + Lactating animals- 100-200 g/day/animal
- + Transition animals- 150-300 g/day/animal
- + During heat and other stress- 150-300g/day/animal
- + Small Ruminants- 25-30 gm/day/animal
- + Mixing ratio in feed- 2%-5% in feed formulations

BP GLU- Advantages

- Fully encapsulated for maximum rumen bypass
- Protected by highly digestible fractionated palmitic acid for highest digestion
- Glucose for fast available energy. Fructose gives longer lasting “base line”
- + Improved the health of transition dairy cows + Improved reproductive performance + Increase Milk production



Dosage of LipoAktiv Glu 60

Species	Dosage
Dairy cows (Transition)	150 – 200 g/head/day
Dairy cows (Lactation)	200 – 400 g/head/day
Small ruminants	15 – 30 g/head/day

BergaMin-Premium

India's Most Advance Combination of Chelated Mineral Mixture
for Reproduction, Production and Overall Health

COMPOSITION

- + Chelated – Zinc, Copper, Manganese and Cobalt
- + Calcium , Phosphorus, Vitamin AD3E ,Vitamin H
- + Selenium and LipoAktiv- Met 60- Rumen protected Methionine

BENEFITS

- + Improves conception rate and fights problems of Infertility
- + Rumen protected methionine Helps developing embryo and improves its survival rate
- + Corrects Hormonal imbalance and helps in reproduction
- + Improves milk quantity and quality
- + Improves liver functions
- + Improves immunity, higher antioxidant capacity and reduces stress through glutathione metabolism

USAGE AND ADMINISTRATION

- + Large ruminants- 50 gm/day/animal
- + Small Ruminants- 10-15 gm/day/animal
- + Mixing ratio- 1%-2% of compounded feed



Our LipoAktiv Range...World's No.1 Rumen Protected Range

LipoAktiv Lys 40 Rumen-Protected L-Lysine

BENEFITS

- + L-Lys-40 Provides 40% bypass L-Lysine and 60% bypass fat
- + L-Lys-40 Improves Milk protein and protein utilization and milk production
- + L-Lys-40 also help to improve the extraction of other essential amino acids
- + L-Lys-40 Improves growth and overall health of animals
- + L-Lys-40 Enhance metabolism, antioxidant status, and immunity to improve production and disease resistance
- + L-Lys-40 helps to improve immunity of developing calf when fed during transition period
- + L-Lys-40 reduces inflammation and relieve oxidative stress

USAGE AND ADMINISTRATION

- + Cattle and Buffalo - 50-70 g/day/animal
- + Small Ruminants - 10-20 gm/day/animal
- + Mixing ratio in feed - 1%-2% in feed formulations



AVAILABILITY- 1 KG

LipoAktiv L-Met 60

Rumen Protected L- Methionine

COMPOSITION

- + Rumen Protected L- Methionine

BENEFITS

- + Provides 60% bypass L-Methionine and 40% bypass fat
- + Methionine supplementation impacts embryo preimplantation, improving survival capacity, endogenous lipid reserves serve as an energy substrate for the conceptus
- + Improves liver functions
- + Improves immunity, higher antioxidant capacity and reduces stress through glutathione metabolism
- + Regular L-Met-60 supplementation improves milk yield, milk fat and SNF

USAGE AND ADMINISTRATION

- + Cattle and Buffalo - 10-30 g/day/animal
- + Small Ruminants- 2-5 gm/day/animal
- + Mixing ratio in feed- 1%-2% in feed formulations

ANIMAL FEED SUPPLEMENT
NOT FOR MEDICINAL/HUMAN USE



FAT-O-LIP LS

Rumen Protected Fat and Phosphatidyl Choline

COMPOSITION

- + Rumen Protected Fat and Phosphatidylcholine

BENEFITS

- + Microencapsulation technology ensures delivery of Bypass Fat and PC Together
- + Vegetable origin pure and natural soya base choline source
- + Improves fat metabolism
- + Reduce chances of fatty liver and ketosis
- + Improves digestibility and GUT health
- + Improves colostrum quality and passive immunity of calves
- + Enhance milk quality and quantity

USAGE AND ADMINISTRATION

- + Cattle - 10 g/litre of milk
- + Buffalo - 15 g/litre of milk
- + Small Ruminants- 5 gm/day
- + Mixing ratio in feed- 1.5%-4% in feed formulations



BergaFat-T 300

Rumen Protected Bypass Fat

COMPOSITION

- + Rumen Protected 100% vegetable Bypass Fat

BENEFITS

- + Excellent source of energy to combat negative energy balance.
- + Improves total milk yield (milk fat & milk quantity)
- + Enhances reproductive performance including oestrus, conception & Pregnancy rate thus minimising dry period.
- + Maximises peak milk yield.
- + Minimises risk of ketosis especially subclinical ketosis.
- + Alleviate impact of heat stress

USAGE AND ADMINISTRATION

- + Bergafat should be given at 10g/ litre of milk / day / animal as single or divided dose or as recommended by the veterinarian or nutritionist. For better results feed 200 gms/day/animal for first 10 days of lactation. It's Optimal efficiency period is 30 days before to 120 days after parturition. Feed 50gms/day/animal for calves above 6 months of age.
- + **In Compound Feed** 1.5% to 4% as per the requirements of feed formulation





Thank you!