

Daniel Detore
Emma Erdtmann
Query 3

I pledge my honor that I have abided by the Stevens Honor System.

Problem 1

Given this information, we can rewrite $Y = X\beta + \varepsilon$ as such:

$$\begin{pmatrix} y_1 \\ \vdots \\ y_n \end{pmatrix} = \begin{pmatrix} 1 & x_1 \\ \vdots & \vdots \\ 1 & x_n \end{pmatrix} \times \begin{pmatrix} \beta_0 \\ \beta_1 \end{pmatrix} + \begin{pmatrix} \varepsilon_1 \\ \vdots \\ \varepsilon_n \end{pmatrix}.$$

Problem 2

We can gather this from slide deck 8 supplement:

$$X'X = \begin{pmatrix} 1 & \dots & 1 \\ x_1 & \dots & x_n \end{pmatrix} \begin{pmatrix} 1 & x_1 \\ \vdots & \vdots \\ 1 & x_n \end{pmatrix} = \begin{pmatrix} n & \sum_{i=1}^n x_i \\ \sum_{i=1}^n x_i & \sum_{i=1}^n x_i^2 \end{pmatrix}$$

thus

$$(X'X)^{-1} = \frac{1}{|X'X|} (X'X)^* = \frac{1}{n \sum_{i=1}^n x_i^2 - (\sum_{i=1}^n x_i)^2} \begin{pmatrix} \sum_{i=1}^n x_i^2 & -\sum_{i=1}^n x_i \\ -\sum_{i=1}^n x_i & n \end{pmatrix}$$

where $(X'X)^*$ is the adjugate version of $X'X$.

On the same slide, we find that

$$X'Y = \begin{pmatrix} 1 & \dots & 1 \\ x_1 & \dots & x_n \end{pmatrix} \begin{pmatrix} y_1 \\ \vdots \\ y_n \end{pmatrix} = \begin{pmatrix} \sum_{i=1}^n y_i \\ \sum_{i=1}^n x_i y_i \end{pmatrix}$$

which lets us calculate


$$\begin{aligned} \hat{\beta} = \begin{pmatrix} \hat{\beta}_0 \\ \hat{\beta}_1 \end{pmatrix} &= (X'X)^{-1} X'Y = \frac{1}{n \sum_{i=1}^n x_i^2 - (\sum_{i=1}^n x_i)^2} \begin{pmatrix} \sum_{i=1}^n x_i^2 & -\sum_{i=1}^n x_i \\ -\sum_{i=1}^n x_i & n \end{pmatrix} \begin{pmatrix} \sum_{i=1}^n y_i \\ \sum_{i=1}^n x_i y_i \end{pmatrix} \\ &= \begin{pmatrix} \frac{\sum_{i=1}^n x_i^2 \sum_{i=1}^n y_i - \sum_{i=1}^n x_i \sum_{i=1}^n x_i y_i}{n \sum_{i=1}^n x_i^2 - (\sum_{i=1}^n x_i)^2} \\ \frac{\frac{1}{n} \sum_{i=1}^n x_i y_i - \frac{1}{n} \sum_{i=1}^n x_i \frac{1}{n} \sum_{i=1}^n y_i}{\frac{1}{n} \sum_{i=1}^n x_i^2 - (\frac{1}{n} \sum_{i=1}^n x_i)^2} \end{pmatrix} \end{aligned}$$

At this point, by plugging $\hat{\beta}_1$ into $\hat{\beta}_0$, we can simplify to $\hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x}$.

Problem 3

We can compare our final formula to equation 3 from slide deck 8:

$$\begin{cases} \hat{\beta}_1 = \frac{\frac{1}{n} \sum_{i=1}^n x_i y_i - \frac{1}{n} \sum_{i=1}^n x_i \frac{1}{n} \sum_{i=1}^n y_i}{\frac{1}{n} \sum_{i=1}^n x_i^2 - \left(\frac{1}{n} \sum_{i=1}^n x_i \right)^2} \\ \hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x} \end{cases}$$

A screenshot of a slide showing the same equations as above, but with a different notation for the slope coefficient: $\widehat{\beta}_1$ instead of $\hat{\beta}_1$. The equations are:
$$\begin{cases} \widehat{\beta}_1 = \frac{\frac{1}{n} \sum_{i=1}^n x_i y_i - \frac{1}{n} \sum_{i=1}^n x_i \cdot \frac{1}{n} \sum_{i=1}^n y_i}{\frac{1}{n} \sum_{i=1}^n x_i^2 - \left(\frac{1}{n} \sum_{i=1}^n x_i \right)^2} \\ \widehat{\beta}_0 = \bar{y} - \widehat{\beta}_1 \bar{x}. \end{cases}$$

And find that they are identical.