

# USER CREATION.

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4...  
MSFTCOMPANY SKT42.ONMICR...

Home > MSFTCompany | Users > Users >

Create new user

Create a new internal user in your organization

BasicsPropertiesAssignmentsReview + create

Create a new user in your organization. This user will have a user name like alice@contoso.com. [Learn more](#)

Identity

User principal name \*

Usser2

@

skt42.onmicrosoft.com

Domain not listed? [Learn more](#)

Mail nickname \*

Usser2

☒ Derive from user principal name

Display name \*

usser2

Password \*

\*\*\*\*\*

☒ Auto-generate password

Account enabled

☒

Review + create

< Previous

Next: Properties >

[Give feedback](#)

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4...  
MSFTCOMPANY SKT42.ONMICR...

Home > MSFTCompany | Users > Users >

Create new user

Create a new internal user in your organization

BasicsPropertiesAssignmentsReview + create

Create a new user in your organization. This user will have a user name like alice@contoso.com. [Learn more](#)

Identity

User principal name \*

User1

@

skt42.onmicrosoft.com

Domain not listed? [Learn more](#)

Mail nickname \*

User1

☒ Derive from user principal name

Display name \*

user1

Password \*

\*\*\*\*\*

☒ Auto-generate password

Account enabled

☒

Review + create

< Previous

Next: Properties >

[Give feedback](#)

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4...  
MSFT COMPANY SKT42.CRM/COL...

Home > Conditional Access | Overview >

New ...

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.  
[Learn more](#)

Name \*  
Block Nigeria Location for User2 ✓

Assignments  
Users ⓘ  
Specific users included

Target resources ⓘ  
No target resources selected

Network NEW ⓘ  
1 included

Conditions ⓘ  
1 condition selected

Control access based on signals from conditions like risk, device platform, location, client apps, or device state. [Learn more](#)

User risk ⓘ  
User risk level is the likelihood that the user account is compromised.  
Not configured

Sign-in risk ⓘ  
Sign-in risk level is the likelihood that the sign-in session is compromised.  
Not configured

Insider risk ⓘ  
Insider risk assesses the user's risky data-related activity in Microsoft Purview Insider Risk Management.  
Not configured

Device platforms ⓘ  
Not configured

Control user access based on their network or physical location. [Learn more](#)

Configure ⓘ  
Yes No

Include Exclude  
☐ Any network or location  
☐ All trusted networks and locations  
☐ All Compliant Network locations  
☒ Selected networks and locations

Select  
Nigeria

Nigeria \*\*\*

To create a Conditional Access policy ensuring your tenant's members are coming from their compliant network, consider creating Group Based Policies.

Enable policy

Report-only

On

Off

Create

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4...  
MSFTCOMPANY [SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.  
[Learn more](#)

Control access based on who the policy will apply to, such as users and groups, workload identities, directory roles, or external guests.  
[Learn more](#)

Name \*

Sign-in Risk for User1 ✓

Assignments

Users

Specific users included

Target resources

No target resources selected

Network

NEW Not configured

Conditions

0 conditions selected

Include

Exclude

None

All users

☒ Select users and groups
 

☐ Guest or external users
 ☐ Directory roles
 ☒ Users and groups

Select

1 user

US

user1  
user1@skt42.onmicrosoft.com

Enable policy

Report-only

On

Off

Create

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4... MSFTCOMPANY (SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name \*

Block Nigeria Location for User2

Assignments

Users

Specific users included

Target resources

No target resources selected

Network

NEW

0 included

Conditions

1 condition selected

With "Selected locations" you must choose

Enable policy

Report-only

On

Off

Create

Control access based on signals from conditions like risk, device platform, location, client apps, or device state. [Learn more](#)

User risk

User risk level is the likelihood that the user account is compromised.

Not configured

Sign-in risk

Sign-in risk level is the likelihood that the sign-in session is compromised.

Not configured

Insider risk

Insider risk assesses the user's risky data-related activity in Microsoft Purview Insider Risk Management.

Not configured

Device platforms

Not configured

Control user access based on their network or physical location. [Learn more](#)

Configure

Yes

No

Include

Exclude

Any network or location

All trusted networks and locations

All Compliant Network locations

Selected networks and locations

Select

None

Choose at least one location

To create a Conditional Access policy ensuring your tenant's members are coming from their compliant network, make sure Global Secure Access (GSA) is deployed and Adaptive Access Signaling

Select networks

Search by name

Location type: All types Trusted type: All types Reset filters

10 named locations found

Name	Location type	Trusted
Multifactor authentication truste...	IP ranges	Yes
Block	Countries (IP)	
fid-demo-location	Countries (IP)	
GTLocation	Countries (IP)	
GT-Location	Countries (IP)	
International Locations	Countries (IP)	
named-location	Countries (IP)	
Nigeria	Countries (IP)	
Nigeria	Countries (IP)	
UAE	Countries (IP)	

Save

Cancel

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4... MSFTCOMPANY (SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name \*

Block Nigeria Location for User2

Assignments

Users

Specific users included

Target resources

No target resources selected

Network

NEW

0 included

Conditions

1 condition selected

With "Selected locations" you must choose

Enable policy

Report-only

On

Off

Create

Control access based on signals from conditions like risk, device platform, location, client apps, or device state. [Learn more](#)

User risk

User risk level is the likelihood that the user account is compromised.

Not configured

Sign-in risk

Sign-in risk level is the likelihood that the sign-in session is compromised.

Not configured

Insider risk

Insider risk assesses the user's risky data-related activity in Microsoft Purview Insider Risk Management.

Not configured

Device platforms

Not configured

Control user access based on their network or physical location. [Learn more](#)

Configure

Yes

No

Include

Exclude

Any network or location

All trusted networks and locations

All Compliant Network locations

Selected networks and locations

Select

None

Choose at least one location

To create a Conditional Access policy ensuring your tenant's members are coming from their compliant network, make sure Global Secure Access (GSA) is deployed and Adaptive Access Signaling

Select networks

Search by name

Location type: All types Trusted type: All types Reset filters

Name	Location type	Trusted

Save

Cancel

Microsoft Azure

Search resources, services, and docs (G+J)

Copilot

Honesty.Dogunro@skt42...  
MSFTCOMPANY SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.  
[Learn more](#)

Control access based on who the policy will apply to, such as users and groups, workload identities, directory roles, or external guests.  
[Learn more](#)

Name \*

Block Nigeria Location for User2

Assignments

Users

Specific users included

Target resources

No target resources selected

Network

NEW

Not configured

Conditions

1 condition selected

Include

Exclude

☐ None

☐ All users

☒ Select users and groups

☐ Guest or external users

☐ Directory roles

☒ Users and groups

Select

1 user

US

user2

user2@skt42.onmicrosoft.com

Enable policy

Report-only

On

Off

Create

Microsoft Azure

Search resources, services, and docs (G+J)

Copilot

Honesty.Dogunro@skt42...  
MSFTCOMPANY SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Users

Specific users included

Target resources

No target resources selected

Network

NEW

Not configured

Conditions

1 condition selected

Access controls

Grant

0 controls selected

Session

0 controls selected

Enable policy

Report-only

On

Off

Create

Grant

Control access enforcement to block or grant access.  
[Learn more](#)

☐ Block access

☒ Grant access

☒ Require multifactor authentication

Consider testing the new "Require authentication strength".  
[Learn more](#)

☐ Require authentication strength

"Require authentication strength" cannot be used with "Require multifactor authentication".  
[Learn more](#)

☐ Require device to be marked as compliant

☐ Require Microsoft Entra

Select

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4...  
MFTCOMPANY SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Control access based on Conditional Access policy to bring signals together, to make decisions, and enforce organizational policies.  
[Learn more](#)

Name \*

Sign-in Risk for User1

Assignments

Users

Specific users included

Target resources

No target resources selected

Network

NEW

Not configured

Conditions

0 conditions selected

Control access based on signals from conditions like risk, device platform, location, client apps, or device state.  
[Learn more](#)

User risk

User risk level is the likelihood that the user account is compromised.

Not configured

Sign-in risk

Sign-in risk level is the likelihood that the sign-in session is compromised.

Not configured

Insider risk

Insider risk assesses the user's risky data-related activity in Microsoft Purview Insider Risk Management.

Not configured

Device platforms

Not configured

Enable policy

Report-only On Off

Create

Sign-in risk

Control user access to respond to specific sign-in risk levels.  
[Learn more](#)

Configure

Yes No

Sign-in risk level is generated based on all real-time risk detections.

Select the sign-in risk level this policy will apply to

☒ High

☒ Medium

☐ Low

☐ No risk

Done

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Honesty.Dogunro@skt4...  
MFTCOMPANY SKT42.ONMICR...

Home > Conditional Access | Overview >

New

Conditional Access policy

Users

Specific users included

Target resources

No target resources selected

Network

NEW

1 included

Conditions

1 condition selected

Access controls

Grant

0 controls selected

Session

0 controls selected

Enable policy

Report-only On Off

Create

Grant

Control access enforcement to block or grant access.  
[Learn more](#)

☒ Block access

☐ Grant access

☐ Require multifactor authentication

☐ Require authentication strength

☐ Require device to be marked as compliant

☐ Require Microsoft Entra hybrid joined device

☐ Require approved client app  
[See list of approved client apps](#)

☐ Require app protection policy  
[See list of policy protected client apps](#)

☐ Require password change

Select

NAMED LOCATION

Microsoft Azure

Search resources, services, and docs (G+ /)

Copilot

MSFT COMPANY DSK142.ONMICR...

Home > Conditional Access

Conditional Access | Named locations

Overview

Policies

Insights and reporting

Diagnose and solve problems

Manage

Named locations

Custom controls (Preview)

Terms of use

VPN connectivity

Authentication contexts

Authentication strengths

Classic policies

Monitoring

Troubleshooting + Support

Named locations are used by Microsoft Entra security reports to reduce false positives and by Microsoft Entra Conditional Access Policies cannot be deleted. [Learn more](#)

All Named Locations

Search by name

Location type: All

9 named locations found

Name	Location type	Trusted	Conditional Access
Block	Countries (IP)		Not configured in
fid-demo-location	Countries (IP)		Location-Complie
GTLocation	Countries (IP)		mfa.gt
GT-Location	Countries (IP)		Location-Complie
International Locations	Countries (IP)		testing_INTERNA
named-location	Countries (IP)		for test userS
Nigeria	Countries (IP)		Block Nigeria Loc
Nigeria	Countries (IP)		Block Nigeria Sig

New location (Countries)

As of May 2023, both IPv4 and IPv6 addresses are mapped to countries/regions.

Name \*

Name this location

Country lookup method

Determine location by IP address (IPv4 and IPv6)

☐ Include unknown countries/regions

Search countries

☐ Name ↑

☐ Afghanistan

☐ Åland Islands

☐ Albania

☐ Algeria

☐ American Samoa

☐ Andorra

Create

Cancel

Add or remove favorites by pressing Ctrl+Shift+F

Home > Conditional Access

Conditional Access | Named locations

Microsoft Entra ID

- Overview
- Policies
- Insights and reporting
- Diagnose and solve problems
- Manage
- Named locations
- Custom controls (Preview)
- Terms of use
- VPN connectivity
- Authentication contexts
- Authentication strengths
- Classic policies
- Monitoring
- Troubleshooting + Support

+ Countries location

+ IP ranges location

Configure multifactor authentication trusted IPs

Refresh

Preview features

Got feedback?

Named locations are used by Microsoft Entra security reports to reduce false positives and by Microsoft Entra Conditional Access policies. Named Locations that are marked Trusted or configured in Conditional Access Policies cannot be deleted. [Learn more](#)

All Named Locations

Search by name

Location type: All types

Trusted type: All types

Reset filters

9 named locations found

Name	Location type	Trusted	Conditional Access policies	Creation date	Modified date	
Block	Countries (IP)		Not configured in any policy yet	11/18/2024, 6:46:16 AM	11/18/2024, 6:4...	...
fid-demo-location	Countries (IP)		Location-Compliant-policy	7/11/2024, 11:29:12 AM	7/11/2024, 11:2...	...
GTLocation	Countries (IP)		mfa.gt	8/19/2024, 3:24:47 PM	8/19/2024, 3:25...	...
GT-Location	Countries (IP)		Location-Compliant-Policy and 1...	5/13/2024, 1:53:34 PM	5/13/2024, 1:53...	...
International Locations	Countries (IP)		testing INTERNATIONAL	8/19/2024, 4:06:44 PM	8/19/2024, 4:06...	...
named-location	Countries (IP)		for test user5	5/13/2024, 10:56:14 AM	5/13/2024, 10:5...	...
Nigeria	Countries (IP)		Block Nigeria Location for User2	8/12/2025, 10:55:18 PM	8/12/2025, 10:5...	...
Nigeria	Countries (IP)		Block Nigeria Sign-ins for Test Us...	8/14/2025, 8:34:57 AM	8/14/2025, 8:34...	...

https://portal.azure.com/?feature.msals=true#view/Microsoft\_AAD\_ConditionalAccess/ConditionalAccessBlade~/NamedLocations

Home > Conditional Access

Conditional Access | Named locations

Microsoft Entra ID

- Overview
- Policies
- Insights and reporting
- Diagnose and solve problems
- Manage
- Named locations
- Custom controls (Preview)
- Terms of use
- VPN connectivity
- Authentication contexts
- Authentication strengths
- Classic policies
- Monitoring
- Troubleshooting + Support

Named locations are used by Microsoft Entra security reports to reduce false positives and by Microsoft Entra Conditional Access Policies cannot be deleted. [Learn more](#)

All Named Locations

Search by name

Location type: All t

9 named locations found

Name	Location type	Trusted	Conditional Acce
Block	Countries (IP)		Not configured in
fid-demo-location	Countries (IP)		Location-Compli
GTLocation	Countries (IP)		mfa.gt
GT-Location	Countries (IP)		Location-Compli
International Locations	Countries (IP)		testing INTERNA
named-location	Countries (IP)		for test user5
Nigeria	Countries (IP)		Block Nigeria Loc
Nigeria	Countries (IP)		Block Nigeria Sign

New location (Countries)

As of May 2023, both IPv4 and IPv6 addresses are mapped to countries/regions.

Name \*

Nigeria

Country lookup method

Determine location by IP address (IPv4 and IPv6)

☐ Include unknown countries/regions

Nigeria

☒ Name ↑

☒ Nigeria

Create

Cancel

Add or remove favorites by pressing Ctrl+Shift+F

# MICROSOFT GRAPH

The image displays two screenshots related to Microsoft Graph. The top screenshot shows the Microsoft Entra admin center interface, specifically the user profile for 'user1'. The bottom screenshot shows the Graph Explorer interface with a successful GET request to the Microsoft Graph API.

**Microsoft Entra admin center - User Profile (user1)**

**Basic info**

Property	Value
User principal name	user1@skt42.onmicrosoft.com
Object ID	60a4e30c-f191-49ef-9da4-41e0a2fb9f9e
Created date time	Aug 12, 2025, 10:20 PM
User type	Member
Identities	skt42.onmicrosoft.com

**My Feed**

- Account status**: Enabled
- Sign-ins**: Last interactive sign-in: Aug 13, 2025, 3:48 PM; Last non-interactive sign-in: Aug 13, 2025, 3:48 PM

**Graph Explorer**

**Request**

Method: GET, Version: v1.0, URL: https://graph.microsoft.com/v1.0/me

**Request Body**

```
(https://graph.microsoft.com/beta/identityProtection/riskyUsers/{60a4e30c-f191-49ef-9da4-41e0a2fb9f9e}/confirmCompromised)
```

**Response**

Status: OK - 200 - 614 ms

**Response preview**

```
{
  "@odata.context": "https://graph.microsoft.com/v1.0/$metadata#users/$entity",
  "@microsoft.graph.tips": "This request only returns a subset of the resource's properties. Your app will need to use $select to return non-default properties. To find out what other properties are available for this resource see https://learn.microsoft.com/graph/api/resources/user",
  "businessPhones": [],
  "displayName": "Honesty.Dogunro",
  "givenName": null,
  ...
}
```



## SIMULATION RESULTS(USER 1 AND USER 2)

### Microsoft Azure



user2@skt42.onmicrosoft.com

#### You cannot access this right now

Your sign-in was successful but does not meet the criteria to access this resource. For example, you might be signing in from a browser, app, or location that is restricted by your admin.

[Sign out and sign in with a different account](#)

[More details](#)

### Microsoft Azure



user1@skt42.onmicrosoft.com

#### Update your password

Since someone else may have access to your account, you need to choose a new password. Don't use the same password that you use for other sites.

Current password

New password

Confirm password

Sign in

### Microsoft Azure



user1@skt42.onmicrosoft.com

#### You cannot access this right now

Your sign-in was successful but does not meet the criteria to access this resource. For example, you might be signing in from a browser, app, or location that is restricted by your admin.

[Sign out and sign in with a different account](#)

[More details](#)