


SIMPSON CMST14 COIL STRAP X
5'-0" (30" EA. SIDE OF
JOINT) OVER TOP PLATE & BEAM
W/ 10D NAILS, INSTALL PER
MFR. (IRC R602.3.2)*

DBL. 2X6 TOP PLATE,
INTERRUPTED AT BEAM
OFFSET TOP PLATE END JOINTS
24" MIN. AWAY FROM BEAM (IRC
R602.3.2)*

2X6 KING STUD, END NAIL TO
BEAM W/ (4) 16D (IRC
R602.7.5)*


2X6 STUDS @ 16" O.C. (IRC
TABLE R602.3(5))*



5 1/4" X 11 7/8" PSL BEAM,
T.O. BEAM FLUSH W/ T.O. DBL.
TOP PLATE @ 8'-1 1/8"

(2) 2X6 JACK STUDS U.N.O.
(IRC R602.7.5)*

OPENING



FLUSH PSL BEAM AT 2X6 TOP PLATE — ELEVATION

SCALE: 3/4" = 1'-0"

DETAIL

PROJECT

SCALE

DRAWN

DATE

DETAIL NO

FLUSH PSL BEAM AT 2X6 TOP PLATE — ELEVATION

3/4" = 1'-0"

KERF

2026-10-06

1