Table S1 Readcode defining community-acquired pneumonia

| Readcode | Medical description | | | | | |
|----------|---|--|--|--|--|--|
| A022200 | Salmonella pneumonia | | | | | |
| A116.00 | Tuberculous pneumonia | | | | | |
| A3BX400 | Streptococ pneumon/cause/disease classified/oth chapters* | | | | | |
| A3BXA00 | Mycoplasma pneumoniae [PPLO] cause/dis classifd/oth chaptr* | | | | | |
| A3BXB00 | Klebsiella pneumoniae/cause/disease classifd/oth chapters | | | | | |
| A3By400 | Pleuropneumonia-like organism (PPLO) infection | | | | | |
| A521.00 | Varicella pneumonitis | | | | | |
| A54x400 | Herpes simplex pneumonia | | | | | |
| A551.00 | Postmeasles pneumonia | | | | | |
| A730.00 | Ornithosis with pneumonia | | | | | |
| A785000 | Cytomegaloviral pneumonitis | | | | | |
| A789300 | HIV disease resulting in Pneumocystis carinii pneumonia | | | | | |
| A789311 | HIV disease resulting in Pneumocystis jirovecii pneumonia | | | | | |
| AB24.11 | Pneumonia - candidal | | | | | |
| AB40500 | Histoplasma capsulatum with pneumonia | | | | | |
| AB41500 | Histoplasma duboisii with pneumonia | | | | | |
| AyuK900 | [X]Mycoplasma pneumoniae [PPLO]cause/dis classifd/oth chaptr* | | | | | |
| 43n1.00 | Mycoplasma pneumoniae antibody level | | | | | |
| AyuKA00 | [X]Klebsiella pneumoniae/cause/disease classifd/oth chapters* | | | | | |
| H062.00 | Acute lower respiratory tract infection* | | | | | |
| H06z000 | Chest infection NOS* | | | | | |
| H06z011 | Chest infection* | | | | | |
| H06z112 | Acute lower respiratory tract infection* | | | | | |
| H06z200 | Recurrent chest infection* | | | | | |
| H200 | Pneumonia and influenza | | | | | |
| H2000 | Viral pneumonia | | | | | |
| H2011 | Chest infection - viral pneumonia | | | | | |
| H200.00 | Pneumonia due to adenovirus | | | | | |
| H201.00 | Pneumonia due to respiratory syncytial virus | | | | | |
| H202.00 | Pneumonia due to parainfluenza virus | | | | | |
| H203.00 | Pneumonia due to human metapneumovirus | | | | | |
| H20y.00 | Viral pneumonia NEC | | | | | |
| H20z.00 | Viral pneumonia NOS | | | | | |
| H2100 | Lobar (pneumococcal) pneumonia | | | | | |
| H2111 | Chest infection - pneumococcal pneumonia | | | | | |
| H2200 | Other bacterial pneumonia | | | | | |
| H2211 | Chest infection - other bacterial pneumonia | | | | | |
| H220.00 | Pneumonia due to klebsiella pneumoniae | | | | | |
| H221.00 | Pneumonia due to pseudomonas | | | | | |
| H222.00 | Pneumonia due to haemophilus influenzae | | | | | |
| H222.11 | Pneumonia due to haemophilus influenzae | | | | | |
| H223.00 | Pneumonia due to streptococcus | | | | | |

| 11222000 | Durania da |
|----------|--|
| H223000 | Pneumonia due to streptococcus, group B |
| H224.00 | Pneumonia due to staphylococcus |
| H22y.00 | Pneumonia due to other specified bacteria |
| H22y000 | Pneumonia due to escherichia coli |
| H22y011 | E.coli pneumonia |
| H22y100 | Pneumonia due to proteus |
| H22y200 | Pneumonia - Legionella |
| H22yX00 | Pneumonia due to other aerobic gram-negative bacteria |
| H22yz00 | Pneumonia due to bacteria NOS |
| H22z.00 | Bacterial pneumonia NOS |
| H2300 | Pneumonia due to other specified organisms |
| H2311 | Chest infection - pneumonia organism OS |
| H231.00 | Pneumonia due to mycoplasma pneumoniae |
| H232.00 | Pneumonia due to pleuropneumonia like organisms |
| H233.00 | Chlamydial pneumonia |
| H23z.00 | Pneumonia due to specified organism NOS |
| H2400 | Pneumonia with infectious diseases EC |
| H2411 | Chest infection with infectious disease EC |
| H240.00 | Pneumonia with measles |
| H241.00 | Pneumonia with cytomegalic inclusion disease |
| H242.00 | Pneumonia with ornithosis |
| H243.00 | Pneumonia with whooping cough |
| H244.00 | Pneumonia with tularaemia |
| H246.00 | Pneumonia with aspergillosis |
| H247000 | Pneumonia with candidiasis |
| H247100 | Pneumonia with coccidioidomycosis |
| H247z00 | Pneumonia with systemic mycosis NOS |
| H24y.00 | Pneumonia with other infectious diseases EC |
| H24y000 | Pneumonia with actinomycosis |
| H24y100 | Pneumonia with nocardiasis |
| H24y200 | Pneumonia with pneumocystis carinii |
| H24y300 | Pneumonia with Q-fever |
| H24y400 | Pneumonia with salmonellosis |
| H24y500 | Pneumonia with toxoplasmosis |
| H24y600 | Pneumonia with typhoid fever |
| H24y700 | Pneumonia with varicella |
| H24yz00 | Pneumonia with other infectious diseases EC NOS |
| H24z.00 | Pneumonia with infectious diseases EC NOS |
| H2500 | Bronchopneumonia due to unspecified organism |
| H2511 | Chest infection - unspecified bronchopneumonia* |
| H2600 | Pneumonia due to unspecified organism |
| H2611 | Chest infection - pnemonia due to unspecified organism |
| H260.00 | Lobar pneumonia due to unspecified organism |
| H260000 | Lung consolidation |
| **** | <i>G</i> |

| H261.00 | Basal pneumonia due to unspecified organism |
|---------|--|
| H270.00 | Influenza with pneumonia |
| H270.11 | Chest infection - influenza with pneumonia |
| H270000 | Influenza with bronchopneumonia |
| H270100 | Influenza with pneumonia, influenza virus identified |
| H270z00 | Influenza with pneumonia NOS |
| H2800 | Atypical pneumonia |
| H2B00 | Community acquired pneumonia |
| H2y00 | Other specified pneumonia or influenza |
| H2z00 | Pneumonia or influenza NOS |
| H530300 | Abscess of lung with pneumonia |
| Hyu0800 | [X]Other viral pneumonia |
| Hyu0A00 | [X]Other bacterial pneumonia |
| Hyu0B00 | [X]Pneumonia due to other specified infectious organisms |
| Hyu0D00 | [X]Pneumonia in viral diseases classified elsewhere |
| Hyu0H00 | [X]Other pneumonia, organism unspecified |
| Hyu1.00 | [X]Other acute lower respiratory infections* |

Table S2. Subgroup analysis was stratified by age, preexisting chronic pulmonary disease status, and recent use of corticosteroids.

| Exposure | Number of patients, n | Number of events, n | Person- Years | Crude incident rate (95% CI)* | HR (95% CI) |
|----------------------|------------------------|-----------------------|--------------------|----------------------------------|---------------------|
| Subgroup analysis 1 | : stratified by age | | | | |
| Age < 75 | | | | | |
| Alendronate | 1,665 | 198 | 3,324 | 59.6 (51.6 to 68.5) | Reference |
| Denosumab | 340 | 42 | 699 | 60.1 (43.3 to 81.3) | 0.99 (0.78 to 1.26) |
| Age >= 75 | | | | | |
| Alendronate | 2,987 | 440 | 5,171 | 85.1 (77.3 to 93.4) | Reference |
| Denosumab | 593 | 86 | 1,078 | 79.8 (63.8 to 98.5) | 0.96 (0.81 to 1.13) |
| Subgroup analysis 2 | : stratified by pred | existing chronic pul | lmonary disease | | |
| Patients who had p | reexisting chronic p | ulmonary disease | | | |
| Alendronate | 860 | 167 | 1,476 | 113.0 (96.6 to 132.0) | Reference |
| Denosumab | 165 | 37 | 290 | 127.0 (89.7 to 176.0) | 1.08 (0.84 to 1.39) |
| Patients did not hav | ve preexisting chron | ic pulmonary diseas | e | | |
| Alendronate | 3,792 | 471 | 7,018 | 67.1 (61.2 to 73.5) | Reference |
| Denosumab | 768 | 91 | 1,486 | 61.2 (49.3 to 75.2) | 0.94 (0.80 to 1.10) |
| Subgroup analysis 3 | : stratified by cort | icosteroids use in t | he prior two years | before cohort entry | |
| Patients who had c | orticosteroid use in t | he prior two years | | | |
| Alendronate | 917 | 177 | 1,537 | 115.0 (98.9 to 133.0) | Reference |
| Denosumab | 181 | 35 | 350 | 100.0 (69.7 to 139.0) | 0.90 (0.70 to 1.17) |
| Patients did not hav | ve corticosteroid use | in the prior two year | rs | | |
| Alendronate | 3,735 | 461 | 6,958 | 66.3 (60.3 to 72.6) | Reference |
| Denosumab | 752 | 93 | 1,427 | 65.2 (52.6 to 79.9) | 0.99 (0.85 to 1.16) |

Note * per 1000 person-years.




Figure S1 Baseline characteristics difference of the two cohorts before and after