Shunting Concentrates Path Gains and Improves Local Credit Assignment in Dendritic Networks

Anonymous Author(s)
Affiliation
Address
email

Abstract

Exact gradients for conductance-based dendritic trees factorize into a synapse-local eligibility term and a single non-local compartment error; this factorization is the foundation for local credit assignment in these networks. How well a somatic broadcast can substitute for the true compartment error depends on how concentrated the conductance-stage path gains are across the tree. Across inhibited noise-resilience regimes, an oracle experiment—replacing the broadcast with the exact conductance-stage transported compartment errors—raises additive local learning from roughly 38–43% to 99–100%, nearly matching shunting (98–99%), strongly supporting path-gain fidelity as the dominant bottleneck rather than other architectural differences. Under the default shared rank-1 broadcast used by the headline feedforward architectures, shunting improves both gradient fidelity and end-task learning relative to additive integration in the inhibited regimes where conductance normalization matters: on MNIST, cosine alignment rises from 0.006 to 0.202, and on noise resilience the shunting advantage is largest once inhibition is present. We further analyze structured rank-K feedback as the natural extension when rank-1 broadcasts lose pathway identity. Together, these results identify conductance-stage path-gain concentration via shunting inhibition as the key biophysical mechanism that determines when simple shared local credit assignment works in conductance-based dendritic networks.

1 Introduction

Credit assignment in deep networks usually depends on backpropagation: global error transport through symmetric pathways with no obvious biological substrate. Dendritic compartments suggest an alternative. Each synapse has access to rich local state such as driving force, membrane conductance, and branch voltage, while supervisory information could arrive as a low-bandwidth broadcast from the soma [14]. The question here is when such local information is sufficient for useful learning.

Starting from conductance-based dendritic voltage equations [1], we derive exact gradients for dendritic trees (Theorem 1) and show that each synaptic gradient factorizes into purely local eligibility terms and a single non-local compartment error. Approximating that compartment error with a broadcast signal yields a theorem-facing local rule (3F), together with practical heuristic wrappers (4F/5F), and higher-rank broadcast extensions for tasks where different branches must be credited differently.

The central finding is mechanistic: shunting improves broadcast fidelity by concentrating conductance-stage path gains. On MNIST, conductance-stage path-gain CV stays at 0.21–0.27 under shunting versus 0.53–1.08 under additive integration, so one shared broadcast is a much better proxy for compartment-specific errors under shunting. On the noise-resilience sweep, per-soma broadcast reaches cosine alignment of about 0.37–0.47 under shunting across the inhibited regimes, while



Figure 1: **Model and credit assignment.** **(A)** A compartmental dendritic neuron with excitatory (blue triangles) and inhibitory (red circles; shunting) synapses. Voltages propagate to the soma through learned dendritic conductances (green arrows). A somatic broadcast error e_n (dashed red) reaches all compartments; each synapse combines e_n with local quantities (presynaptic drive x_j, input resistance R_n^{tot}, and driving force $E_j - V_n$). **(B)** Compact LocalCA hierarchy: 3F is the theorem-facing local rule; 4F adds the heuristic morphology-aware factor ρ; 5F further adds the heuristic confidence-like factor ϕ. **(C)** Broadcast-mode schematic. Scalar broadcast sends one shared field to all branches; per-soma broadcast sends a vector-valued somatic error only when output and layer widths match and otherwise falls back to scalar; random low-rank broadcast adds a small number of unstructured channels; structured pathway feedback uses separate channels to preserve pathway identity when different branches should receive different teaching signals. **(D)** Headline exact-factorization summary. The panel states the factorization directly and reports the verification numbers compactly; Fig. 2D then shows the full diagnostic scatter across all theory-diagnostic conditions.

additive becomes negative once inhibition is introduced even though it can still perform well at $N_I = 0$. Our question is therefore not whether local learning can match backpropagation on standard benchmarks, but what biophysical mechanism determines when low-bandwidth local credit assignment works in conductance-based dendritic networks. An oracle experiment that supplies the exact conductance-stage transported compartment errors strongly supports path-gain fidelity as the dominant bottleneck: across the inhibited noise-resilience regimes, additive local learning rises to essentially ceiling under the oracle, nearly matching shunting.

We quantify these effects with a gradient-fidelity diagnostic based on directional alignment and scale mismatch between local and backprop gradients (Fig. 2). This is a mechanism paper, not a benchmark-leadership paper: the paper's contributions are exact factorization for conductance-based dendritic trees, a mechanistic account of shunting as conductance-stage path-gain concentration, direct fidelity and oracle experiments that isolate the broadcast bottleneck, and a structured rank-K viewpoint for settings where rank-1 broadcast fails.

2 Compartmental Voltage Model and Gradient Derivation

We use a steady-state conductance model derived from discretized passive cable dynamics [1, 2]. In normalized units, leak and inhibitory reversal are set to 0, the excitatory reversal is set to 1, and leak conductance is fixed at 1. Each compartment voltage is therefore a conductance-weighted average. Two properties of this form matter for what follows: local sensitivities depend on both driving force $(E-V)$ and input resistance R^{tot}, and shunting inhibition corresponds to adding conductance when $E_{\text{inh}} \approx 0$.

2.1 Voltage Equation and Local Sensitivities

Consider compartment n with synaptic inputs j (activity x_j, reversal E_j, conductance $g_j^{\text{syn}} \geq 0$) and dendritic inputs from children (voltage V_j, conductance $g_j^{\text{den}} \geq 0$). The steady-state voltage is:

$$V_n = \frac{\sum_j E_j x_j g_j^{\text{syn}} + \sum_j V_j g_j^{\text{den}}}{\underbrace{\sum_j x_j g_j^{\text{syn}} + \sum_j g_j^{\text{den}} + 1}_{g_n^{\text{tot}}}}, \qquad R_n^{\text{tot}} = 1/g_n^{\text{tot}}. \tag{1}$$

V_n is a convex combination of reversal potentials, child voltages, and leak. Writing $\mathcal{S}_n = \{0\} \cup \{E_j\}_j \cup \{V_j\}_j$, we have $\min \mathcal{S}_n \leq V_n \leq \max \mathcal{S}_n$ and $0 < R_n^{\text{tot}} \leq 1$. The local sensitivities follow directly:

Proposition 1 (Local Sensitivities)**.**

$$\frac{\partial V_n}{\partial g_i^{\text{syn}}} = x_i R_n^{\text{tot}}(E_i - V_n), \quad \frac{\partial V_n}{\partial V_i} = g_i^{\text{den}} R_n^{\text{tot}}, \quad \frac{\partial V_n}{\partial g_i^{\text{den}}} = R_n^{\text{tot}}(V_i - V_n). \tag{2}$$

2.2 Shunting Inhibition as Divisive Gain Control

An inhibitory synapse with $E_{\text{inh}} \approx 0$ contributes current $(0-V_n)x_j g_j^{\text{syn}}$ and increases g_n^{tot}. Its sensitivity is $\partial V_n / \partial g_j^{\text{syn}} = -x_j R_n^{\text{tot}} V_n$, which corresponds to multiplicative attenuation (divisive normalization). Shunting is divisive at the voltage level, but its effect on firing rates can be subtractive in some regimes [7]. Inhibitory plasticity can balance excitation dynamically [8]; our learned inhibitory conductances serve an analogous role.

2.3 Exact Gradients for Dendritic Trees

Let V_0 be the somatic output, $\hat{y} = W_{\text{dec}} V_0$ the decoder, and $\delta_0 = W_{\text{dec}}^{\top}(\partial L / \partial \hat{y})$ the somatic error.

Theorem 1 (Conductance-Stage Backpropagation on a Dendritic Tree)**.** *For a rooted dendritic tree with soma at node* 0 *and unique parent* $p(n)$ *for each non-somatic compartment, if each branch passes its pre-reactivation voltage directly to its parent, then the loss gradient satisfies*

$$\frac{\partial L}{\partial V_n} = \frac{\partial L}{\partial V_{p(n)}} R_{p(n)}^{\text{tot}} \, g_{n \to p(n)}^{\text{den}}, \tag{3}$$

with boundary condition $\partial L / \partial V_0 = \delta_0$*. Because the graph is a tree, each compartment has a unique path to the soma. Defining the path gain*

$$\alpha_n = \prod_{(i \to k) \in \text{path}(n \rightsquigarrow 0)} R_k^{\text{tot}} \, g_{i \to k}^{\text{den}}, \qquad \frac{\partial L}{\partial V_n} = \alpha_n \delta_0, \tag{4}$$

with $\alpha_0 = 1$.

Proof. Apply the chain rule on the tree-structured computation graph using Prop. 1. □

Corollary 1 (Local–Global Factorization)**.** *The exact synaptic gradient at compartment* n *factorizes as:*

$$\frac{\partial L}{\partial g_i^{\text{syn}}} = \underbrace{x_i \, R_n^{\text{tot}} \, (E_i - V_n)}_{\textit{synapse-local eligibility}} \cdot \underbrace{\frac{\partial L}{\partial V_n}}_{\textit{compartment error}}, \tag{5}$$

where the eligibility term depends only on quantities available at synapse i (presynaptic activity x_i, input resistance R_n^{tot}, driving force $E_i - V_n$), and the compartment error $\partial L/\partial V_n$ is the sole non-local quantity.

Under identity upward transfer, this factorization isolates the only non-local quantity as $\partial L/\partial V_n = \alpha_n \delta_0$. With a post-voltage activation $a_n = f_n(V_n)$ transmitted to the parent, the exact recursion becomes $\partial L/\partial V_n = f_n'(V_n)\,(\partial L/\partial V_{p(n)})\,R^{\mathrm{tot}}_{p(n)} g^{\mathrm{den}}_{n\to p(n)}$, so the compartment error remains the sole non-local term but the effective path gain acquires local activation-derivative factors. Any practical local rule therefore depends entirely on how well a broadcast signal approximates that exact compartment error, which we evaluate in Sec. 4.2. In the models studied here, shunting improves this approximation by reducing and stabilizing R_n^{tot}, which narrows the spread of local sensitivities across the tree. The theorem is stated for the pre-reactivation compartment voltage V_n produced by the conductance stage itself. In the empirical networks, each dendritic branch layer may optionally apply a post-voltage reactivation $f(V_n)$ before passing activity to the next stage; unless otherwise noted, the manuscript sweeps use a learnable bounded `param_tanh` reactivation. Our exact-error diagnostics are computed on the hooked pre-reactivation voltage, so the factorization check and compartment-error analyses target the conductance-stage quantity defined above rather than the post-reactivation activity.

3 Local Learning Rules

3.1 Broadcast Error Approximation

We approximate the exact compartment error $\partial L/\partial V_n$ (Corollary 1) with a broadcast signal e_n derived from the somatic/core error δ_0. For a linear readout this reduces to $\delta_0 = W_{\mathrm{dec}}^{\top}(\partial L/\partial \hat{y})$; for a nonlinear decoder we use the corresponding decoder-input Jacobian product $J_{\mathrm{dec}}(h_{\mathrm{core}})^{\top}(\partial L/\partial \hat{y})$ so that the broadcast remains defined in the same core-space coordinates. We consider five broadcast modes of increasing structure:

- **Scalar:** $e_n = \bar{\delta} \cdot \mathbf{1}$, where $\bar{\delta} = \mathrm{mean}(\delta_0)$ is a single scalar broadcast to all compartments.
- **Per-soma:** $e_n = \delta_0$ when the layer dimension matches the output; layers with mismatched dimensions fall back to scalar.
- **Low-rank:** $e_n = \Gamma_K(\delta_0)$, where Γ_K uses a small number K of random broadcast channels to project the somatic error into a layer-specific vector field.
- **Local mismatch:** $e_n = (1{-}\alpha)\,\bar{\delta} \cdot \widetilde{m}_n + \alpha\,\bar{\delta}$, where $\widetilde{m}_n$ is the RMS-normalized, batch-centered parent–child voltage difference $P_n - V_n$ and $\alpha = 0.2$.
- **Pathway-vector:** $e_n = \alpha\,\bar{\delta} \cdot \mathbf{1} + (1{-}\alpha)\,\Gamma_n(\delta_0)$, where Γ_n projects the somatic error into router-inferred pathway roles, gates those roles by local pathway activity, and transports the resulting vector hierarchically through the block-structured dendritic tree.

We use per-soma broadcast by default. In our experiments, the local-mismatch variant performs much worse (Appendix A), indicating that broadcast quality is critical. In the headline feedforward architectures, however, hidden widths exceed decoder output dimension, so this default per-soma mode falls back to a shared scalar/rank-1 field (Appendix Table S13). Under shunting, that deliberately low-bandwidth broadcast is often sufficient on standard classification tasks, while the cue-routing benchmark in Sec. 4.7 is used to compare rank-1, random low-rank, and pathway-structured feedback when different branches should receive different teaching signals. Appendix Table S11 summarizes the broader set of implemented model families, training strategies, and broadcast modes used throughout the study.

3.2 Three-Factor Rule (3F)

Definition 1 (3F Update)**.** *For synaptic and dendritic conductances:*

$$\Delta g_j^{\mathrm{syn}} = \eta \langle x_j R_n^{\mathrm{tot}} (E_j - V_n)\, e_n \rangle_B, \qquad \Delta g_j^{\mathrm{den}} = \eta \langle R_n^{\mathrm{tot}} (V_j - V_n)\, e_n \rangle_B, \tag{6}$$

where $\langle \cdot \rangle_B$ denotes the batch average.

The three factors are presynaptic activity x_j (or a voltage difference), postsynaptic modulation through driving force and input resistance, and the broadcast error e_n. The same rule applies to excitatory and inhibitory synapses. The sign difference comes from the driving force $(E_j - V_n)$.

Additive control. Rule (6) is the local gradient of the *shunting* voltage $V_n = \sum E_j g_j x_j / g_n^{\text{tot}}$. For the additive control ($V_n = \sum g_j x_j$, no divisive normalization), the correct local gradient is simpler: $\Delta g_j^{\text{syn}} = \eta \langle x_j \, e_n \rangle_B$, with no driving-force or R_n^{tot} terms ($R_n^{\text{tot}} \equiv 1$ by definition since there is no denominator). Throughout, each architecture uses the learning rule derived from its own forward-pass dynamics. This keeps the comparison architecture-matched rather than applying a shunting-derived rule to an additive model.

3.3 Practical Heuristic Wrappers: 4F and 5F

4F (heuristic attenuation proxy). In the conductance-stage recursion (4), the path gain α_n attenuates the somatic error differently at each compartment. To compensate without explicitly computing that gain, 4F uses an online correlation proxy

$$\rho_n = \text{Cov}(\bar{V}_n, \bar{V}_0) / (\sqrt{\text{Var}(\bar{V}_n) \, \text{Var}(\bar{V}_0)} + \varepsilon).$$

High ρ_n up-weights branches whose voltages covary with the soma; low ρ_n down-weights branches where the broadcast is likely to be a poor proxy.

5F (confidence-weighted 4F). 5F adds a second heuristic factor

$$\phi_n = \text{Var}(V_n) / (\sigma_{\text{res}}^2 + \varepsilon),$$

where σ_{res}^2 is the residual variance of V_n after linear regression on the parent voltage. Operationally, ϕ_n is a branch-wise confidence gate: it becomes large when local voltages are strong and stable relative to unexplained residual fluctuations, and small when local fluctuations dominate. We clamp it to $[0.25, 4.0]$ for stability. This factor is empirical, not theorem-derived. The paper's core claim rests on path-gain concentration and the oracle experiment; the gain from ϕ_n should be read as practical denoising rather than theoretical necessity.

Proposition 2 (5F Update)**.**

$$\Delta g_j^{\text{syn}} = \eta \, \rho_n \phi_n \langle x_j R_n^{\text{tot}} (E_j - V_n) \, e_n \rangle_B. \tag{7}$$

A feedback-alignment-style random-broadcast argument is included in Appendix C; it is supportive but not central to the main mechanism claim.

3.4 Structured pathway feedback and branch-role plasticity

For tasks with latent pathway structure, scalar broadcast can erase the distinction between different dendritic branches that should be credited differently. Recent experimental evidence supports the existence of vectorized instructive signals in cortical dendrites [43], motivating the structured feedback variant we introduce here. We therefore augment the local rule with a structured cue-routing variant, *PV-LocalCA*.

Hierarchical pathway-vector broadcast. The encoder/router defines a low-dimensional role basis over latent pathways. Instead of collapsing δ_0 to a scalar or per-soma vector, we project it into this role basis and gate each role by local pathway activity:

$$e_n^{\text{PV}} = \sum_{k=1}^{K} q_{n,k} c_k,$$

where $c_k = \langle r_k, \delta_0 \rangle$ are role coefficients and $q_{n,k}$ are local branch-role weights. Scalar broadcast is the special case $K{=}1$, while PV-LocalCA is a structured rank-K extension rather than a separate learning principle.

Router-derived branch roles. Rather than assigning hand-coded apical/basal labels, each branch j receives a normalized role profile r_j inferred from router assignments and incoming block weights. Plasticity is then gated by branch selectivity and by a synapse-specific role-alignment factor $\langle r_i, r_j \rangle$, biasing learning toward pathway-consistent afferents without imposing a fixed branch taxonomy.

4 Experiments

4.1 Setup

We evaluate two settings: a *capacity-calibrated* regime, where matched architectures achieve strong backprop performance, and *controlled sweeps* that isolate inhibition strength, broadcast mode, and architecture. Our main datasets are MNIST, Fashion-MNIST [37], and four synthetic tasks: *context gating*, *noise resilience*, *info shunting*, and *cue integration*; formal definitions are in Appendix I. Architectures include point MLP baselines and dendritic cores with either additive integration or shunting. Main comparisons are architecture-matched additive vs. shunting cores and local vs. backprop training; DFA appears only as a supplementary baseline. Most headline MNIST, Fashion-MNIST, and context-gating results use 5F with per-soma broadcast. Because the hidden widths in these feedforward settings exceed the decoder output dimension, that default per-soma implementation reduces to a shared scalar/rank-1 broadcast in the main mechanism and competence sweeps; the higher-rank controls then use explicit low-rank, path-propagation, path-transport, or pathway-vector variants. Unless otherwise stated, dendritic layers also use the learnable post-voltage reactivation `param_tanh`; Appendix Tables S8–S9 then audit activation shape in a more controlled setting by comparing identity (`none`) against a frozen `param_tanh` under matched additive/shunting initialization. The cue-routing benchmark is used to compare rank-1, random low-rank, and pathway-structured feedback in a routed setting, and the inhibition sweeps additionally use a transported-error oracle derived from Theorem 1 as an upper bound rather than as the proposed biological rule. Headline mechanistic, oracle, competence, activation-audit, corrected routed, and CIFAR mechanism-extension results use 5 seeds per condition; a smaller set of appendix-only support sweeps still use 3 seeds, while 1–2 seed screens are treated as exploratory and are either omitted from the main claims or explicitly labeled as such in the appendix.

4.2 From Exact Factorization to Credit-Signal Fidelity

To test whether these performance differences correspond to better credit signals, we compare local and backprop gradients on the same batch at the same parameter values. For each parameter tensor p, we compute directional alignment (cosine similarity) and scale mismatch, defined as $|\log_{10}(\|g_p^{\text{local}}\|/\|g_p^{\text{bp}}\|)|$, aggregated by parameter count.

Across matched-weight comparisons, shunting is consistently more aligned with backprop and substantially closer in norm than the additive control: on MNIST, weighted cosine rises from 0.006 to 0.202 and scale mismatch falls from 1.053 to 0.117; on context gating, cosine rises from -0.007 to 0.108 and scale mismatch falls from 2.154 to 0.036. Figure 2C shows that this advantage appears throughout training, especially in proximal layers and dendritic conductances. Figure 2D confirms that the theory is operational in code: reconstructing gradients from Corollary 1 using exact compartment errors matches autograd to numerical precision (weighted cosine 1.000001 ± 0.000001, weighted scale mismatch $< 4 \times 10^{-8}$). The only approximation made by LocalCA is therefore the broadcast substitute for $\partial L/\partial V_n$.

4.3 Mechanistic Chain: Path Gains, Broadcast Fidelity, and Oracle Transport

Figure 3 provides the paper's central empirical chain: shunting concentrates conductance-stage path gains, which improves direct compartment-error fidelity, which in turn makes low-bandwidth local learning effective; the transported-error oracle then isolates how much of the remaining gap is due to broadcast quality rather than other architectural differences.

Panel A measures the coefficient of variation of the exact conductance-stage path gains α_n across compartments. On MNIST, shunting keeps this distribution tightly concentrated across inhibition levels (CV about 0.21–0.27), whereas the additive control remains much broader (CV about 0.53–1.08). Panel B then measures the sole non-local term from Corollary 1, $\partial L/\partial V_n$, directly. On the noise-resilience sweep, per-soma broadcast tracks the exact compartment error much better under shunting than under additive integration once inhibition is present: shunting stays around 0.40–0.47 across the inhibited settings, while additive becomes near-zero or negative even though it remains comparatively well aligned at $N_I{=}0$. The transported-error oracle obtained by recursively applying those conductance-stage path gains improves fidelity further in both architectures, showing that the theorem defines an operational upper bound on low-bandwidth broadcast.



Figure 2: **Gradient-fidelity diagnostic. (A)** Weighted cosine similarity between local and backprop gradients: shunting (green) is consistently more aligned than additive (blue) on both MNIST and context gating. **(B)** Gradient scale mismatch on the same matched-weight comparisons. Shunting is not only better aligned, but also substantially closer in norm. **(C)** Per-layer cosine similarity over training epochs. Shunting proximal layers approach high positive alignment; additive layers remain near zero. **(D)** Exact-factorization sanity check across all theory-diagnostic conditions. Reconstructed gradients match autograd to numerical precision, showing that LocalCA's only approximation is in the broadcast substitute for the compartment error.

Panel C trains the same local rule using that oracle signal. On noise resilience, additive learning is strongly regime-dependent under per-soma broadcast: it reaches 98.5% at N_I=0 but only about 38–43% once inhibition is added. Under transported broadcast, those inhibited additive regimes rise to 99–100%. Shunting improves from about 70–87% under per-soma to 98–99% across the same inhibited sweep. On MNIST, transported broadcast reaches about 95.4–96.7% for additive and 96.5–97.3% for shunting. The CIFAR-10 inset shows the same harder-data pattern in the corrected compact E/I family: shunting rises from 28.8% under per-soma broadcast to 47.4% under transported error, nearly matching its 49.5% backprop ceiling. These oracle results strongly support path-gain fidelity as the dominant bottleneck for LocalCA performance, while the smaller remaining additive–shunting gap under matched transported broadcast suggests an additional contribution from conductance-shaped local sensitivities.

Panel D shows that coarse broadcast can still be enough once local sensitivities are well scaled: 4-bit quantization preserves full performance (61.6% vs. 61.7%; $p > 0.9$), while sign-only (37.5%) and sparse top-30% (38.2%) degrade sharply. The corrected rank-bridge sweep in Appendix Table S7 adds one constructive intermediate control. On the same shunting noise-resilience regime, per-soma reaches only 0.333 ± 0.022, the current path-propagation proxy remains similar at 0.327 ± 0.018, random low-rank broadcast improves to 0.536 ± 0.105 at K=4, and exact path transport reaches 0.675 ± 0.019. So higher-rank unstructured feedback helps partially, whereas the current morphology-aware propagation proxy does not yet recover much of the transported-oracle gain. Normalization-only additive controls and DFA baselines (Appendix Figs. S9, S7) improve over weaker baselines without matching the shunting conductance model. Appendix Tables S8–S9 show that this mechanism should be interpreted in the bounded `param_tanh` operating regime used in the main sweeps rather than as an activation-agnostic claim.

4.4 Capacity-Calibrated Competence

Having established the mechanism, we next ask whether the same conditions improve end-task learning in architectures that are already competent under backpropagation. In the capacity-calibrated regime, shunting dendritic cores remain reasonably competitive under local learning: on MNIST, Fashion-MNIST, and context gating, the best local configuration (5F, per-soma broadcast, local



Figure 3: **Mechanistic evidence.** **(A)** Conductance-stage path-gain dispersion on MNIST, measured as the coefficient of variation of the exact tree attenuation α_n across compartments. Shunting keeps these conductance-stage path gains much more concentrated than the additive control as inhibition increases. **(B)** Direct compartment-error fidelity on noise resilience. Solid lines compare the per-soma broadcast e_n to the exact compartment error $\partial L/\partial V_n$; dashed lines show the transported-error oracle obtained by recursively applying conductance-stage path gains. Shunting substantially improves the fidelity of the simple per-soma broadcast, while the transported oracle defines the remaining approximation gap. **(C)** Learning with the transported-error oracle on noise resilience. Improving the broadcast field is enough to recover near-ceiling local learning, especially in the additive architecture where per-soma broadcast fails most severely; the CIFAR-10 inset shows the same harder-data ladder for shunting in the corrected compact E/I family. **(D)** Broadcast bandwidth. Four-bit quantization preserves full performance; only sign-only and sparse modes degrade sharply.

decoder) stays within about 5–6 percentage points of the matched backprop ceiling (Appendix Table S4; Appendix Fig. S2). Within the local-rule family, 5F is the strongest practical wrapper, but it remains heuristic rather than theorem-derived; Appendix Tables S1, S3, and S2 summarize that division of labor across rules and broadcast choices.

4.5 Regime Dependence of the Shunting Advantage

The benefit of shunting varies across tasks. On MNIST with matched per-soma broadcast, shunting outperforms additive by about 2 percentage points; on tasks that require credit signals robust to noise, the gap is much larger: $+50.3$ pp on noise resilience (with $N_I{=}10$ inhibitory synapses per branch) and $+24.8$ pp on info shunting ($N_I{=}0$). Appendix Fig. S2 shows the full dose-response: the shunting advantage grows with inhibitory conductance strength on the inhibition-sensitive tasks, whereas additive cores remain more fragile in those regimes.

4.6 Additional Stress Tests

Across three additional stress tests — increased dendritic depth, noisy broadcast signals, and Fashion-MNIST — the same qualitative pattern persists: shunting degrades more gracefully than additive, while the largest gains still appear on tasks that stress the credit signal most strongly. We keep the full curves in Appendix Fig. S6 because they support, rather than define, the core mechanistic claim.

4.7 Extension: Structured Feedback When Per-Soma Broadcast Fails

The main paper focuses on low-bandwidth scalar or per-soma broadcast. We therefore include a harder cue-integration benchmark only as an exploratory extension: here different dendritic pathways should receive different teaching signals, so rank-1 feedback is insufficient by construction. Appendix Fig. S11 shows that the benchmark itself is learnable, but learned-routing shunting LocalCA remains the hard case. Under the corrected activation-aware rule, default rank-1 per-soma broadcast stays unstable at roughly 0.81 ± 0.13 test accuracy; moving beyond rank-1 helps, with random low-rank feedback rising from 0.742 ± 0.022 at $K{=}1$ to 0.846 ± 0.082 at $K{=}2$, while the current tuned pathway-vector variant reaches 0.815 ± 0.126. The robust conclusion is therefore the failure mode: once rank-1 feedback collapses pathway identity, higher-rank feedback can help, but the best structured repair remains open.

5 Related Work

High-performance local learning. Recent methods such as AugLocal, CCL, and DLL have substantially raised the benchmark-performance bar for local learning on standard architectures [33, 34, 36]. Our aim is therefore not to claim the strongest benchmark accuracy among local-learning methods, but to identify the biophysical mechanism that determines when low-bandwidth credit signals become useful in conductance-based dendritic networks.

Local credit-assignment dynamics. Random feedback, DFA, DTP, DFC, equilibrium-style methods, and predictive-coding approaches solve locality through different feedback or inference dynamics [9, 10, 13, 15, 16, 25–29, 32]. EBD [35] is especially close in spirit because it studies when direct error broadcast can be made useful by shaping the broadcast field itself. Our contribution is complementary: rather than changing the broadcast objective or inference dynamics, we identify a conductance-based inductive bias—conductance-stage path-gain concentration under shunting—that makes even a simple low-bandwidth broadcast more faithful to the exact compartment error.

Dendrites for robustness and context. Dendritic trees support nonlinear computation [3, 4, 30] and have inspired learning schemes based on segregated dendrites, dendritic prediction errors, burst-dependent plasticity, and latent equilibrium [5, 11, 12, 22–24]. Outside supervised iid classification, active-dendrite architectures can also improve robustness in dynamic multi-task settings where point-MLP baselines suffer interference [44]. Our cue-routing extension asks a related question—when dendritic structure helps preserve pathway-specific computation—but uses conductance-based normalization and structured credit signals rather than sparse kWTA gating.

Neuroscience grounding. Shunting implements divisive normalization [6], though its rate effects can be subtractive in some regimes [7]; inhibitory conductance also modulates gain and signal-to-noise [31]. Recent evidence for vectorized instructive signals in cortical dendrites [43] further supports the structured-feedback extension studied here. To our knowledge, prior work has not tied exact conductance-stage path gains, direct gradient-fidelity diagnostics, and shunting inhibition into one causal account of when local dendritic learning works.

6 Discussion

We started from exact gradients for a conductance-based dendritic tree and asked when a somatic broadcast can serve as a useful proxy for compartment-specific errors. In the models studied here, the answer depends strongly on the inhibitory regime: shunting changes the conductance denominator, stabilizes effective local sensitivities, improves agreement between local and backprop gradients, and yields better local learning than an additive control, especially in noisy or inhibition-dependent settings. An exploratory morphology×inhibition sweep (Appendix Fig. S10) suggests that tree shape shifts this operating regime, and explicit normalization recovers only part of the benefit. This is therefore a mechanism paper, not a benchmark paper. The appendix activation audit shows that the mechanism lives in the bounded `param_tanh` regime used throughout the main experiments, and the oracle/rank-bridge controls sharpen the remaining open problem: finding a strictly local morphology-aware approximation that closes more of the transported-error gap. The corrected flattened-CIFAR-10 appendix extension supports the same diagnosis in a stronger compact E/I family: once the local rule maps decoder error back to decoder-input/soma space, transported error again acts as a meaningful upper bound and shunting remains competitive on harder data.

Limitations. Our best accuracy (91.4% MNIST, 83.8% Fashion-MNIST) remains below several recent local-learning methods that operate in abstract compartments or standard activation spaces [33–36]. This reflects the constraints of conductance-based voltage space: bounded voltages, positive conductances, and a denominator-heavy computation graph. The flattened-CIFAR-10 appendix remains a harder stress test rather than a main-text benchmark claim: Appendix Fig. S8 and Table S6 now show the corrected 5-seed compact E/I extension with decoder-aware soma-error mapping. There shunting is competitive or better than additive under standard training and under transported-error LocalCA, but naive rank-1 per-soma broadcast still leaves a substantial gap, indicating that harder visual tasks demand better broadcast quality and likely richer front ends than flattened inputs alone. More broadly, naive local broadcasts remain much weaker than per-soma on MNIST, structured routed settings remain open, per-soma broadcast is still neuron-global, depth remains challenging, shunting is not gain-invariant in practice, and the FA and weight-statistics appendices are supportive rather than central evidence.

Broader relevance. The results are relevant to neuroscience, machine learning, and neuromorphic hardware. For neuroscience, they suggest a connection between divisive normalization and local credit fidelity. For machine learning, they show that conductance-based inductive biases can shape gradient geometry in ways that benefit local learning. For neuromorphic implementations, the update rules remain strictly local and parallelizable.

Testable predictions. Our framework predicts that (1) stronger perisomatic inhibition yields more precise synaptic plasticity; (2) GABA_A blockade selectively impairs multi-layer credit tasks; (3) the dendritic–somatic voltage correlation (ρ_n) increases during learning; and (4) learned excitatory weight distributions follow log-normal statistics whose width depends systematically on inhibitory conductance (Appendix G).

References

[1] Koch, C. (1999). *Biophysics of Computation*. Oxford University Press.

[2] Dayan, P., & Abbott, L. F. (2001). *Theoretical Neuroscience*. MIT Press.

[3] Poirazi, P., Brannon, T., & Mel, B. W. (2003). Pyramidal neuron as two-layer neural network. *Neuron*, 37(6), 989–999.

[4] London, M., & Häusser, M. (2005). Dendritic computation. *Annual Review of Neuroscience*, 28, 503–532.

[5] Urbanczik, R., & Senn, W. (2014). Learning by the dendritic prediction of somatic spiking. *Neuron*, 81(3), 521–528.

[6] Carandini, M., & Heeger, D. J. (2012). Normalization as a canonical neural computation. *Nature Reviews Neuroscience*, 13(1), 51–62.

[7] Holt, G. R., & Koch, C. (1997). Shunting inhibition does not have a divisive effect on firing rates. *Neural Computation*, 9(5), 1001–1013.

[8] Vogels, T. P., Sprekeler, H., Zenke, F., Clopath, C., & Gerstner, W. (2011). Inhibitory plasticity balances excitation and inhibition in sensory pathways and memory networks. *Science*, 334(6062), 1569–1573.

[9] Lillicrap, T. P., Cownden, D., Tweed, D. B., & Akerman, C. J. (2016). Random synaptic feedback weights support error backpropagation for deep learning. *Nature Communications*, 7, 13276.

[10] Nøkland, A. (2016). Direct feedback alignment provides learning in deep neural networks. *NeurIPS*, 29.

[11] Guerguiev, J., Lillicrap, T. P., & Richards, B. A. (2017). Towards deep learning with segregated dendrites. *eLife*, 6, e22901.

[12] Sacramento, J., et al. (2018). Dendritic cortical microcircuits approximate the backpropagation algorithm. *NeurIPS*, 31.

[13] Whittington, J. C., & Bogacz, R. (2019). Theories of error back-propagation in the brain. *Trends in Cognitive Sciences*, 23(3), 235–250.

[14] Richards, B. A., & Lillicrap, T. P. (2019). Dendritic solutions to the credit assignment problem. *Current Opinion in Neurobiology*, 54, 28–36.

[15] Scellier, B., & Bengio, Y. (2017). Equilibrium propagation. *Frontiers in Computational Neuroscience*, 11, 24.

[16] Song, Y., et al. (2024). Inferring neural activity before plasticity as a foundation for learning beyond backpropagation. *Nature Neuroscience*, 27, 348–358.

[17] Gretton, A., et al. (2005). Measuring statistical dependence with Hilbert-Schmidt norms. *ALT*, 63–77.

[18] Frémaux, N., & Gerstner, W. (2016). Neuromodulated spike-timing-dependent plasticity, and theory of three-factor learning rules. *Frontiers in Neural Circuits*, 9, 85.

[19] Bellec, G., et al. (2020). A solution to the learning dilemma for recurrent networks of spiking neurons. *Nature Communications*, 11, 3625.

[20] Welford, B. P. (1962). Note on a method for calculating corrected sums of squares and products. *Technometrics*, 4(3), 419–420.

[21] Turrigiano, G. G. (2008). The self-tuning neuron: synaptic scaling of excitatory synapses. *Cell*, 135(3), 422–435.

[22] Payeur, A., et al. (2021). Burst-dependent synaptic plasticity can coordinate learning in hierarchical circuits. *Nature Neuroscience*, 24(7), 1010–1019.

[23] Greedy, W., et al. (2022). Single-phase deep learning in cortico-cortical networks. *NeurIPS*, 35.

[24] Haider, P., et al. (2021). Latent equilibrium. *NeurIPS*, 34.

[25] Hinton, G. (2022). The forward-forward algorithm. *arXiv:2212.13345*.

[26] Dellaferrera, G., & Kreiman, G. (2022). Error-driven input modulation: Solving the credit assignment problem without a backward pass. *Proceedings of the 39th International Conference on Machine Learning*, *Proceedings of Machine Learning Research*, 162, 4937–4955.

[27] Lee, D.-H., et al. (2015). Difference target propagation. *ECML*, 498–515.

[28] Meulemans, A., et al. (2021). Credit assignment in neural networks through deep feedback control. *NeurIPS*, 34.

[29] Millidge, B., Seth, A. K., & Buckley, C. L. (2021). Predictive coding: A theoretical and experimental review. *arXiv:2107.12979*.

[30] Koch, C., Poggio, T., & Torre, V. (1983). Nonlinear interactions in a dendritic tree. *PNAS*, 80(9), 2799–2802.

[31] Silver, R. A. (2010). Neuronal arithmetic. *Nature Reviews Neuroscience*, 11(7), 474–489.

[32] Max, K., Kriener, L., Pineda García, G., Nowotny, T., Jaras, I., Senn, W., & Petrovici, M. A. (2024). Learning efficient backprojections across cortical hierarchies in real time. *Nature Machine Intelligence*, 6(6), 619–630.

[33] Ma, C., Wu, J., Si, C., & Tan, K. C. (2024). Scaling supervised local learning with augmented auxiliary networks. *International Conference on Learning Representations*.

[34] Lv, C., Xu, J., Lu, Y., Wang, X., Wang, Z., Xu, Z., Yu, D., Du, X., Zheng, X., & Huang, X. (2025). Dendritic Localized Learning: Toward Biologically Plausible Algorithm. *Proceedings of the 42nd International Conference on Machine Learning*, *Proceedings of Machine Learning Research*, 267, 41682–41700.

[35] Erdogan, M., Pehlevan, C., & Erdogan, A. T. (2025). Error broadcast and decorrelation as a potential artificial and natural learning mechanism. *NeurIPS 2025 Spotlight*, OpenReview.

[36] Kao, C.-H., & Hariharan, B. (2024). Counter-Current Learning: A biologically plausible dual network approach for deep learning. *Advances in Neural Information Processing Systems*, 37.

[37] Xiao, H., Rasul, K., & Vollgraf, R. (2017). Fashion-MNIST: A novel image dataset for benchmarking machine learning algorithms. *arXiv:1708.07747*.

[38] Song, S., Sjöström, P. J., Reigl, M., Nelson, S., & Chklovskii, D. B. (2005). Highly Nonrandom Features of Synaptic Connectivity in Local Cortical Circuits. *PLoS Biology*, 3(3), e68.

[39] Buzsáki, G., & Mizuseki, K. (2014). The log-dynamic brain: How skewed distributions affect network operations. *Nature Reviews Neuroscience*, 15(4), 264–278.

[40] The MICrONS Consortium et al. (2025). Functional connectomics spanning multiple areas of mouse visual cortex. *Nature*, 640(8058), 435–447.

[41] Loewenstein, Y., Kuras, A., & Rumpel, S. (2011). Multiplicative Dynamics Underlie the Emergence of the Log-Normal Distribution of Spine Sizes in the Neocortex In Vivo. *Journal of Neuroscience*, 31(26), 9481–9488.

[42] Megías, M., et al. (2001). Total number and distribution of inhibitory and excitatory synapses on hippocampal CA1 pyramidal cells. *Neuroscience*, 102(3), 527–540.

[43] Francioni, V., Tang, V. D., Toloza, E. H. S., Ding, Z., Brown, N. J., & Harnett, M. T. (2026). Vectorized instructive signals in cortical dendrites. *Nature*. https://doi.org/10.1038/s41586-026-10190-7

[44] Iyer, A., Grewal, K., Velu, A., Souza, L. O., Forest, J., & Ahmad, S. (2022). Avoiding catastrophe: Active dendrites enable multi-task learning in dynamic environments. *Frontiers in Neurorobotics*, 16, 846219.

Dataset	Rule	Top-10 valid	Top-10 test
MNIST	3F	0.611	0.622
MNIST	4F	0.620	0.628
MNIST	5F	**0.912**	**0.916**
Context gating	3F	0.398	0.396
Context gating	4F	0.411	0.411
Context gating	5F	**0.807**	**0.789**

Table S1: **Rule-family ranking.** Top-10 mean across completed local-competence sweeps.



Figure S1: **Capacity calibration (supplementary). (A)** Phase 1 backprop ceilings across all architectures and datasets. **(B)** Rule-family ranking: 5F consistently outperforms 4F and 3F. **(C)** Decoder mode comparison (local vs. backprop decoder, 5F MNIST). **(D)** Broadcast mode comparison: per-soma is required for strong performance; local-mismatch fails.



Figure S2: **Local competence and regime dependence.** **(A)** Backprop ceiling (gray) vs. best local rule (5F per-soma) for shunting (green) and additive (blue) cores on MNIST, Fashion-MNIST, and context gating, using the refreshed 5-seed ceilings. **(B)** N_I dose-response: test accuracy vs. inhibitory synapses per branch (N_I) for shunting and additive cores on MNIST (solid) and noise-resilience (dashed), updated from the activation-corrected sweep. Additive can perform well at N_I=0 on noise resilience, but collapses once inhibition is introduced, whereas shunting improves across the inhibited regimes. **(C)** Shunting advantage (Δ, in percentage points) vs. N_I. The shunting advantage grows with inhibition on the noise-resilience task and remains modest on MNIST. **(D)** Fashion-MNIST standard-vs-local comparison from the corrected five-seed sweep, showing a smaller but still consistent shunting advantage on the cleaner vision benchmark.

A Supplementary Results

Mechanistic Support and Broadcast Controls

Rule-Family Ranking

Which Components Carry?

Broadcast Mode Comparison and Local-Mismatch Recheck

Competence, Verification, and Stress Tests

Phase 1 Capacity Ceilings

Local Competence and Regime Dependence

Ablation Results

Extended Gradient Analysis and N_I Sweep Detail

Verification and Reproducibility

Additional Stress Tests

FA/DFA Baseline Comparison

CIFAR-10 Results

Appendix Fig. S8 gives the visual summary, and Table S6 provides the exact values. In this stronger compact E/I family, shunting performs well under standard training (49.5% vs. 46.6% for additive), so the appendix no longer unfairly penalizes the shunting architecture on harder data. The broadcast-fidelity ladder also survives once decoder-aware soma mapping is used: additive LocalCA rises from 32.6% under rank-1 per-soma broadcast to 42.3% under transported error, while shunting rises from 28.8% under per-soma to 34.7% with random low-rank K=4 and 47.4% with transported error, nearly matching the 49.5% shunting backprop ceiling. The remaining conservative conclusion is that flattened CIFAR-10 still strongly rewards better error transport and richer architectural front ends, but it no longer contradicts the broader shunting mechanism once the local rule is matched to the nonlinear decoder actually used in the family.



Figure S3: **Extended gradient and N_I analysis (supplementary).** **(A)** Scale mismatch bars: shunting achieves near-ideal scale (0.117); additive exhibits order-of-magnitude distortion (> 1.0). **(B)** Noise-resilience N_I dose-response with error bands (± 1 s.d.). **(C)** MNIST N_I dose-response detail with error bands. **(D)** Fashion-MNIST individual seeds for all conditions, showing consistency across runs.



Figure S4: **5F sensitivity analysis (MNIST, shunting, per-soma broadcast).** **(A)** Sensitivity to the ϕ_n clamp interval. The default clamp $[0.25, 4.0]$ is already strong ($92.1 \pm 0.8\%$); tightening it to $[0.5, 2.0]$ slightly improves performance ($92.5 \pm 0.3\%$), while widening it to $[0.1, 8.0]$ is effectively neutral ($92.1 \pm 0.9\%$). **(B)** Sensitivity to the 4F/5F EMA rate used for online statistics. Varying α from 0.05 to 0.20 changes mean test accuracy by less than 0.2 pp. Together these results suggest that the 5F gain is not driven by a brittle single hyperparameter choice, even though the factor itself remains heuristic. Errors: ± 1 s.d. across 3 seeds.

Component	Representative effect	Interpretation
Shunting architecture	Conductance-stage path-gain CV stays at about 0.21–0.27 under shunting vs. 0.53–1.08 under additive; on inhibited noise-resilience regimes, per-soma local learning rises from roughly 0.38–0.43 (additive) to 0.70–0.87 (shunting).	This is the main architectural effect in the paper: shunting concentrates conductance-stage path gains and yields a more faithful low-bandwidth credit signal, especially once inhibition is present.
Broadcast quality	On MNIST (5F), shunting per-soma reaches 0.912 ± 0.005, while local-mismatch remains at 0.146 ± 0.046.	Correctly matching the broadcast field to the somatic error matters far more than arbitrary local mismatch heuristics.
Transported oracle	Across inhibited noise-resilience regimes, additive local learning rises from roughly 38–43% under per-soma to 99–100% under transported broadcast; shunting rises from about 70–87% to 98–99%.	The oracle is the strongest causal evidence that broadcast fidelity, not just architecture, is the dominant bottleneck.
Rule hierarchy	In the competence sweeps, MNIST improves from 0.622 (3F) and 0.628 (4F) to 0.916 (5F); context gating improves from 0.396/0.411 to 0.789.	5F is the strongest practical rule in this paper, though its extra factor remains heuristic rather than theorem-derived.
5F stability	Tightening the ϕ clamp to $[0.5, 2.0]$ changes MNIST by only about $+0.4$ pp; varying EMA from 0.05 to 0.20 changes it by less than 0.2 pp.	The practical gain from 5F is not especially brittle to its main tuning knobs.
Structured feedback	In the corrected cue-routing reruns, learned-routing additive local learning remains near ceiling while learned-routing shunting rises from 0.742 at random rank-1 to 0.846 at random rank-2; the current tuned pathway-vector variant reaches 0.815.	Routed tasks remain the main failure mode of rank-1 feedback, but under the corrected rule the main robust conclusion is that higher rank helps; the best structured fix is not yet settled enough to anchor a headline claim.
Random low-rank channels	On the corrected shunting noise-resilience bridge, random low-rank broadcast improves from 0.423 at K=1 to 0.536 at K=4, while exact path transport reaches 0.675; on cue routing, the best corrected unstructured low-rank setting is K=2 at 0.846.	Higher-rank unstructured broadcast can close part of the rank-1 gap, but it does not recover the transported-oracle ceiling and does not by itself establish a structure-specific advantage.
Path propagation proxy	In the corrected shunting noise-resilience bridge, the current morphology-aware path-propagation proxy reaches only 0.327 ± 0.018, essentially matching per-soma (0.333 ± 0.022) and staying far below exact path transport (0.675 ± 0.019).	The present recursive attenuation proxy is too crude to recover much of the oracle gain; a strictly local approximation to transported error remains open.
Morphology regime	In the exploratory noise-resilience regime map (Appendix Fig. S10), depth-2 trees show their largest shunting gains near $N_I = 0$, whereas depth-3 trees retain their strongest gains around $N_I = 5$.	Morphology appears to shift the inhibitory operating regime in which shunting is most useful, suggesting that conductance normalization and tree geometry interact rather than contributing independently.
Activation choice	In the five-seed frozen	The post-voltage firing-rate

Core	Broadcast	Decoder	Test (mean±std)
Shunting	per-soma	local	0.912 ± 0.005
Shunting	per-soma	backprop	0.909 ± 0.008
Shunting	local-mismatch	local	0.146 ± 0.046
Shunting	local-mismatch	backprop	0.146 ± 0.037
Additive	per-soma	local	0.894 ± 0.007
Additive	per-soma	backprop	0.900 ± 0.001
Additive	local-mismatch	local	0.342 ± 0.058
Additive	local-mismatch	backprop	0.348 ± 0.095

Table S3: **Local-mismatch recheck (MNIST, 5F).** Per-soma is consistently strong; local-mismatch remains much weaker.

Dataset	BP ceiling	Best local (5F)	Gap
MNIST	0.971	0.914 ± 0.003	5.7%
Fashion-MNIST	0.889	0.838 ± 0.003	5.1%
Context gating	0.861	0.803 ± 0.006	5.8%

Table S4: **Local competence.** Backprop ceilings are matched-capacity shunting references from dedicated 5-seed standard-training refreshes for MNIST and context gating and from the dedicated 5-seed Fashion-MNIST competence sweep. Local values are 5F with per-soma broadcast on shunting dendritic cores. Context gating additionally uses an HSIC auxiliary objective (weight 0.01; Appendix E). Error bars on local values: ± 1 s.d. across 5 seeds.

Condition	Metric	Value
Decoder: local vs backprop vs frozen (MNIST, sandbox)	test acc	0.379 vs 0.379 vs 0.176
Shunting vs additive, matched (MNIST, sandbox)	Δ test	$+0.210$
Per-soma, path on vs off (synthetic task, sandbox)	test / MI(E,I;C)	-0.003 / $+0.017$

Table S5: **Mechanistic ablations.** Results from controlled small-network sandbox experiments using minimal architectures to isolate individual factors. Sandbox runs use a small 2-layer dendritic network (branch factor [9]) trained for 30 epochs; they are not directly comparable to the headline capacity-calibrated results.



Figure S5: **Verification and reproducibility (supplementary). (A)** MNIST verification: main seeds (42–46) yield $91.4 \pm 0.3\%$; held-out seeds (47–49) yield $89.8 \pm 0.9\%$, confirming generalization. **(B)** Context gating verification: main seeds (+HSIC) $80.3 \pm 0.6\%$; held-out seeds (no HSIC) $77.2 \pm 1.5\%$. The roughly 3 pp gap reflects HSIC removal, not seed sensitivity. **(C)** HSIC weight ablation on context gating: moderate weights (0.01–0.1) perform best.



Figure S6: **Additional stress tests.** **(A)** Depth scaling: shunting local (green) degrades more gracefully from 63.5% to 57.4%; additive local (blue) drops from 54.9% to 29.7%. Backprop ceilings (dashed) remain stable. **(B)** Broadcast-noise robustness: shunting remains stable for $\sigma \leq 0.1$; additive degrades rapidly and reaches chance at $\sigma = 1$. **(C)** Fashion-MNIST: the shunting gain is modest on this cleaner benchmark (83.8% local vs. 88.9% backprop), consistent with the regime-dependent story in the main text.



Figure S7: **Feedback alignment baselines (MNIST).** **(A)** Grouped comparison: standard backprop (gray), DFA (orange), and FA (purple). Red X marks indicate FA failure on dendritic architectures (dimensional incompatibility between random feedback matrices and block-structured dendritic layers). DFA achieves 66.1% on shunting vs. 62.2% additive vs. 51.8% point MLP. **(B)** Backprop−DFA gap: dendritic architectures (24.9–27.6 pp) show smaller gaps than point MLPs (39.5 pp), suggesting conductance-based architecture is partially compatible with random feedback.



Figure S8: **Corrected flattened CIFAR-10 mechanism extension in the stronger compact E/I family. (A)** Matched additive vs. shunting ladder with a nonlinear decoder and decoder-aware soma-error mapping. In this stronger family, shunting is competitive under standard training ($49.5 \pm 0.7\%$) and transported-error LocalCA nearly recovers that ceiling ($47.4 \pm 0.6\%$), while naive rank-1 per-soma remains much weaker. **(B)** Shunting rank bridge on the same family. Random low-rank feedback improves over per-soma, but exact transported error remains the strongest signal. This appendix figure should be read as a harder-data stress test for the broadcast-fidelity story rather than as a new main-text benchmark claim.

Condition	Model	Test accuracy
standard	additive	46.6 ± 1.5
standard	shunting	$\mathbf{49.5 \pm 0.7}$
LocalCA per-soma	additive	32.6 ± 0.6
LocalCA per-soma	shunting	28.8 ± 0.8
LocalCA path transport	additive	42.3 ± 1.2
LocalCA path transport	shunting	$\mathbf{47.4 \pm 0.6}$
shunting low-rank	$K{=}4$	34.7 ± 1.1

Table S6: **Exact CIFAR-10 values for the corrected strong-family mechanism extension (5 seeds, validation-best epoch).** This appendix-only follow-up repeats the main fidelity ladder on a harder dataset using the compact explicit-E/I depth-4 family in which shunting is already competitive under backpropagation. The key technical detail is that LocalCA maps output error back to decoder-input/soma space through the decoder Jacobian when the decoder is nonlinear; without that correction, the same family gave misleading near-chance results for per-soma and path transport. With the corrected rule, transported error again acts as a strong upper bound, nearly matching the stronger shunting backprop ceiling, while naive rank-1 per-soma broadcast still underperforms and random low-rank feedback closes part of that gap.



Figure S9: **Additive + normalization control (MNIST).** **(A)** Standard backprop: normalization provides a small boost (89.7% $\to$ 90.9%). **(B)** Local learning: normalization improves additive from 46.5% to 56.0% (+9.5 pp), partially closing the gap to shunting (61.7%, dashed green). The remaining gap (-5.7 pp) indicates that shunting provides benefits beyond simple voltage normalization.

Setting	**Broadcast**	**Test accuracy**
Noise resilience, shunting, corrected rank bridge		
per-soma	rank-1 per-soma	0.333 ± 0.022
path propagation	recursive attenuation proxy	0.327 ± 0.018
low-rank	K=1	0.423 ± 0.130
low-rank	K=2	0.501 ± 0.112
low-rank	K=4	0.536 ± 0.105
low-rank	K=8	0.529 ± 0.102
path transport	exact conductance-stage transport	$\mathbf{0.675 \pm 0.019}$
Cue routing, learned shunting router, corrected rank/structure sweep		
per-soma	tuned rank-1	0.803 ± 0.125
low-rank	K=1	0.742 ± 0.022
low-rank	K=2	$\mathbf{0.846 \pm 0.082}$
low-rank	K=4	0.748 ± 0.085
pathway-vector	tuned structured rank-2	0.815 ± 0.126

Table S7: **Corrected rank bridge and rank-structure comparison.** On shunting noise resilience, random low-rank broadcast closes part of the gap between rank-1 per-soma and exact path transport, while the current path-propagation proxy does not. On cue routing, the corrected learned-router sweep shows that moving beyond rank-1 helps, but the best current unstructured low-rank setting (K=2) is slightly better than the tuned pathway-vector variant. We therefore interpret routed credit assignment as an open higher-rank problem rather than as a solved pathway-vector rescue.



Figure S10: **Exploratory morphology × inhibition regime map on noise resilience.** **(A)** Additive LocalCA remains comparatively flat across morphologies and inhibitory synapse counts, with only isolated high-variance pockets. **(B)** Shunting LocalCA shows a clear morphology-dependent regime: the strongest performance appears at low or moderate inhibition, and the best N_I shifts with tree shape. **(C)** The shunting-minus-additive gap is largest for wider two-level trees at low inhibition and for deeper trees at modest inhibition, then weakens or vanishes at high inhibition. **(D)** Averaging by depth highlights the same shift: depth-2 trees peak near $N_I = 0$, whereas depth-3 trees retain their largest shunting advantage around $N_I = 5$. We treat this figure as exploratory support for the claim that morphology changes the inhibitory operating regime in which shunting is most useful; a fuller mechanistic account would require matched theory diagnostics for each cell in the grid.

Additive Normalization Control

Structured Feedback, Activation, and Exploratory Regimes

Morphology × Inhibition Regime Map

Random Low-Rank Broadcast Channels

Frozen Activation-Choice Audit

B Implementation Details

Biological Plausibility Assumptions

Each synapse has access to: presynaptic activity x_j (local), compartment voltage V_n (local membrane potential), reversal potential E_j (fixed by receptor type), and total input resistance $R_n^{\text{tot}} = 1/g_n^{\text{tot}}$ (computable from local conductances). The 4F modulator ρ_n requires online estimation of voltage covariance (biologically plausible via slow calcium signals); the 5F factor ϕ_n requires a linear regres-



Figure S11: **Structured feedback for pathway discovery on cue integration.** **(A)** Task schematic. Context determines which noisy cue is reliable on each trial. Rank-1 broadcast sends the same teaching signal to both pathways, whereas higher-rank feedback can preserve pathway identity when different branches should receive different updates. **(B)** Seed-averaged diagnosis and focused tuning (5 seeds per condition). Learned-routing additive local learning remains high, whereas learned-routing shunting variants remain substantially less stable under the corrected rule; the panel compares rank-1, random low-rank, and pathway-structured variants directly. **(C)** Test accuracy vs. router specialization across learned-router conditions. High specialization alone does not guarantee success: near-discrete assignments can coexist with mediocre accuracy. **(D)** Recovered pathway assignments for a representative learned-router run. Cue-A and cue-B features segregate cleanly into separate latent pathways even when feedback quality, rather than router discreteness, limits performance.

sion proxy (implementable via eligibility traces). The only non-local quantity is the broadcast error e_n, which requires a top-down or neuromodulatory signal from the soma to dendritic compartments. We assume per-neuron resolution (one error per output neuron) for the per-soma broadcast mode.

Dendritic Structure in Code

We use the morphology notation $[b_1, b_2, \ldots, b_D]$ for rooted dendritic trees, where each factor gives the fan-in from one dendritic stage to the next on the path to the soma. For example, $[3, 3]$ means that each soma aggregates 3 proximal branches and each proximal branch aggregates 3 distal branches, for 9 distal leaves per soma; $[3, 3, 3]$ adds a third dendritic stage with 27 leaves per soma. In code, each excitatory unit is instantiated as a `DendriNet`, which is a stack of `DendriticBranchLayers`. Each branch layer contains an excitatory synapse bank, an optional inhibitory synapse bank, a branch-to-parent aggregation map, and an optional post-voltage reactivation. In the main feed-forward models studied here, `somatic_synapses=false`, so synaptic inputs terminate on dendritic branches rather than directly on the soma. Likewise, `input_mode=1` together with nonzero `ie_synapses_per_branch_per_layer` means that inhibition enters each dendritic branch through explicit inhibitory synapses even when we do not instantiate a separate inhibitory neuron population (`inhibitory_layer_sizes=[]`). The additive and shunting cores are therefore architecture-matched at the tree level; they differ in the branch-level voltage integration rule rather than in whether a dendritic tree exists.

Dataset / strategy	**Core**	N_I	**Identity** (`none`)	**Frozen** `param_tanh`
MNIST / LocalCA	additive	0	0.780 ± 0.014	0.184 ± 0.049
MNIST / LocalCA	additive	10	0.907 ± 0.003	0.841 ± 0.011
MNIST / LocalCA	shunting	0	0.841 ± 0.007	0.774 ± 0.023
MNIST / LocalCA	shunting	10	0.905 ± 0.009	0.846 ± 0.015
Noise resilience / LocalCA	additive	0	0.662 ± 0.015	0.608 ± 0.022
Noise resilience / LocalCA	additive	10	0.647 ± 0.010	0.466 ± 0.034
Noise resilience / LocalCA	shunting	0	0.369 ± 0.011	0.657 ± 0.018
Noise resilience / LocalCA	shunting	10	0.368 ± 0.015	0.679 ± 0.020
MNIST / backprop	additive	0	0.925 ± 0.001	0.942 ± 0.001
MNIST / backprop	additive	10	0.921 ± 0.001	0.950 ± 0.001
MNIST / backprop	shunting	0	0.963 ± 0.0004	0.950 ± 0.001
MNIST / backprop	shunting	10	0.967 ± 0.001	0.946 ± 0.001
Noise resilience / backprop	additive	0	0.649 ± 0.015	0.995 ± 0.002
Noise resilience / backprop	additive	10	0.646 ± 0.003	0.991 ± 0.005
Noise resilience / backprop	shunting	0	0.361 ± 0.015	0.494 ± 0.015
Noise resilience / backprop	shunting	10	0.386 ± 0.024	0.885 ± 0.006

Table S8: **Frozen activation-shape audit on matched dendritic architectures (5 seeds per condition).** Identity (`none`) and a frozen bounded post-voltage reactivation `param_tanh` can lead to qualitatively different operating regimes. On the main synthetic mechanism task, identity favors additive LocalCA, whereas frozen `param_tanh` strongly favors shunting. Under standard backpropagation, the same frozen nonlinearity markedly improves additive and helps shunting most clearly at higher inhibition. These runs match additive reactivation initialization to the shunting setting and hold the activation parameters fixed, isolating activation shape from both the earlier additive/shunting initialization asymmetry in code and from activation learning itself.

Dataset	**Core**	N_I	**Path-gain CV none**	**Path-gain CV Frozen** `param_tanh`	**Per-soma cosine none**	**Per-soma cosine Frozen** `param_tanh`	**Path-transport cosine none**	**Path-transport cosine Frozen** `param_tanh`
MNIST	additive	0	0.281	0.330	0.229	0.006	0.996	0.670
MNIST	additive	10	0.310	0.863	0.210	0.074	0.963	0.222
MNIST	shunting	0	0.383	0.793	0.167	0.111	1.000	0.964
MNIST	shunting	10	0.386	1.246	0.235	0.097	1.000	0.966
Noise resilience	additive	0	0.146	0.229	0.478	-0.250	0.987	0.780
Noise resilience	additive	10	0.239	0.285	0.780	0.009	0.974	0.347
Noise resilience	shunting	0	0.299	0.316	0.124	0.329	0.315	0.678
Noise resilience	shunting	10	0.041	0.160	0.352	0.386	0.999	0.889

Table S9: **Pre-reactivation theory diagnostics for the frozen activation audit (LocalCA, 5 seeds per condition).** These diagnostics are computed on the hooked pre-reactivation compartment voltage V_n, so they track how the fixed post-voltage activation changes the operating point seen by the conductance-stage theory. The strongest qualitative pattern appears on the main synthetic mechanism task: frozen `param_tanh` improves shunting per-soma compartment-error fidelity but reduces it sharply in additive cores. We present these results as an operating-point audit rather than as a second theorem claim; the exact factorization statement in the main text remains the conductance-stage result verified in Fig. 2D.

Post-Voltage Reactivation

The conductance stage produces a pre-reactivation compartment voltage V_n, after which each branch layer may apply a monotone scalar nonlinearity. The codebase supports identity (`none`), fixed `tanh`/`sigmoid`/`relu`, and several parametric families including `param_tanh`, `param_tanh_only_m`, and piecewise linear–saturating variants. The main manuscript sweeps use `param_tanh`, a learnable bounded firing-rate transform of the form $(\tanh(m(V - b)) + 1)/2$, typically with identity transfer input activation; most headline feedforward sweeps use a linear decoder, while the appendix CIFAR extension uses a nonlinear decoder and therefore maps output error back to decoder-input/soma space through the decoder Jacobian before applying LocalCA. Unless explicitly overridden, additive and shunting cores can start from different reactivation initializations in code; activation-fairness ablations therefore match additive initialization to the shunting setting when comparing alternative reactivation choices directly. The appendix activation audit additionally fixes `param_tanh` after initialization to isolate activation shape from activation plasticity.

Quantity	Symbol	Convention
Voltage	V	Normalized to $[-1, 1]$
Conductances	$g^{\mathrm{syn}}, g^{\mathrm{den}}$	Nonneg. via softplus
Leak conductance	g^{leak}	Set to 1
Input resistance	R^{tot}	≤ 1

Table S10: Units and normalization.

Category	**Implemented modes**	**Role in this paper**
Core models	point MLP; dendritic MLP; dendritic additive; dendritic shunting; pathway-routed dendritic cores	Main comparisons use dendritic additive vs. dendritic shunting; routed cores are used for cue integration.
Training strategies	standard backprop; LocalCA; DFA; FA; transported-broadcast oracle	Main text uses standard and LocalCA; DFA/FA remain appendix baselines; path transport is an oracle upper bound.
Broadcast modes	scalar; per-soma; local mismatch; low-rank; path transport; pathway vector	Main text centers on per-soma, low-rank, and transported-error controls; scalar and local-mismatch are supporting controls, while pathway vector remains an appendix structured-feedback extension.
Recent dendritic extensions	path propagation; router-derived branch roles; pathway-vector feedback; inhibitory homeostasis	These were added to test morphology-aware credit transport and structured branch-specific plasticity beyond the original 3F/4F/5F family.

Table S11: Implemented model families and LocalCA operating modes. Only a subset is used for the main claims; the remaining modes serve as controls, ablations, or structured extensions.

494 **Units and Parameterization**

495 **Decoder Update Modes**

496 W_{dec} maps $V_L \to \hat{y}$. Modes: **backprop** ($\nabla_W L$ via autograd), **local** ($\Delta W = \eta \langle \delta_0 V_L^\top \rangle_B$), **frozen** ($\Delta W = 0$).

498 **Model and Mode Inventory**

499 **Representative Manuscript Architectures**

500 **Effective Broadcast Dimensionality in Headline Architectures**

501 **LocalCA Extension Compatibility**

502 **Seed Protocol and Claim Status**

The seed depth is not uniform across every sweep, and we therefore separate headline evidence from exploratory screening. The main mechanistic gradient-fidelity sweep uses 5 seeds per condition, the corrected path-transport oracle sweep uses 5 seeds per condition, the cue-routing seed-repeat and tuning sweeps use 5 seeds per condition, the dedicated Fashion-MNIST competence sweep uses 5 seeds per condition, the frozen activation audit in Tables S8–S9 uses 5 seeds per condition, and the flattened-CIFAR-10 mechanism extension in Table S6 also uses 5 seeds per condition. A smaller set of appendix-only support sweeps, including the 5F sensitivity and morphology$\times$inhibition maps, use 3 seeds per condition. By contrast, early architecture-selection or stress-test screens with only 1–2 seeds are treated as exploratory and are either omitted from the main claims or explicitly framed as appendix-only pilots. For transparency, the BP ceilings in Table S4 for MNIST and context gating now come from dedicated matched-capacity 5-seed standard-training refreshes rather than the earlier 2-seed calibration pass. This removes the previous seed asymmetry for the main competence table; the remaining asymmetry is confined to appendix-only exploratory sweeps.

Setting	Encoder	E layers	Tree	Synapses / branch	Seeds	Notes
Gradient fidelity / path-gain / noise-resilience mechanism	identity	$[128, 128]$	$[3, 3]$	N_E=40, $N_I \in \{0, 5, 10, 20, 40\}$	5 fidelity, 5 oracle	Main mechanistic sweeps in Figs. 2 and 3; dendritic reactivation is `param_tanh`.
MNIST / context-gating local competence	identity	$[128]$	$[3, 3]$	N_E=40, N_I=20	5	Best local 5F per-soma runs used in Table S4; dendritic reactivation is `param_tanh`.
Fashion-MNIST competence	identity	$[128]$	$[3, 3]$	N_E=40, N_I=20	5	Dedicated five-seed standard-vs-local competence sweep; dendritic reactivation is `param_tanh`.
Cue-routing PV-LocalCA	pathway router	$[64]$	$[2]$	N_E=10, N_I=4	5	Learned router with two pathway groups and rank-2 structured feedback; dendritic reactivation is `param_tanh`.
CIFAR-10 compact E/I mechanism extension	identity	[20] E, [20] I	$[3, 3, 3, 3]$	N_E=25, N_{EI}=25, N_{IE}=25	5	Appendix-only harder-data extension with explicit inhibitory population, decoder $[32, 16]$, and decoder-aware soma-error mapping for LocalCA.
Morphology×inhibition appendix map	identity	$[128, 128]$	$[2, 2]$, $[3, 3]$, $[4, 4]$, $[2, 2, 2]$, $[3, 3, 3]$	N_E=40, $N_I \in \{0, 5, 10, 20, 40\}$	3	Exploratory appendix sweep only; dendritic reactivation is `param_tanh`.

Table S12: **Representative architectures used in the manuscript.** All dendritic rows use explicit branch-level excitatory and inhibitory synapse banks with `somatic_synapses=false` and nonnegative conductances. The tree column gives the dendritic morphology per excitatory neuron, while the synapse counts report excitatory and inhibitory synapses per branch.

Compute Resources

All experiments were run on an internal GPU cluster. Most MNIST, Fashion-MNIST, and synthetic-task runs used a single NVIDIA A100 or H100 GPU and finished in minutes to tens of minutes per seed; the flattened CIFAR-10 runs required longer single-GPU jobs but still did not use distributed or multi-GPU training. Reported headline metrics are aggregated over 5 seeds unless noted otherwise; this now includes the appendix-only flattened-CIFAR-10 mechanism extension. The remaining 3-seed results are confined to selected appendix support sweeps, and the broader exploratory screens used to tune and diagnose the method required additional compute beyond the final reported runs.

Code, Data, and Asset Availability

MNIST, Fashion-MNIST, CIFAR-10, and MICrONS are public datasets or public benchmark assets cited in the paper; we use them under their standard published access conditions and cite their original sources in the bibliography. The present anonymous submission does not include a public code URL in order to preserve double-blind review, but the paper specifies the model family, training modes, key hyperparameters, and representative configurations, and we plan to release code and configuration files after review. The paper does not release a new dataset or a stand-alone pretrained model asset.

Setting	Hidden width(s)	Output dim	Effective default per-soma field
Gradient fidelity / path-gain / noise resilience	128, 128	10	Scalar / rank-1 at both dendritic layers
MNIST / Fashion-MNIST competence	128	10	Scalar / rank-1 at the dendritic hidden layer
Context gating competence	128	2	Scalar / rank-1 at the dendritic hidden layer
Cue routing	64	2	Scalar / rank-1 by default; higher-rank tests use explicit low-rank or pathway-vector feedback
Compact CIFAR-10 appendix extension	20	decoder-input dim 20	Vector-valued per-soma after decoder-aware mapping; higher-rank tests use explicit low-rank or path transport

Table S13: **Effective dimensionality of the default "per-soma" broadcast in the headline architectures.** In code, per-soma uses the output error vector only when layer width matches decoder output dimension; otherwise it falls back to a shared scalar. The main feedforward settings in this paper therefore test a genuinely rank-1 broadcast regime by default, which is why the higher-rank low-rank, path-transport, and pathway-vector controls are important.

Extension	Meaning	Compatible with	Typical use here
Per-soma broadcast	Somatic error vector when widths match, otherwise scalar fallback	3F, 4F, 5F	Default main-text LocalCA setting; in the headline feedforward runs this is effectively rank-1
Low-rank broadcast	Small number of broadcast channels instead of a scalar or full field	3F, 4F, 5F	Intermediate control when rank-1 is too restrictive
Path transport	Recursive tree-transported error using conductance-stage path gains	3F, 4F, 5F	Oracle upper-bound broadcast
Path propagation	Approximate path-gain attenuation applied to broadcast	3F, 4F, 5F	Morphology-aware modifier for deeper trees
Pathway vector	Structured branch/pathway-specific broadcast field	3F, 4F, 5F	Used mainly in PV-LocalCA on routed tasks
Branch-role rules	Scales updates by router- or pathway-derived branch specialization	3F, 4F, 5F	Used in the structured pathway extension
Inhibitory homeostasis	Auxiliary local inhibitory balancing term	3F, 4F, 5F	Optional stabilizer in routed or shunting settings

Table S14: Compatibility of the newer LocalCA extensions with the base 3F/4F/5F family. These extensions mostly modify the error field or branch scaling rather than defining a new "6F" or "7F" rule.

Algorithm

Algorithm 1 Local Credit Assignment

Input: Model, batch (x, y), config $\mathcal{C}$
Forward pass; loss L, output error δ^y
Somatic/core error δ_0 = decoder-input Jacobian product $J_{\mathrm{dec}}(h_{\mathrm{core}})^\top \delta^y$ (or $W_{\mathrm{dec}}^\top \delta^y$ for a linear decoder)
for each layer n (reverse) **do**
    e_n = broadcast$(\delta_0, \mathcal{C})$; optionally gate by pathway roles
    Compute ρ_n, ϕ_n (EMA estimators, if enabled)
    Apply the configured local update (Eq. 6 or 7)
end for
Clip gradients; optimizer step

Rule	Factors	Cost	Best regime
3F	$x, (E-V), e$	$\mathcal{O}(1)$	Baseline
4F	3F $+\rho$	$\mathcal{O}(1)$	Improved conditioning
5F	4F $+\phi$	$\mathcal{O}(d_n)$	Strongest overall
5F+VH	5F + local voltage homeostasis	$\mathcal{O}(d_n)$	Stabilized LocalCA / warm-up
PV-LocalCA	3F + structured e_n + role alignment	$\mathcal{O}(r_n)$	Pathway discovery

Table S15: Variant taxonomy. ‘5F+VH‘ denotes the same base 5F rule with an additional strictly local voltage-centering auxiliary that can also be scheduled through multi-stage LocalCA warm-up; the codebase also supports this as a shorthand ‘5f_vh‘ alias in configuration files.

Component	Analog	Interpretation
R_n^{tot}	Input resistance	Sensitivity modulation
$(E_j - V_n)$	Synaptic driving force	Local gradient factor
Shunting	Divisive normalization	$\partial V/\partial g_I \propto -V$
ρ_n	Layer relevance	Output correlation
ϕ_n	Signal propagation	Conditional predictability
Pathway vector	Branch-specific top-down drive	Structured teaching signal
Role alignment	Pathway-selective plasticity	Branch specialization

Table S16: Biological analogs.

C Theoretical Details

Variant Taxonomy

Random-Broadcast Alignment

Proposition 3 (Supportive random-broadcast alignment)**.** *Let the broadcast matrix B_n have i.i.d. zero-mean entries with $\mathbb{E}[B_n^\top B_n] = \alpha I$. Then the expected cosine between the resulting local gradient and the exact gradient is positive, $\mathbb{E}[\cos\angle(g^{\mathrm{local}}, g^{\mathrm{exact}})] \geq c_n > 0$, by an argument analogous to feedback alignment [9]. The constant c_n depends on how strongly local eligibility factors correlate with the conductance-stage path gain in Eq.* (4)*; shunting improves this correlation by narrowing the spread of intermediate sensitivities.*

We treat this argument as supportive rather than central. The main theoretical object in the paper is still the exact pre-reactivation compartment error $\partial L/\partial V_n$; under identity upward transfer this reduces to $\alpha_n \delta_0$, while with post-voltage activation the corresponding effective path gain additionally includes local $f_n'(V_n)$ factors. The main empirical question is how faithfully different broadcast fields approximate that quantity.

Biological Analogs

D Morphology-Aware Extensions

Path-integrated propagation. Modulate broadcast error by $\pi_n = \pi_{n-1} \cdot R_{n-1}^{\mathrm{tot}} \cdot \bar{g}_{n-1}^{\mathrm{den}}$, approximating depth attenuation from Eq. 4.

Depth modulation. Per-branch scaling $\rho_j = \rho_{\mathrm{base}}/(d_j + \alpha)$, mirroring cable attenuation.

Dendritic normalization. $\Delta g_j^{\mathrm{den}} \leftarrow \Delta g_j^{\mathrm{den}} / (\sum_k g_k^{\mathrm{den}} + \varepsilon)$, analogous to homeostatic scaling [21].

Pathway-vector broadcast. For tasks with latent pathway structure, the broadcast becomes a low-dimensional vector over router-inferred pathway roles. This vector is gated by local pathway activity and propagated through the block-structured tree so that earlier branches receive feedback aligned with their downstream descendants.

Condition	MNIST Exc σ	MNIST Inh σ	Fashion-MNIST Exc σ	Fashion-MNIST Inh σ
BP + Shunting	0.94±0.01	0.87±0.01	0.92±0.01	0.84±0.01
BP + Additive	1.30±0.01	1.22±0.01	1.16±0.01	1.05±0.01
Local + Shunting	1.22±0.01	1.71±0.02	1.13±0.06	1.36±0.06
Local + Additive	1.69±0.16	1.57±0.07	1.43±0.16	1.11±0.12
Song et al. 2005	$\sigma = 0.94$ (rat V1 L5, EPSP amplitude)			
MICrONS E→E	$\sigma = 1.14$ (mouse V1, synapse size, n=3.9M)			
MICrONS I→E	$\sigma = 0.92$ (mouse V1, synapse size, n=3.5M)			

Table S17: **Weight distribution width.** Log-normal σ of excitatory and inhibitory synaptic weights (mean±std across 5 seeds). Biological references are included only as descriptive anchors. With biologically constrained E/I ratios (4:1), shunting self-normalization produces weight heterogeneity in the range spanned by those references, whereas additive integration is broader and less stable.

Router-derived branch roles. Each branch receives a role profile inferred from router assignments and incoming block weights rather than from a hand-coded apical/basal label. Plasticity is then modulated by branch selectivity and a synapse-specific role-alignment factor, emphasizing pathway-consistent updates without imposing a heuristic branch taxonomy.

E HSIC Auxiliary Objectives

Following [17], we use kernel-based HSIC objectives. Self-decorrelation: $\mathcal{L}^{\text{self}} = B^{-2}\,\mathrm{tr}(\mathbf{K}_Z\mathbf{H}\mathbf{K}_Z\mathbf{H})$. Target-correlation: $\mathcal{L}^{\text{target}} = -B^{-2}\,\mathrm{tr}(\mathbf{K}_Z\mathbf{H}\mathbf{K}_Y\mathbf{H})$. Moderate weights (0.01–0.1) help on context gating; negligible on MNIST. Online statistics (ρ_n, ϕ_n) use Welford's algorithm [20].

F Online Variant with Eligibility Traces

Continuous-time eligibility: $\tau_e \dot{e}_j^{\text{syn}} = -e_j^{\text{syn}} + x_j(E_j - V_n)R_n^{\text{tot}}$. Update: $\Delta g_j^{\text{syn}} \propto \int e_j^{\text{syn}}(t)m_n(t)\,\mathrm{d}t$ [18, 19].

G Weight Statistics and Biological References

As a secondary analysis, we examine whether the conductance-based update naturally induces characteristic weight statistics. Because synaptic updates scale with input resistance $R_n^{\text{tot}} = 1/g_n^{\text{tot}}$, the voltage equation implies multiplicative weight dynamics, creating a regime analogous to exponentiated-gradient updates. Such multiplicative dynamics suggest log-normal weight distributions in trained networks [38, 39]. We compare the resulting distributions against two biological references: electrophysiological data from Song et al. [38] (rat V1 L5 pyramidal, $\sigma = 0.94$) and the MICrONS mm^3 connectome [40] (mouse V1 synapse sizes).

Model weight distributions are log-normal. We fit log-normal distributions to the active (top-K masked) excitatory synaptic weights after training on MNIST and Fashion-MNIST. Table S17 shows the fitted σ (standard deviation of $\log w$) for each condition. Shunting consistently produces narrower distributions than additive integration, and backpropagation produces narrower distributions than local learning. These two factors combine approximately additively: BP+Shunting → narrowest, Local+Additive → broadest.

Shunting is closest to the biological references considered here. BP+Shunting produces $\sigma = 0.94$ on MNIST, very close to the Song et al. reference ($\Delta = 0.008$). Local+Shunting produces $\sigma = 1.13$–1.22, close to MICrONS E→E synapse sizes ($\sigma = 1.14$; $\Delta \leq 0.08$). By contrast, Local+Additive produces $\sigma = 1.43$–1.69, broader than any biological reference considered. This pattern is consistent across datasets (MNIST and Fashion-MNIST), suggesting it reflects structural properties of the learning rule rather than task-specific features.



Figure S12: **Synaptic weight distribution sensitivity to architecture.** **(A)** Log-normal σ vs. dendritic depth (branch factors [9] to [3,3,3,3]). Both backprop and local shunting remain closer to the biological-width references than their additive counterparts across depth. **(B)** σ vs. inhibitory synapses per branch (N_I). Without inhibition (N_I=0), all conditions are overly broad; with biologically constrained N_I=10–20, shunting enters the biological range. Shaded bands show the sweep over N_E=20 to 80. **(C)** Summary of MNIST and Fashion-MNIST results with biological references. The shunting ordering is consistent across datasets. **(D)** Excitatory vs. inhibitory weight σ on MNIST with MICrONS E→E and I→E reference bands.

The match depends on inhibitory conductance. We test sensitivity to the E/I synapse ratio using a sweep over $N_I \in \{0, 2, 5, 10, 20, 30, 40\}$ inhibitory synapses per branch (Appendix Fig. S12). Without inhibition (N_I=0), all conditions produce $\sigma > 2.0$, far from biology. With biologically constrained ratios (N_I=10–20, corresponding to E/I ratios of 4:1 to 2:1; [42]), shunting networks enter the biological range ($\sigma \approx 0.9$–1.2), while the effect of N_I on additive networks is less systematic. The weight distribution shape is also robust to dendritic depth (branch factors [9] through [3,3,3,3]; see Appendix Fig. S12A): BP+Shunting converges toward Song et al. with increasing depth, while Local+Shunting remains near MICrONS E→E across depths.

H Weight Distribution Sensitivity Analysis

MICrONS connectome analysis. We extracted synapse size distributions from the MICrONS mm^3 condensed connectome (v1181; 9.0M connections, 71.9K neurons; 89% excitatory). Splitting by pre/post cell type: E→E connections (n=3.85M) show σ_{size}=1.14 and CV=1.01; I→E (n=3.53M) show σ=0.92 and CV=1.03; E→I (n=1.11M) show σ=0.83; I→I (n=0.51M) show σ=0.85. Inhibitory connections are more frequently multi-synaptic (I→E: 37.5% multi-synapse; E→E: 11.5%), and inhibitory synapses are on average smaller (median 3532 vs. 4676 for E→E).

Sensitivity to ee_synapses. Using the E/I grid sweep ($N_E \in \{20, 40, 80\} \times N_I \in \{0, 2, 5, 10, 20, 30, 40\}$; 168 models), excitatory σ increases modestly with N_E in both architectures (+0.4–0.6 from N_E=20 to 80), but the shunting–additive ordering is preserved at all N_E values. The dominant driver of σ is N_I: going from N_I=0 to N_I=10 reduces shunting σ by approximately 1.0–1.5 units, while the effect on additive is smaller and less systematic.

Sensitivity to depth. From the depth-scaling sweep ([9], [3,3], [3,3,3], [3,3,3,3]; 80 models, 5 seeds each), BP+Shunting excitatory σ decreases with depth ($1.06 \rightarrow 0.90$), converging toward Song et al. (0.94). Local+Shunting σ increases slightly ($1.18 \rightarrow 1.33$) but remains in the biological range at shallow depths. BP+Additive shows the strongest depth sensitivity ($1.38 \rightarrow 0.79$), while Local+Additive diverges with depth ($2.01 \rightarrow 2.44$). The morphology-aware modulators (path propagation, depth/centrality weighting) have negligible effect on σ.

Mechanistic interpretation. The shunting conductance $g_n^{\mathrm{tot}} = g_n^{\mathrm{leak}} + \sum g^{\mathrm{exc}} + \sum g^{\mathrm{inh}}$ appears in the update factor $R_n^{\mathrm{tot}} = 1/g_n^{\mathrm{tot}}$. As inhibitory conductance increases, g_n^{tot} grows and R_n^{tot} shrinks, compressing the multiplicative scale of weight updates. This is analogous to a learning rate that self-adjusts via the total conductance: strong synapses contribute more to g_n^{tot}, reducing their own future update magnitude. This acts as a natural form of weight-dependent regularization. The resulting equilibrium distribution is log-normal, consistent with Loewenstein et al. [41] and related multiplicative spine-dynamics analyses. Additive integration lacks this self-normalizing mechanism, producing broader distributions that fall outside the biological range.

I Synthetic Benchmark Descriptions

Each synthetic task is generated procedurally from a fixed random seed and uses fixed train/val/test splits for reproducibility. All tasks use 500-dimensional flattened inputs and 10-class outputs unless otherwise noted.

Context gating. Inputs are Gaussian mixtures over 10 classes, but the class-conditional means are linearly transformed by one of $C = 4$ context configurations. A one-hot context vector (appended to the input) indicates which configuration is active. Without the context, classes are ambiguous; with it, the optimal boundary shifts. This task tests whether credit assignment can exploit the context gating structure to modulate branch-specific representations appropriately. The HSIC auxiliary objective (weight 0.01) is used to decorrelate layer representations, adding roughly 3 pp under local learning.

Noise resilience. Inputs are MNIST features corrupted by structured channel noise: a random 50×50 projection matrix adds correlated noise drawn from $\mathcal{N}(0, \sigma_{\mathrm{task}}^2 I)$ with $\sigma_{\mathrm{task}} = 1.5$. The noise projection is fixed across training; the network must filter structured interference to recover the underlying class signal. Credit assignment must remain coherent under the corrupted signal, making this task particularly sensitive to path-gain dispersion.

Info shunting. Inputs contain two additive streams: a low-frequency signal and a high-frequency distractor drawn with equal energy. A second context input (separate channel) indicates whether the relevant signal is low- or high-frequency on each trial. Correct classification requires the network to gate the distractor stream, a computation that naturally invites inhibitory modulation. Performance at N_I=0 is notably below shunting performance (+24.8 pp), reflecting the task's dependence on divisive normalization.

Cue integration. Two noisy cue streams (A and B) are presented simultaneously, each carrying partial information about one of 10 classes. A binary context signal indicates which cue is reliable on each trial (cue A or cue B). The fixed-pathway variant duplicates the context into both cue branches; the learned-routing variant requires the router to discover the cue separation from data. This task is used in Sec. 4.7 to test structured pathway-vector broadcast.

J Depth Scaling and Noise Robustness

Depth scaling. Varying dendritic depth from 1–4 layers (branch factors [9] to $[3, 3, 3, 3]$): shunting local degrades from 63.5% to 57.4%; additive local degrades more steeply from 54.9% to 29.7%. The shunting advantage grows with depth ($+8.5 \rightarrow +27.7$ pp). Backprop ceilings remain stable at about 90–92%. See Fig. S6A.

Noise robustness. Gaussian noise $\mathcal{N}(0, \sigma^2)$ on broadcast error: shunting is robust to $\sigma \leq 0.1$ (about 62%) while additive drops from 46.5% to chance at σ=1.0, confirming that shunting credit signals carry useful learning information beyond the broadcast magnitude. See Fig. S6B.

NeurIPS Paper Checklist

1. **Claims**

   Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?

   Answer: [Yes]

   Justification: The abstract and introduction state the paper's main mechanistic claim, the scope of the conductance-based setting, and the regime-dependent nature of the empirical results; see Sec. 1 and Sec. 6.

   Guidelines:

   - The answer [N/A] means that the abstract and introduction do not include the claims made in the paper.
   - The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A [No] or [N/A] answer to this question will not be perceived well by the reviewers.
   - The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
   - It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. **Limitations**

   Question: Does the paper discuss the limitations of the work performed by the authors?

   Answer: [Yes]

   Justification: The discussion explicitly narrows the scope of the claims and discusses limitations involving benchmark strength, broadcast assumptions, depth scaling, and the exploratory stress tests; see Sec. 6.

   Guidelines:

   - The answer [N/A] means that the paper has no limitation while the answer [No] means that the paper has limitations, but those are not discussed in the paper.
   - The authors are encouraged to create a separate "Limitations" section in their paper.
   - The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
   - The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
   - The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
   - The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
   - If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
   - While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. **Theory assumptions and proofs**

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [Yes]

Justification: The voltage model, assumptions, theorem statements, and proof details are given in Sec. 2 and Appendix C; proof sketches and the exact factorization sanity check are cross-referenced in the main text.

Guidelines:

- The answer [N/A] means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. **Experimental result reproducibility**

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [Yes]

Justification: The main paper and appendices specify the datasets, architectures, local-rule family, broadcast modes, representative hyperparameters, and compute regime needed to reproduce the headline results; see Sec. 4 and Appendix B.

Guidelines:

- The answer [N/A] means that the paper does not include experiments.
- If the paper includes experiments, a [No] answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
  (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
  (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
  (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).

(d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. **Open access to data and code**

   Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

   Answer: [No]

   Justification: To preserve double-blind review, the anonymous submission does not include a public repository or anonymized code bundle. The paper instead provides architectural, algorithmic, and configuration details and states that code and configs will be released after review; see Appendix B.

   Guidelines:

   - The answer [N/A] means that paper does not include experiments requiring code.
   - Please see the NeurIPS code and data submission guidelines (`https://neurips.cc/public/guides/CodeSubmissionPolicy`) for more details.
   - While we encourage the release of code and data, we understand that this might not be possible, so [No] is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
   - The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (`https://neurips.cc/public/guides/CodeSubmissionPolicy`) for more details.
   - The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
   - The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
   - At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
   - Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. **Experimental setting/details**

   Question: Does the paper specify all the training and test details (e.g., data splits, hyperparameters, how they were chosen, type of optimizer) necessary to understand the results?

   Answer: [Yes]

   Justification: The main text states the benchmark families, seed protocol, representative local-rule settings, and major training choices, while the appendices provide implementation details and operating-mode inventories; see Sec. 4 and Appendix B.

   Guidelines:

   - The answer [N/A] means that the paper does not include experiments.
   - The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
   - The full details can be provided either with the code, in appendix, or as supplemental material.

7. **Experiment statistical significance**

   Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

   Answer: [Yes]

Justification: The paper reports means and standard deviations across 5 seeds for the headline results and across 3 seeds for selected appendix-only support sweeps, states this explicitly in the text, and shows error bars or seed variability in the relevant tables and figures; see Sec. 4 and Appendix A.

Guidelines:

- The answer [N/A] means that the paper does not include experiments.
- The authors should answer [Yes] if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g., negative error rates).
- If error bars are reported in tables or plots, the authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. **Experiments compute resources**

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes]

Justification: Appendix B describes the internal GPU cluster setting, the use of single A100/H100-class GPUs, rough per-run runtime scales, and the fact that broader exploratory sweeps required additional compute beyond the final reported runs.

Guidelines:

- The answer [N/A] means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. **Code of ethics**

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics `https://neurips.cc/public/EthicsGuidelines`?

Answer: [Yes]

Justification: The work uses standard public benchmarks and mechanistic simulations, does not involve human-subjects experimentation or restricted data collection, and we are not aware of any aspect that violates the NeurIPS Code of Ethics.

Guidelines:

- The answer [N/A] means that the authors have not reviewed the NeurIPS Code of Ethics.

- If the authors answer [No], they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. **Broader impacts**

    Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

    Answer: [Yes]

    Justification: The discussion includes a broader-relevance and potential-harms paragraph that distinguishes mechanistic neuroscience relevance from possible misuse through over-claiming biological plausibility or overstating robustness; see Sec. 6.

    Guidelines:

    - The answer [N/A] means that there is no societal impact of the work performed.
    - If the authors answer [N/A] or [No], they should explain why their work has no societal impact or why the paper does not address societal impact.
    - Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
    - The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate Deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
    - The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
    - If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. **Safeguards**

    Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pre-trained language models, image generators, or scraped datasets)?

    Answer: [N/A]

    Justification: The submission does not release a high-risk generative model, foundation model, or scraped dataset, so the safeguard question is not applicable here.

    Guidelines:

    - The answer [N/A] means that the paper poses no such risks.
    - Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.
    - Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
    - We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. **Licenses for existing assets**

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [No]

Justification: The paper credits all benchmark and connectomic assets and states that they are used under their published access conditions, but it does not enumerate license names or terms of use explicitly for each asset in the anonymous submission; see Appendix B.

Guidelines:

- The answer [N/A] means that the paper does not use existing assets.
- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.
- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, `paperswithcode.com/datasets` has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.
- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. **New assets**

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: [N/A]

Justification: The paper does not release a new dataset, benchmark, or pretrained model asset in this anonymous submission.

Guidelines:

- The answer [N/A] means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. **Crowdsourcing and research with human subjects**

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: [N/A]

Justification: The work does not involve crowdsourcing or direct research with human subjects.

Guidelines:

- The answer [N/A] means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.

- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. **Institutional review board (IRB) approvals or equivalent for research with human subjects**

    Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

    Answer: [N/A]

    Justification: The work does not involve crowdsourcing or human-subjects research requiring IRB review.

    Guidelines:

    - The answer [N/A] means that the paper does not involve crowdsourcing nor research with human subjects.
    - Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
    - We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
    - For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.

16. **Declaration of LLM usage**

    Question: Does the paper describe the usage of LLMs if it is an important, original, or non-standard component of the core methods in this research? Note that if the LLM is used only for writing, editing, or formatting purposes and does *not* impact the core methodology, scientific rigor, or originality of the research, declaration is not required.

    Answer: [N/A]

    Justification: LLMs are not part of the proposed method, theorem, experiments, or analysis pipeline, so no declaration is required for the core scientific contribution.

    Guidelines:

    - The answer [N/A] means that the core method development in this research does not involve LLMs as any important, original, or non-standard components.
    - Please refer to our LLM policy in the NeurIPS handbook for what should or should not be described.