

© International Baccalaureate Organization 2023

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organisation du Baccalauréat International 2023

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organización del Bachillerato Internacional, 2023

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.





Chemistry Standard level Paper 2

12 May 2023

Zone A afternoon	Zone B morning	Zone C afternoon	
			Candidate session number

	Juile	iiuut	000	0010	•	1 110	11100	'	
					П				
					Ш				
					Ш				
					ш				

1 hour 15 minutes

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all questions.
- Answers must be written within the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **chemistry data booklet** is required for this paper.
- The maximum mark for this examination paper is [50 marks].

4057004



[3]

Answer all questions. Answers must be written within the answer boxes provided.

Analytical and spectroscopic techniques enable chemists to identify and determine structures of compounds.
(a) An unknown organic compound, X, comprising of only carbon, hydrogen and oxygen was found to contain 48.6% of carbon and 43.2% of oxygen.
Determine the empirical formula.

The mass spectrum of **X** is shown.

Removed for copyright reasons

(b) Identify fragments responsible for the peaks at *m/z* 74 and 45 using section 28 of the data booklet.

[2]




(Question 1 continued)

(C)	Determine the molecular formula of X.	[1

The infrared spectrum of \boldsymbol{X} is shown.

Infrared spectrum of X



(d)	Identify the bonds making the major contribution to peaks A and B using section 26 of
	the data booklet.

A:	 	 	 	
B:	 	 	 	



[2]

2. Nitrogen (IV) oxide, NO₂, is a brown gas found in photochemical smog and has a pollutant causing acid deposition. Nitrogen (IV) oxide exists in equilibrium with dinitrogen tetroxide, N₂O₄(g), which is colourless. $2NO_2(g) \rightleftharpoons N_2O_4(g)$ At 100 $^{\circ}\text{C}$ \textit{K}_{c} for this reaction is 0.0665. Outline what this indicates about the (i) extent of this reaction. [1] Calculate the value of K_c at 100 °C for the equilibrium: (ii) [1] $N_2O_4(g) \rightleftharpoons 2NO_2(g)$ Calculate the standard enthalpy change, in kJ mol⁻¹, for the reaction: (iii) [1] $N_2O_4(g) \rightarrow 2NO_2(g)$


	$\Delta H_{\text{f}}^{\ominus}$ (kJ mol ⁻¹)
NO ₂	33.18
N ₂ O ₄	9.16



(b)	Deduce the Lewis structure of N ₂ O ₄ .	[1]
(0)	The NO bond lengths in N_2O_4 are all 1.19×10^{-10} m.	
(c)		[1]
	(i) Suggest what the bond lengths indicate about the structure of N ₂ O ₄ .	[1]
	(ii) Predict the ONN bond angle in N ₂ O ₄ .	[1]
(d)	Acid deposition is formed when nitrogen oxides dissolve in water. Write an equation for nitrogen (IV) oxide reacting with water to produce two acids.	[1]



- 3. Electrolysis and Winkler titrations are both applications of redox reactions.
 - (a) An electrolytic cell was set up using inert electrodes and molten magnesium chloride, $\mathrm{MgCl_2}(\mathsf{l})$.



(i)	Identify the product formed at the cathode.	[1]
(ii)	Annotate the diagram to show the movement of electrons.	[1]
(iii)	Graphite rods are sometimes used as inert electrodes. Describe the structure of graphite and explain why graphite conducts electricity.	[2]



(Question 3 continued)

Winkler titrations can be used to determine the biochemical oxygen demand, BOD, of a water sample. One set of equations for the reactions occurring is:

$$\begin{split} 2\mathsf{Mn^{2^+}(aq)} + \mathsf{O_2(aq)} + 4\mathsf{OH^-} &\to 2\mathsf{MnO(OH)_2(s)} \\ \mathsf{MnO(OH)_2(s)} + 2\mathsf{I^-}(\mathsf{aq}) + 4\mathsf{H^+} &\to \mathsf{Mn^{2^+}(aq)} + \mathsf{I_2(aq)} + 3\mathsf{H_2O} \\ & \mathsf{I^-}(\mathsf{aq}) + \mathsf{I_2(aq)} &\to \mathsf{I_3^-}(\mathsf{aq}) \\ & 2\mathsf{S_2O_3^{2^-}(aq)} + \mathsf{I_3^-}(\mathsf{aq}) &\to \mathsf{S_4O_6^{2^-}(aq)} + 3\mathsf{I^-}(\mathsf{aq}) \end{split}$$

 $150\,\text{cm}^3$ of a water sample was tested using a Winkler titration. $36.0\,\text{cm}^3$ of $0.00500\,\text{mol}$ dm⁻³ sodium thiosulfate solution, $Na_2S_2O_3$ (aq), was required to reach the end point.

(i)	Determine the concentration, in mol dm ⁻³ , of oxygen dissolved in the water sample.	[3]
(ii)	Outline how the BOD of the water sample could be determined.	[2]
(iii)	Suggest what a low BOD value indicates about a water sample.	[1]



4.		The periodic table provides information about electron configuration, and physical and chemical properties of elements.								
	(a)	Bismuth has atomic number 83. Deduce two pieces of information about the electron configuration of bismuth from its position on the periodic table.	[2]							
	(b)	Outline why aluminium is malleable.	[1]							
	(c)	An 11.98 g block of pure aluminium was heated. Calculate the heat energy absorbed, in J, to increase its temperature from 18.0 $^{\circ}$ C to 40.0 $^{\circ}$ C. The specific heat capacity of aluminium is 0.902 J g ⁻¹ K ⁻¹ .	[1]							



(Question 4 continued)

(d)	Argon has three naturally occurring isotopes, ³⁶ Ar, ³⁸ Ar and ⁴⁰ Ar.		
	(i)	Identify the technique used to determine the relative proportions of the isotopes of argon.	[1]
		isotopic composition of a sample of argon is 0.34% of ³⁶ Ar, 0.06% of ³⁸ Ar and % of ⁴⁰ Ar.	
	(ii)	Calculate the relative atomic mass of this sample, giving your answer to two decimal places.	[2]
(e)	State	e the full electron configuration of the cobalt(II) ion, Co ²⁺ .	[1]



Methanoic acid is a monoprotic weak acid.				
(a)	The concentration of methanoic acid was found by titration with a 0.200 mol dm ⁻³ standard solution of sodium hydroxide, NaOH (aq), using an indicator to determine the end point.	e		
	Calculate the pH of the sodium hydroxide solution.	[2]		
(b)	Write an equation for the reaction of methanoic acid with sodium hydroxide.	[1]		
(c)	22.5 cm³ of NaOH (aq) neutralized 25.0 cm³ of methanoic acid. Determine the concentration of the methanoic acid.	[1]		
	(a) (b)	(a) The concentration of methanoic acid was found by titration with a 0.200 mol dm ⁻³ standard solution of sodium hydroxide, NaOH (aq), using an indicator to determine the end point. Calculate the pH of the sodium hydroxide solution. (b) Write an equation for the reaction of methanoic acid with sodium hydroxide. (c) 22.5 cm³ of NaOH (aq) neutralized 25.0 cm³ of methanoic acid. Determine the		



Bromine, $Br_2(l)$, and methanoic acid, HCOOH(aq), react in the presence of sulfuric acid. $Br_2(l) + HCOOH(aq) \rightarrow 2HBr(aq) + CO_2(g)$					
(b)	The sulfuric acid is a catalyst in this reaction. Explain how a catalyst increases the reaction rate.	[2]			
(c)	Methanoic acid can react with ethanol to produce an ester. Draw the full structural formula of the organic product and state its name.	[2]			
Stru	ictural formula:				
Nar	ne:				
	(a) (b) (c) Stru	Br₂(l) + HCOOH(aq) → 2HBr(aq) + CO₂(g) (a) Suggest an experimental method that could be used to determine the rate of reaction. (b) The sulfuric acid is a catalyst in this reaction. Explain how a catalyst increases the reaction rate. (c) Methanoic acid can react with ethanol to produce an ester. Draw the full structural			



(u)	(1)	write the equation for the complete combustion of ethanol.	ניו
	(ii)	Determine the enthalpy change for the combustion of ethanol, in kJ mol ⁻¹ , using section 11 of the data booklet.	[3]



(C	uestion	1 6 co	ntinued)	
	(e)	Bron	nine also reacts with but-2-ene.	
		(i)	Identify the type of reaction.	[1]
		(ii)	Predict the structural formula of the reaction product.	[1]
		(iii)	Draw the structure of a section of a polymer formed from three monomers of but-2-ene.	[1]



Disclaimer: Content used in IB assessments is taken from authentic, third-party sources. The views expressed within them belong to their individual authors and/or publishers and do not necessarily reflect the views of the IB. References: 1.(d) SDBS, National Institute of Advanced Industrial Science and Technology. All other texts, graphics and illustrations © International Baccalaureate Organization 2023

Please do not write on this page.

Answers written on this page will not be marked.



Please do not write on this page.

Answers written on this page will not be marked.



16FP16