

$$\Psi(P) = F_P(h_P), \quad h_P \in \arg \min_h L_P(h).$$

nested problem

$$\Psi(P) = \ell_P(h_P), \quad h_P \in \arg \min_h \|T_P h - r_P\|^2.$$

inverse problem

Local Newton geometry

in $T_{\hat{P}}\mathcal{P}$

$T_{\hat{P}}\mathcal{P}$: tangent space at $\hat{P}$



$$\Psi(P) = F_P(h_P), \quad h_P \in \arg \min_h L_P(h).$$

nested problem


$$\Psi(P) = \ell_P(h_P), \quad h_P \in \arg \min_h \|T_P h - r_P\|^2.$$

inverse problem

Local Newton geometry

in $T_{\hat{P}}\mathcal{P}$

$T_{\hat{P}}\mathcal{P}$: tangent space at $\hat{P}$



$$\Psi(P) = F_P(h_P), \quad h_P \in \arg \min_h L_P(h).$$

nested problem


$$\Psi(P) = \ell_P(h_P), \quad h_P \in \arg \min_h \|T_P h - r_P\|^2.$$

inverse problem

Local Newton geometry

in $T_{\hat{P}}\mathcal{P}$

$T_{\hat{P}}\mathcal{P}$: tangent space at $\hat{P}$



$$\Psi(P) = F_P(h_P), \quad h_P \in \arg \min_h L_P(h).$$

nested problem


$$\Psi(P) = \ell_P(h_P), \quad h_P \in \arg \min_h \|T_P h - r_P\|^2.$$

inverse problem

Local Newton geometry

in $T_{\hat{P}}\mathcal{P}$

$T_{\hat{P}}\mathcal{P}$: tangent space at $\hat{P}$



$$\Psi(P) = F_P(h_P), \quad h_P \in \arg \min_h L_P(h).$$

nested problem

$$\Psi(P) = \ell_P(h_P), \quad h_P \in \arg \min_h \|T_P h - r_P\|^2.$$

inverse problem

Local Newton geometry

in $T_{\hat{P}}\mathcal{P}$

$T_{\hat{P}}\mathcal{P}$: tangent space at $\hat{P}$

Newton step
 $D^*(\hat{P})$

$\hat{P}_{\hat{\epsilon}}$

$\{\hat{P}_{\hat{\epsilon}}\}$

Target functional



$\Psi(\hat{P}_{\hat{\epsilon}})$

$\hat{\Psi}_{1\text{step}}$

$+ \mathbb{P}_n D^*(\hat{P})$

$\Psi(\hat{P})$