РОССИЙСКИЙ УНИВЕРСИТЕТ ДРУЖБЫ НАРОДОВ

Факультет физико-математических и естественных наук

ОТЧЁТ

ПО ЛАБОРАТОРНОЙ РАБОТЕ №15

дисциплина: Администрирование сетевых подсистем

Студент: Талебу Тенке Франк

Студ. билет № 1032224534

Группа: НФИбд-02-23

МОСКВА

2025 г.

Цель работы:

Целью данной работы является получение навыков по работе с журналами системных событий.

Выполнение работы:

```
(gedit:9739): dconf-WARNING **: 17:32:11.810: failed to commit changes to dconf: Failed to execut
e child process “dbus-launch” (No such file or directory)
[root@server ~]# systemctl restart rsyslog
[root@server ~]# lsof | grep TCP
lsof: WARNING: can't stat() fuse.gvfsd-fuse file system /run/user/1000/gvfs
      Output information may be incomplete.
lsof: WARNING: can't stat() fuse.portal file system /run/user/1000/doc
      Output information may be incomplete.
systemd      1                         root   53u     IPv4              46424       0t0        T
CP *:sunrpc (LISTEN)
systemd      1                         root   55u     IPv6              45670       0t0        T
CP *:sunrpc (LISTEN)
cupsd      953                         root    6u     IPv6              21155       0t0        T
CP localhost:ipp (LISTEN)
cupsd      953                         root    7u     IPv4              21156       0t0        T
CP localhost:ipp (LISTEN)
sshd       968                         root    3u     IPv4              21197       0t0        T
CP *:down (LISTEN)
sshd       968                         root    4u     IPv6              21199       0t0        T
CP *:down (LISTEN)
sshd       968                         root    5u     IPv4              21201       0t0        T
CP *:ssh (LISTEN)
sshd       968                         root    6u     IPv6              21203       0t0        T
CP *:ssh (LISTEN)
mariadbd  1060                        mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 1149 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 1215 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 1233 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 1238 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 1349 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 1352 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
mariadbd  1060 9525 mariadbd          mysql   20u     IPv6              23706       0t0        T
CP *:mysql (LISTEN)
firefox   2784                      vagrant   55u     IPv4             177482       0t0        T
CP server.user.net:50258->146.75.121.91:https (ESTABLISHED)
firefox   2784                      vagrant   58u     IPv4             174221       0t0        T
```

Open netlog-client.conf /etc/rsyslog.d Save

```
1 *.* @@server.user.net:514
```

```
root@client:/etc/rsyslog.d

[vagrant@client ~]$ sudo -i
[root@client ~]# cd /etc/rsyslog.d
[root@client rsyslog.d]# touch netlog-client.conf
[root@client rsyslog.d]# gedit /etc/rsyslog.d/netlog-client.conf

(gedit:5331): dconf-WARNING **: 17:46:55.768: failed to commit changes to dconf: Failed to execute child process
 “dbus-launch” (No such file or directory)

(gedit:5331): dconf-WARNING **: 17:46:55.776: failed to commit changes to dconf: Failed to execute child process
 “dbus-launch” (No such file or directory)

(gedit:5331): dconf-WARNING **: 17:46:56.122: failed to commit changes to dconf: Failed to execute child process
 “dbus-launch” (No such file or directory)

(gedit:5331): dconf-WARNING **: 17:46:56.129: failed to commit changes to dconf: Failed to execute child process
 “dbus-launch” (No such file or directory)

(gedit:5331): dconf-WARNING **: 17:46:56.131: failed to commit changes to dconf: Failed to execute child process
 “dbus-launch” (No such file or directory)

** (gedit:5331): WARNING **: 17:47:09.058: Set document metadata failed: Setting attribute metadata::gedit-spell
-language not supported

** (gedit:5331): WARNING **: 17:47:09.059: Set document metadata failed: Setting attribute metadata::gedit-encod
ing not supported

** (gedit:5331): WARNING **: 17:47:15.649: Set document metadata failed: Setting attribute metadata::gedit-spell
-language not supported

** (gedit:5331): WARNING **: 17:47:15.652: Set document metadata failed: Setting attribute metadata::gedit-encod
ing not supported

** (gedit:5331): WARNING **: 17:47:16.810: Set document metadata failed: Setting attribute metadata::gedit-posit
ion not supported

(gedit:5331): dconf-WARNING **: 17:47:16.831: failed to commit changes to dconf: Failed to execute child process
 “dbus-launch” (No such file or directory)
[root@client rsyslog.d]# systemctl restart rsyslog
[root@client rsyslog.d]#
```

```
[root@server ~]# tail -f /var/log/messages
Mar 12 17:43:08 server rsyslogd[1325]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-p
id="1325" x-info="https://www.rsyslog.com"] exiting on signal 15.
Mar 12 17:43:08 server systemd[1]: rsyslog.service: Deactivated successfully.
Mar 12 17:43:08 server systemd[1]: Stopped System Logging Service.
Mar 12 17:43:08 server systemd[1]: rsyslog.service: Consumed 3.382s CPU time.
Mar 12 17:43:08 server systemd[1]: Starting System Logging Service...
Mar 12 17:43:08 server rsyslogd[9790]: error querying port '**UNSPECIFIED**': Servname not suppor
ted for ai_socktype [v8.2310.0-4.el9 try https://www.rsyslog.com/e/2076 ]
Mar 12 17:43:08 server rsyslogd[9790]: Could not create tcp listener, ignoring port 514S bind-add
ress **UNSPECIFIED**. [v8.2310.0-4.el9 try https://www.rsyslog.com/e/2076 ]
Mar 12 17:43:08 server systemd[1]: Started System Logging Service.
Mar 12 17:43:08 server rsyslogd[9790]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x-p
id="9790" x-info="https://www.rsyslog.com"] start
Mar 12 17:43:08 server rsyslogd[9790]: imjournal: journal files changed, reloading...  [v8.2310.0
-4.el9 try https://www.rsyslog.com/e/0 ]
```

root@server:~

root@server:~ | root@server:~

```
[vagrant@server rsyslog.d]$ sudo -i
[root@server ~]# gnome-system-monitor

(gnome-system-monitor:9870): dconf-WARNING **: 17:50:29.959: failed to commit changes to dconf: F
ailed to execute child process “dbus-launch” (No such file or directory)

(gnome-system-monitor:9870): dconf-WARNING **: 17:50:30.239: failed to commit changes to dconf: F
ailed to execute child process “dbus-launch” (No such file or directory)

(gnome-system-monitor:9870): dconf-WARNING **: 17:50:30.240: failed to commit changes to dconf: F
ailed to execute child process “dbus-launch” (No such file or directory)

(gnome-system-monitor:9870): dconf-WARNING **: 17:50:31.910: failed to commit changes to dconf: F
ailed to execute child process “dbus-launch” (No such file or directory)
```

Processes | Resources | File Systems

Process Name	User	% CPU	ID	Memory	Disk read tota	Disk writ
accounts-daemon	root	0.00	645	2.9 MB	2.0 MB	
acpi_thermal_pm	root	0.00	76	N/A	N/A	
alsactl	root	0.00	674	131.1 kB	N/A	
ata_sff	root	0.00	394	N/A	N/A	
atd	root	0.00	973	131.1 kB	32.8 kB	
auditd	root	0.00	612	2.8 MB	61.4 kB	413.
bash	root	0.00	9677	1.8 MB	5.2 MB	86.
bash	root	0.00	9842	2.0 MB	N/A	
blkcg_punt_bio	root	0.00	56	N/A	N/A	
cpuhp/0	root	0.00	22	N/A	N/A	
cpuhp/1	root	0.00	23	N/A	N/A	
cpuhp/2	root	0.00	29	N/A	N/A	
cpuhp/3	root	0.00	35	N/A	N/A	
crond	root	0.00	982	786.4 kB	204.8 kB	
cryptd	root	0.00	53	N/A	N/A	
cupsd	root	0.00	953	2.1 MB	1.8 MB	45.
edac-poller	root	0.00	60	N/A	N/A	

```
root@server:~

root@server:~    root@server:~    root@server:~

[vagrant@server rsyslog.d]$ sudo -i
[root@server ~]# dnf -y install lnav
Last metadata expiration check: 1:59:28 ago on Thu 12 Mar 2026 03:52:25 PM UTC.
Dependencies resolved.
================================================================================
 Package            Architecture         Version                    Repository          Size
================================================================================
Installing:
 lnav               x86_64               0.11.1-1.el9               epel               2.4 M

Transaction Summary
================================================================================
Install  1 Package

Total download size: 2.4 M
Installed size: 6.1 M
Downloading Packages:
lnav-0.11.1-1.el9.x86_64.rpm                                  1.8 MB/s | 2.4 MB     00:01
--------------------------------------------------------------------------------
Total                                                         1.1 MB/s | 2.4 MB     00:02
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :                                                             1/1
  Installing       : lnav-0.11.1-1.el9.x86_64                                    1/1
  Running scriptlet: lnav-0.11.1-1.el9.x86_64                                    1/1
  Verifying        : lnav-0.11.1-1.el9.x86_64                                    1/1

Installed:
  lnav-0.11.1-1.el9.x86_64

Complete!
[root@server ~]#
```

```
LOG
root@server:~    root@server:~    LOG
2026-03-12T17:53:14 UTC                    Press ENTER to focus on the breadcrumb bar
LOG 〉2026-03-12T17:31:22.000〉syslog_log〉messages[16,465]〉gnome-shell[2083]〉
Mar 12 17:31:22 server gnome-shell[2083]: Window manager warning: Buggy client sent a _NET_ACTI
Mar 12 17:31:23 server systemd[1]: systemd-hostnamed.service: Deactivated successfully.
Mar 12 17:31:45 server gnome-shell[2083]: Window manager warning: Buggy client sent a _NET_ACTI
Mar 12 17:33:21 server chronyd[658]: Detected falseticker 195.122.253.38 (2.rocky.pool.ntp.org)
Mar 12 17:43:08 server systemd[1]: Stopping System Logging Service...
Mar 12 17:43:08 server rsyslogd[1325]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x
Mar 12 17:43:08 server systemd[1]: rsyslog.service: Deactivated successfully.
Mar 12 17:43:08 server systemd[1]: Stopped System Logging Service.
Mar 12 17:43:08 server systemd[1]: rsyslog.service: Consumed 3.382s CPU time.
Mar 12 17:43:08 server systemd[1]: Starting System Logging Service...
Mar 12 17:43:08 server rsyslogd[9790]: error querying port '**UNSPECIFIED**': Servname not supp
Mar 12 17:43:08 server rsyslogd[9790]: Could not create tcp listener, ignoring port 514S bind-a
Mar 12 17:43:08 server systemd[1]: Started System Logging Service.
Mar 12 17:43:08 server rsyslogd[9790]: [origin software="rsyslogd" swVersion="8.2310.0-4.el9" x
Mar 12 17:43:08 server rsyslogd[9790]: imjournal: journal files changed, reloading...  [v8.2310
Mar 12 17:50:03 server systemd[1906]: Started VTE child process 9814 launched by gnome-terminal
Mar 12 17:50:07 server systemd[1]: Starting Hostname Service...
Mar 12 17:50:07 server systemd[1]: Started Hostname Service.
Mar 12 17:50:37 server systemd[1]: systemd-hostnamed.service: Deactivated successfully.
Mar 12 17:51:38 server systemd[1906]: Started VTE child process 9893 launched by gnome-terminal
Mar 12 17:51:41 server systemd[1]: Starting Hostname Service...
Mar 12 17:51:41 server systemd[1]: Started Hostname Service.
Mar 12 17:51:58 server systemd[1]: Started /usr/bin/systemctl start man-db-cache-update.
Mar 12 17:51:58 server systemd[1]: Starting man-db-cache-update.service...
Mar 12 17:52:02 server systemd[1]: man-db-cache-update.service: Deactivated successfully.
Mar 12 17:52:02 server systemd[1]: Finished man-db-cache-update.service.
Mar 12 17:52:02 server systemd[1]: man-db-cache-update.service: Consumed 1.657s CPU time.
Mar 12 17:52:02 server systemd[1]: run-rc686ad34f9c549e8bd890b834106c10d.service: Deactivated s
Mar 12 17:52:04 server systemd[1]: Starting PackageKit Daemon...
Mar 12 17:52:04 server systemd[1]: Started PackageKit Daemon.
Mar 12 17:52:11 server systemd[1]: systemd-hostnamed.service: Deactivated successfully.
Files :: Text Filters ::                                   Press TAB to edit
L16,465   100%                                             ?:View Help
                                   Press e/E to move forward/backward through error messages
```

```
[vagrant@server rsyslog.d]$ sudo -i
[root@server ~]# cd /vagrant/provision/server
[root@server server]# mkdir -p /vagrant/provision/server/netlog/etc/rsyslog.d
[root@server server]# cp -R /etc/rsyslog.d/netlog-server.conf /vagrant/provision/server/netlog/et
c/rsyslog.d
[root@server server]# cd /vagrant/provision/server
[root@server server]# touch netlog.sh
[root@server server]# chmod +x netlog.sh
[root@server server]# gedit netlog.sh

(gedit:22854): dconf-WARNING **: 19:17:52.030: failed to commit changes to dconf: Failed to execu
te child process “dbus-launch” (No such file or directory)

(gedit:22854): dconf-WARNING **: 19:17:52.040: failed to commit changes to dconf: Failed to execu
te child process “dbus-launch” (No such file or directory)

(gedit:22854): dconf-WARNING **: 19:17:53.651: failed to commit changes to dconf: Failed to execu
te child process “dbus-launch” (No such file or directory)

(gedit:22854): dconf-WARNING **: 19:17:53.674: failed to commit changes to dconf: Failed to execu
te child process “dbus-launch” (No such file or directory)

(gedit:22854): dconf-WARNING **: 19:17:53.674: failed to commit changes to dconf: Failed to execu
```

Open netlog.sh /vagrant/provision/server Save

```
#!/bin/bash
echo "Provisioning script $0"
echo "Copy configuration files"
cp -R /vagrant/provision/server/netlog/etc/* /etc
restorecon -vR /etc
echo "Configure firewall"
firewall-cmd --add-port=514/tcp
firewall-cmd --add-port=514/tcp --permanent
echo "Start rsyslog service"
systemctl restart rsyslog
```

```
root@client:/vagrant/provision/client
[vagrant@client ~]$ sudo -i
[root@client ~]# cd /vagrant/provision/client
[root@client client]# touch netlog.sh
[root@client client]# chmod +x netlog.sh
[root@client client]# gedit n
netlog.sh  nfs.sh     ntp_1.sh   ntp.sh
[root@client client]# gedit netlog.sh

(gedit:5724): dconf-WARNING **: 19:20:01.449: failed to commit changes to dconf:
 Failed to execute child process “dbus-launch” (No such file or directory)

(gedit:5724): dconf-WARNING **: 19:20:01.464: failed to commit changes to dconf:
 Failed to execute child process “dbus-launch” (No such file or directory)

(gedit:5724): dconf-WARNING **: 19:20:01.675: failed to commit changes to dconf:
 Failed to execute child process “dbus-launch” (No such file or directory)

(gedit:5724): dconf-WARNING **: 19:20:01.675: failed to commit changes to dconf:
 Failed to execute child process “dbus-launch” (No such file or directory)

(gedit:5724): dconf-WARNING **: 19:20:01.675: failed to commit changes to dconf:
 Failed to execute child process “dbus-launch” (No such file or directory)
```

```
Open   *netlog.sh   Save
/vagrant/provision/client
1 #!/bin/bash
2 echo "Provisioning script $0"
3 echo "Install needed packages"
4 dnf -y install lnav
5 echo "Copy configuration files"
6 cp -R /vagrant/provision/client/netlog/etc/* /etc
7 restorecon -vR /etc
8 echo "Start rsyslog service"
9 systemctl restart rsyslog
```

Вывод:

В ходе выполнения лабораторной работы были получены навыки по работе с журналами системных событий.

Ответы на контрольные вопросы:

1. Какой модуль rsyslog вы должны использовать для приёма сообщений от journald? - **Для приёма сообщений от journald в rsyslog используется модуль imjournal.**
2. Как называется устаревший модуль, который можно использовать для включения приёма сообщений журнала в rsyslog? - **Устаревший модуль для приема сообщений журнала в rsyslog - imuxsock (или imuxsock_legacy).**
3. Чтобы убедиться, что устаревший метод приёма сообщений из journald в rsyslog не используется, какой дополнительный параметр следует использовать? - **Для предотвращения использования устаревшего метода можно использовать параметр SystemMaxUseForward=no в файле /etc/systemd/journald.conf.**
4. В каком конфигурационном файле содержатся настройки, которые позволяют вам настраивать работу журнала? - **Настройки, позволяющие настроить работу журнала, содержатся в файле /etc/systemd/journald.conf.**
5. Каким параметром управляется пересылка сообщений из journald в rsyslog? - **Для управления пересылкой сообщений из journald в rsyslog используется параметр ForwardToSyslog=yes в файле /etc/systemd/journald.conf.**
6. Какой модуль rsyslog вы можете использовать для включения сообщений из файла журнала, не созданного rsyslog? - **Для включения сообщений из файла журнала, не созданного rsyslog, используется модуль imfile.**

7. Какой модуль rsyslog вам нужно использовать для пересылки сообщений в базу данных MariaDB? - **Для пересылки сообщений в базу данных MariaDB используется модуль ommysql или ommysqlps.**
8. Какие две строки вам нужно включить в rsyslog.conf, чтобы позволить текущему журнальному серверу получать сообщения через TCP? - **Добавьте следующие строки в rsyslog.conf:**

   $ModLoad imtcp

   $InputTCPServerRun 514

9. Как настроить локальный брандмауэр, чтобы разрешить приём сообщений журнала через порт TCP 514? –

   Используйте команды для открытия порта:

   sudo firewall-cmd --permanent --add-port=514/tcp

   sudo firewall-cmd --reload

   Или:

   sudo iptables -A INPUT -p tcp --dport 514 -j ACCEPT

   sudo service iptables save

   sudo service iptables restart