


















D

1

2

3

4



Title		
Size	Number	Revision
A4		
Date:	2022/12/27	Sheet of
File:	E:\Work\...\03.Driver.SchDoc	Drawn By:

1




2

3

4

RS485

256 ESD 15KV 14Mbps 15V






Title		
Size A4	Number	Revision
Date: 2022/12/27	Sheet of	
File: E:\Work\...\04.RS485.SchDoc	Drawn By:	

MCU


RUNIC()

24Mbps

UART/IIC







PWM



PWM


NMOS 2N7002 BSN20 2SK3019 AO3400



Title			
Size A3	Number		Revision
Date:	2022/12/27	Sheet of	
File:	E:\Work_\05.IO conversion SchDoc	Drawn By:	



CAN

CAN






Title		
Size A4	Number	Revision
Date: 2022/12/27	Sheet of	
File: E:\Work\...\07.CAN.SchDoc	Drawn By:	


USB UART




TYPEC





IIC





UART






BUZZER




GPIO_3.3V



X	Y	0.05	0.1	Z	1	bps :4800~230400
---	---	------	-----	---	---	------------------



LED



Title			
Size A3	Number		Revision
Date:	2022/12/27	Sheet of	
File:	E:\Work\108.Interface.SchDoc	Drawn By:	

