

SANDIA REPORT

SAND2025-xxxx
Printed Date TBD



Isogeometric Analysis (IGA) for Components

John M. Emery, Jeremy L. Guthrie, Chad B. Hovey, David A. Najera-Flores,
Alejandro D. Carrizales

Prepared by
Sandia National Laboratories
Albuquerque, New Mexico 87185
Livermore, California 94550

Issued by Sandia National Laboratories, operated for the United States Department of Energy by National Technology & Engineering Solutions of Sandia, LLC.

NOTICE: This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831

Telephone: (865) 576-8401
Facsimile: (865) 576-5728
E-Mail: reports@osti.gov
Online ordering: <http://www.osti.gov/scitech>

Available to the public from

U.S. Department of Commerce
National Technical Information Service
5301 Shawnee Road
Alexandria, VA 22312

Telephone: (800) 553-6847
Facsimile: (703) 605-6900
E-Mail: orders@ntis.gov
Online order: <https://classic.ntis.gov/help/order-methods>



ABSTRACT

To come.

DRAFT

This page intentionally left blank.

CONTENTS

1. Introduction	11
1.1. A Section	12
1.2. Another Section	12
2. Background	13
3. Objective	15
4. Data	17
4.1. C-Frame	17
4.1.1. jobs_coarse.iga	18
4.1.2. jobs_fine.iga	19
4.1.3. jobs_fine_x2.iga	20
4.2. Door Hinge	22
4.2.1. door_hinge_failure_workflow.txt	22
4.2.2. job_door_hinge_failure.iga	25
4.2.3. read_force_vm.py	29
4.3. Circuit Board	31
4.3.1. cb_modal_workflow_journal_separate.txt	31
4.3.2. cb_modal_workflow_journal.txt	34
4.3.3. cb_workflow_journal.txt	37
5. Methods	39
6. Results	41
7. Conclusion	43
8. Bibliography	45
Appendices	46
A. Appendices	47

This page intentionally left blank.

LIST OF FIGURES

Figure 4-1. C-frame geometry used for modal analysis.....	17
Figure 4-2. Door hinge geometry used for nonlinear static analysis.	22
Figure 4-3. Circuit board geometry used for nonlinear static and modal analysis.	31

This page intentionally left blank.

LIST OF TABLES

DRAFT

This page intentionally left blank.

1. INTRODUCTION

Isogeometric Analysis (IGA) represents a paradigm shift in computational mechanics by unifying the mathematical frameworks of Computer-Aided Design (CAD) and numerical analysis. Introduced by Hughes et al. in 2005, IGA employs the same basis functions—typically Non-Uniform Rational B-Splines (NURBS), T-splines, or subdivision surfaces—for both the geometric representation and the solution approximation.

Traditional Finite Element Analysis (FEA) has served as the cornerstone of computational engineering for decades, offering robust capabilities for solving partial differential equations across diverse applications. Its strengths include mature software ecosystems, well-established theoretical foundations, extensive validation in industrial settings, and flexibility in handling complex physics through various element formulations. However, FEA suffers from inherent limitations stemming from the geometric disconnect between CAD and analysis domains. The mesh generation process introduces geometric approximation errors, requires significant preprocessing time, and creates C^0 -continuous approximations that may be inadequate for higher-order problems such as thin shell analysis, phase-field modeling, and gradient-based theories. Additionally, design optimization workflows necessitate repeated geometry-mesh conversions, introducing inefficiencies and potential information loss.

IGA addresses these deficiencies through its geometric fidelity and mathematical elegance. By maintaining exact geometric representation at all refinement levels, IGA eliminates geometric discretization errors and the cumbersome mesh generation step. The inherent higher-order continuity of spline basis functions—providing C^1 , C^2 , or arbitrary C^k continuity—yields superior accuracy per degree of freedom for many problem classes, particularly those involving fourth-order operators or requiring smooth solution fields. The seamless integration with CAD systems enables direct analysis on design geometries and facilitates efficient shape optimization. Furthermore, IGA demonstrates enhanced performance in capturing complex phenomena such as boundary layers, stress concentrations, and wave propagation with coarser discretizations than traditional FEA.

Despite its advantages, IGA faces several challenges that have tempered its widespread industrial adoption. The technology requires specialized software implementations with limited commercial availability compared to mature FEA platforms. Integration of trimmed surfaces, boolean operations, and complex multi-patch geometries from industrial CAD models remains an active research area. Volumetric parameterization of three-dimensional solids presents non-trivial difficulties, particularly for complex topologies. The computational cost per degree of freedom can be higher due to increased basis function support and quadrature requirements. Additionally, the engineering community's familiarity with traditional FEA methods, coupled with substantial investments in existing workflows and validation databases, creates institutional inertia against adoption.

1.1. A Section

Work in progress.

1.2. Another Section

Work in progress.

DRAFT

2. BACKGROUND

DRAFT

This page intentionally left blank.

3. OBJECTIVE

DRAFT

This page intentionally left blank.

4. DATA

4.1. C-Frame




Figure 4-1. C-frame geometry used for modal analysis.

- Analysis type: modal
- Material: isotropic linear elastic
- Mesh: IGA
- Geometry: C-frame
- Boundary conditions: fixed at base
- Loads: N/A
- Solver: direct
- Geometry included in Coreform Flex distribution, no additional cleanup needed for IGA.
- Modal analysis performed
- Requested modes in (1, 4000) Hz
- Solved locally on laptop (1 cpu)

4.1.1. jobs_coarse.iga

```
1 {
2   "coreform_iga_version": "2025.7",
3   "data_output_file": "cf_iga_data_output.json",
4   "data_output_interval": "intervals_1",
5   "flex_models": [
6     {
7       "database_name": "geom",
8       "label": "flex_models_1",
9       "parts": [
10        {
11          "label": "parts_1",
12          "material": "materials_1",
13          "material_model": "elastic",
14          "part": "part_1",
15          "quadrature_options": {
16            "optimization_lawson_hanson_solve_completion": true,
17            "optimization_method": "tet_pruning",
18            "optimization_residual_tolerance": 1.0000000000000002e-12,
19            "optimized_cut_quadrature_strategy": "reduce_from_uncut",
20            "quadrature": "QP1"
21          }
22        }
23      ],
24      "small_cell_volume_ratio": 0
25    }
26  ],
27  "functions": [
28    {
29      "constant": {
30        "value": 1
31      },
32      "label": "functions_1"
33    }
34  ],
35  "intervals": [
36    {
37      "label": "intervals_1",
38      "start_step": 0,
39      "step_increment": 1,
40      "stop_step": 20,
41      "time_increment": 1
42    }
43  ],
44  "label": "iga_1",
45  "materials": [
46    {
47      "elastic": {
48        "poissons_ratio": 0.29,
49        "youngs_modulus": 280000000
50      },
51      "label": "materials_1",
52      "mass_density": 0.000735
53    }
54  ],
55  "procedures": [
56    {
57      "label": "procedures_1",
58      "structural_modal_analysis": {
59        "boundary_conditions": [
60          "boundary_conditions_1"
61        ],
62        "flex_model": "flex_models_1",
63        "modal_solution_method": "modal_solution_methods_1",
64        "outputs": [
65          "outputs_1"
66        ]
67      }
68    }
69  ],
70  "structural_modal_analysis_definitions": {
71    "boundary_conditions": [
72      {
73        "components": [
74          "x",
75          "y",
76          "z"
77        ],
78        "label": "boundary_conditions_1",
79        "penalty": {
80          "dimensionless": true,
81          "value": 10
82        },
83        "quadrature_options": {
84          "optimization_lawson_hanson_solve_completion": true,
85          "optimization_method": "tet_pruning",
86          "optimization_residual_tolerance": 1.0000000000000002e-12,
87          "optimized_cut_quadrature_strategy": "reduce_from_uncut",
```

```

88     "quadrature": "QP1"
89   },
90   "set": "fixed"
91 }
92 ],
93 "modal_solution_methods": [
94   {
95     "frequency_extraction": {
96       "maximum_frequency": 4000,
97       "minimum_frequency": 1
98     },
99     "label": "modal_solution_methods_1"
100   }
101 ],
102 "outputs": [
103   {
104     "field": {
105       "database_name": "cframe_modal_coarse",
106       "external_surfaces_only": false,
107       "include_integration_point_output": false,
108       "interval": "intervals_1",
109       "part": "part_1",
110       "variables": {
111         "displacement": [
112           "all"
113         ]
114       }
115     },
116     "label": "outputs_1",
117     "tessellate": true
118   }
119 ]
120 }
121 }

```

4.1.2. jobs_fine.iga

```

1 {
2   "coreform_iga_version": "2025.7",
3   "data_output_file": "cf_iga_data_output.json",
4   "data_output_interval": "intervals_1",
5   "flex_models": [
6     {
7       "database_name": "geom",
8       "label": "flex_models_1",
9       "parts": [
10        {
11          "label": "parts_1",
12          "material": "materials_1",
13          "material_model": "elastic",
14          "part": "part_1",
15          "quadrature_options": {
16            "optimization_lawson_hanson_solve_completion": true,
17            "optimization_method": "tet_pruning",
18            "optimization_residual_tolerance": 1.0000000000000002e-12,
19            "optimized_cut_quadrature_strategy": "reduce_from_uncut",
20            "quadrature": "QP1"
21          }
22        }
23      ],
24      "small_cell_volume_ratio": 0
25    }
26  ],
27  "functions": [
28    {
29      "constant": {
30        "value": 1
31      },
32      "label": "functions_1"
33    }
34  ],
35  "intervals": [
36    {
37      "label": "intervals_1",
38      "start_step": 0,
39      "step_increment": 1,
40      "stop_step": 20,
41      "time_increment": 1
42    }
43  ],
44  "label": "iga_1",
45  "materials": [
46    {
47      "elastic": {

```

```

48     "poissons_ratio": 0.29,
49     "youngs_modulus": 28000000
50 },
51 "label": "materials_1",
52 "mass_density": 0.000735
53 }
54 ],
55 "procedures": [
56 {
57     "label": "procedures_1",
58     "structural_modal_analysis": {
59         "boundary_conditions": [
60             "boundary_conditions_1"
61         ],
62         "flex_model": "flex_models_1",
63         "modal_solution_method": "modal_solution_methods_1",
64         "outputs": [
65             "outputs_1"
66         ]
67     }
68 },
69 ],
70 "structural_modal_analysis_definitions": {
71     "boundary_conditions": [
72         {
73             "components": [
74                 "x",
75                 "y",
76                 "z"
77             ],
78             "label": "boundary_conditions_1",
79             "penalty": {
80                 "dimensionless": true,
81                 "value": 10
82             },
83             "quadrature_options": {
84                 "optimization_lawson_hanson_solve_completion": true,
85                 "optimization_method": "tet_pruning",
86                 "optimization_residual_tolerance": 1.0000000000000002e-12,
87                 "optimized_cut_quadrature_strategy": "reduce_from_uncut",
88                 "quadrature": "QP1"
89             },
90             "set": "fixed"
91         }
92     ],
93     "modal_solution_methods": [
94         {
95             "frequency_extraction": {
96                 "maximum_frequency": 4000,
97                 "minimum_frequency": 1
98             },
99             "label": "modal_solution_methods_1"
100         }
101     ],
102     "outputs": [
103         {
104             "field": {
105                 "database_name": "cframe_modal_fine",
106                 "external_surfaces_only": false,
107                 "include_integration_point_output": false,
108                 "interval": "intervals_1",
109                 "part": "part_1",
110                 "variables": {
111                     "displacement": [
112                         "all"
113                     ]
114                 }
115             },
116             "label": "outputs_1",
117             "tessellate": true
118         }
119     ]
120 }
121 }

```

4.1.3. jobs_fine_x2.iga

```

1 {
2     "coreform_iga_version": "2025.7",
3     "data_output_file": "cf_iga_data_output.json",
4     "data_output_interval": "intervals_1",
5     "flex_models": [
6         {
7             "database_name": "geom",

```

```

8   "label": "flex_models_1",
9   "parts": [
10    {
11      "label": "parts_1",
12      "material": "materials_1",
13      "material_model": "elastic",
14      "part": "part_1",
15      "quadrature_options": {
16        "optimization_lawson_hanson_solve_completion": true,
17        "optimization_method": "tet_pruning",
18        "optimization_residual_tolerance": 1.0000000000000002e-12,
19        "optimized_cut_quadrature_strategy": "reduce_from_uncut",
20        "quadrature": "QP1"
21      }
22    }
23  ],
24  "small_cell_volume_ratio": 0
25 },
26 ],
27 "functions": [
28   {
29     "constant": {
30       "value": 1
31     },
32     "label": "functions_1"
33   }
34 ],
35 "intervals": [
36   {
37     "label": "intervals_1",
38     "start_step": 0,
39     "step_increment": 1,
40     "stop_step": 20,
41     "time_increment": 1
42   }
43 ],
44 "label": "iga_1",
45 "materials": [
46   {
47     "elastic": {
48       "poissons_ratio": 0.29,
49       "youngs_modulus": 280000000
50     },
51     "label": "materials_1",
52     "mass_density": 0.000735
53   }
54 ],
55 "procedures": [
56   {
57     "label": "procedures_1",
58     "structural_modal_analysis": {
59       "boundary_conditions": [
60         "boundary_conditions_1"
61       ],
62       "flex_model": "flex_models_1",
63       "modal_solution_method": "modal_solution_methods_1",
64       "outputs": [
65         "outputs_1"
66       ]
67     }
68   }
69 ],
70 "structural_modal_analysis_definitions": {
71   "boundary_conditions": [
72     {
73       "components": [
74         "x",
75         "y",
76         "z"
77       ],
78       "label": "boundary_conditions_1",
79       "penalty": {
80         "dimensionless": true,
81         "value": 10
82       },
83       "quadrature_options": {
84         "optimization_lawson_hanson_solve_completion": true,
85         "optimization_method": "tet_pruning",
86         "optimization_residual_tolerance": 1.0000000000000002e-12,
87         "optimized_cut_quadrature_strategy": "reduce_from_uncut",
88         "quadrature": "QP1"
89       },
90       "set": "fixed"
91     }
92   ],
93   "modal_solution_methods": [
94     {
95       "frequency_extraction": {
96         "maximum_frequency": 4000,
97         "minimum_frequency": 1
98       },
99       "label": "modal_solution_methods_1"

```

```

100 }
101 ],
102 "outputs": [
103   {
104     "field": {
105       "database_name": "cframe_modal_fine_x2",
106       "external_surfaces_only": false,
107       "include_integration_point_output": false,
108       "interval": "intervals_1",
109       "part": "part_1",
110       "variables": {
111         "displacement": [
112           "all"
113         ]
114       }
115     },
116     "label": "outputs_1",
117     "tessellate": true
118   }
119 ]
120 }
121 }

```

4.2. Door Hinge

- Analysis type: nonlinear statics
- Features: frictional contact, plasticity




Figure 4-2. Door hinge geometry used for nonlinear static analysis.

4.2.1. door_hinge_failure_workflow.txt

```

1  #=Door Lock Hinge Assembly Problem
2  reset
3  dev rimport "/tutorials/door_lock_assembly/door_lock_assembly.sat"
4  #!=Door Lock Hinge Assembly Problem
5  #=DEFINE PARTS AND SETS
6  name part 1 "door_link"
7  name part 2 "door_hinge"
8  name part 3 "door_pin"
9  set "door_link_bottom_surfaces" add surfaces [21 29]
10 set "door_hinge_bolt_surfaces" add surfaces [111 115]
11 #!=DEFINE PARTS AND SETS
12 #=MESH GENERATION
13 mesh "mesh_door_link" rectilinear degree 2 continuity 1 element_size [1 1 1] padding [2 2 2]

```

```

14 part "door_link" mesh "mesh_door_link"
15 part "door_link" volume_box
16 mesh "mesh_door_hinge" rectilinear degree 2 continuity 1 element_size [1 1 1] padding [2 2 2]
17 part "door_hinge" mesh "mesh_door_hinge"
18 part "door_hinge" volume_box
19 mesh "mesh_door_pin" rectilinear degree 2 continuity 1 element_size [1 1 1] padding [2 2 2]
20 part "door_pin" mesh "mesh_door_pin"
21 part "door_pin" volume_box
22 !=MESH GENERATION
23 !=FUNCTIONS
24 functions "aluminum_plastic_hardening" new
25 functions "aluminum_plastic_hardening" piecewise_linear abscissa [0 10]
26 functions "aluminum_plastic_hardening" piecewise_linear ordinate [0 100]
27 functions "steel_plastic_hardening" new
28 functions "steel_plastic_hardening" piecewise_linear abscissa [0 10]
29 functions "steel_plastic_hardening" piecewise_linear ordinate [0 100]
30 functions "constant_1" new
31 functions "constant_1" constant value 1
32 functions "linear_ramp" new
33 functions "linear_ramp" piecewise_linear abscissa [0 1]
34 functions "linear_ramp" piecewise_linear ordinate [0 1]
35 !=FUNCTIONS
36 !=MATERIALS
37 materials "aluminum" new
38 materials "aluminum" mass_density 2.7e-9
39 materials "aluminum" neohookean_isotropic_plasticity neohookean youngs_modulus 73.8e3
40 materials "aluminum" neohookean_isotropic_plasticity neohookean poissons_ratio 0.3
41 materials "aluminum" neohookean_isotropic_plasticity isotropic_plasticity yield_stress 322
42 materials "aluminum" neohookean_isotropic_plasticity isotropic_plasticity hardening_function "aluminum_plastic_hardening"
43 materials "steel" new
44 materials "steel" mass_density 2.7e-9
45 materials "steel" neohookean_isotropic_plasticity neohookean youngs_modulus 200e3
46 materials "steel" neohookean_isotropic_plasticity neohookean poissons_ratio 0.29
47 materials "steel" neohookean_isotropic_plasticity isotropic_plasticity yield_stress 2e3
48 materials "steel" neohookean_isotropic_plasticity isotropic_plasticity hardening_function "steel_plastic_hardening"
49 tessellation_options "tessellation_options_1" meshgems average_triangle_edge_subdivisions 4
50 !=MATERIALS
51 !=FLEX MODELS
52 flex_models "flex_models_1" new
53 flex_models "flex_models_1" database_name "geom"
54 flex_models "flex_models_1" small_cell_volume_ratio 0
55 flex_models "flex_models_1" parts "door_hinge_instance" part "door_hinge"
56 flex_models "flex_models_1" parts "door_hinge_instance" material "aluminum"
57 flex_models "flex_models_1" parts "door_hinge_instance" material_model neohookean_isotropic_plasticity
58 flex_models "flex_models_1" parts "door_hinge_instance" quadrature_options tessellation_option "tessellation_options_1"
59 flex_models "flex_models_1" parts "door_link_instance" part "door_link"
60 flex_models "flex_models_1" parts "door_link_instance" material "aluminum"
61 flex_models "flex_models_1" parts "door_link_instance" material_model neohookean_isotropic_plasticity
62 flex_models "flex_models_1" parts "door_link_instance" quadrature_options tessellation_option "tessellation_options_1"
63 flex_models "flex_models_1" parts "door_pin_instance" part "door_pin"
64 flex_models "flex_models_1" parts "door_pin_instance" material "steel"
65 flex_models "flex_models_1" parts "door_pin_instance" material_model neohookean_isotropic_plasticity
66 flex_models "flex_models_1" parts "door_pin_instance" quadrature_options tessellation_option "tessellation_options_1"
67 !=FLEX MODELS
68 !=INTERVALS
69 intervals "simulation_interval" new
70 intervals "simulation_interval" start_time 0
71 intervals "simulation_interval" stop_time 1
72 intervals "simulation_interval" time_increment 5e-4
73 intervals "simulation_output_interval" new
74 intervals "simulation_output_interval" use_start_stop_from_interval "simulation_interval"
75 intervals "simulation_output_interval" step_increment 1
76 !=INTERVALS
77 !=LINEAR EQUATION SOLVERS
78 linear_equation_solvers "direct_lu" new
79 linear_equation_solvers "direct_lu" direct lu
80 linear_equation_solvers "direct_multi_frontal" new
81 linear_equation_solvers "direct_multi_frontal" direct multi_frontal
82 !=LINEAR EQUATION SOLVERS
83 !=NONLINEAR EQUATION SOLVERS
84 nonlinear_equation_solvers "newton_raphson" new
85 nonlinear_equation_solvers "newton_raphson" newton linear_equation_solver "direct_multi_frontal"
86 nonlinear_equation_solvers "newton_raphson" newton maximum_iterations 20
87 nonlinear_equation_solvers "newton_raphson" newton target_relative_residual 1e-8
88 !=NONLINEAR EQUATION SOLVERS
89 !=TIMESTEPPERS
90 time_steppers "implicit_dynamics_quasistatic" new
91 time_steppers "implicit_dynamics_quasistatic" generalized_alpha spectral_radius 0
92 time_steppers "implicit_dynamics_quasistatic" generalized_alpha predictor constant_velocity
93 time_steppers "implicit_dynamics_quasistatic" generalized_alpha nonlinear_equation_solver "newton_raphson"
94 time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity maximum_time_step 0.1
95 time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity minimum_time_step 1e-5
96 time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity decrease_factor 0.25
97 time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity increase_factor 1.5
98 !=TIMESTEPPERS
99 !=BOUNDARY CONDITIONS
100 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" new
101 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" set "door_link_bottom_surfaces"
102 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" displacement function "constant_1"
103 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" displacement components 0 x
104 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" displacement components 1 y
105 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" displacement components 2 z

```

```

106 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" displacement scale_factor 0
107 solid_mechanics_definitions boundary_conditions "hold_door_link_bottom" quadrature_options tessellation_option "tessellation_options_1"
108 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" new
109 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" set "door_hinge_bolt_surfaces"
110 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" displacement function "linear_ramp"
111 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" displacement components 0 x
112 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" displacement components 1 y
113 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" displacement components 2 z
114 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" displacement scale_factor [0 0 9]
115 solid_mechanics_definitions boundary_conditions "pull_door_hinge_bolts" quadrature_options tessellation_option "tessellation_options_1"
116 #!=BOUNDARY CONDITIONS
117 #=INTERACTIONS
118 solid_mechanics_definitions interaction_properties "friction" new
119 solid_mechanics_definitions interaction_properties "friction" coulomb_friction coefficient_with_regularization friction_coefficient 0.3
120 solid_mechanics_definitions interaction_properties "friction" coulomb_friction coefficient_with_regularization regularization_velocity 0.1
121 solid_mechanics_definitions interactions "frictional_contact" new
122 solid_mechanics_definitions interactions "frictional_contact" mechanical_contact base_contact complement true
123 solid_mechanics_definitions interactions "frictional_contact" mechanical_contact interaction_properties "friction"
124 solid_mechanics_definitions interactions "frictional_contact" mechanical_contact approximate_tangent_iterations 6
125 solid_mechanics_definitions interactions "frictional_contact" quadrature_options tessellation_option "tessellation_options_1"
126 solid_mechanics_definitions interactions "frictional_contact" mechanical_contact activation_distance value 0.5
127 solid_mechanics_definitions interactions "frictional_contact" mechanical_contact activation_zone_influential_radius_factor 1.0
128 solid_mechanics_definitions interactions "frictional_contact" mechanical_contact potential_cutoff_distance_factor 0.5
129 #!=INTERACTIONS
130 #=PROBES
131 solid_mechanics_definitions probes "door_link_reaction_force" new
132 solid_mechanics_definitions probes "door_link_reaction_force" integrated_surface_quantity
133 solid_mechanics_definitions probes "door_link_reaction_force" integrated_surface_quantity use_set_from_boundary_condition "hold_door_link_bottom"
134 solid_mechanics_definitions probes "door_link_reaction_force" integrated_surface_quantity variables reaction_force 0 x
135 solid_mechanics_definitions probes "door_link_reaction_force" integrated_surface_quantity variables reaction_force 1 y
136 solid_mechanics_definitions probes "door_link_reaction_force" integrated_surface_quantity variables reaction_force 2 z
137 solid_mechanics_definitions probes "door_hinge_reaction_force" new
138 solid_mechanics_definitions probes "door_hinge_reaction_force" integrated_surface_quantity
139 solid_mechanics_definitions probes "door_hinge_reaction_force" integrated_surface_quantity use_set_from_boundary_condition "pull_door_hinge_bolts"
140 solid_mechanics_definitions probes "door_hinge_reaction_force" integrated_surface_quantity variables reaction_force 0 x
141 solid_mechanics_definitions probes "door_hinge_reaction_force" integrated_surface_quantity variables reaction_force 1 y
142 solid_mechanics_definitions probes "door_hinge_reaction_force" integrated_surface_quantity variables reaction_force 2 z
143 solid_mechanics_definitions probes "door_hinge_max_vm" new
144 solid_mechanics_definitions probes door_hinge_max_vm field extremum part active
145 solid_mechanics_definitions probes door_hinge_max_vm field extremum part ""
146 solid_mechanics_definitions probes door_hinge_max_vm field extremum part ""
147 solid_mechanics_definitions probes door_hinge_max_vm field extremum part "door_hinge"
148 solid_mechanics_definitions probes door_hinge_max_vm field extremum maximum active
149 solid_mechanics_definitions probes door_hinge_max_vm field extremum maximum stress active
150 solid_mechanics_definitions probes door_hinge_max_vm field extremum maximum stress von_mises
151 solid_mechanics_definitions probes door_hinge_max_vm field variables stress new
152 solid_mechanics_definitions probes door_hinge_max_vm field variables stress 0 von_mises
153 #!=PROBES
154 #=FIELD OUTPUT
155 solid_mechanics_definitions outputs "door_link_field_results" new
156 solid_mechanics_definitions outputs "door_link_field_results" field database_name "door_link_results"
157 solid_mechanics_definitions outputs "door_link_field_results" field interval "simulation_output_interval"
158 solid_mechanics_definitions outputs "door_link_field_results" field part "door_link"
159 solid_mechanics_definitions outputs "door_link_field_results" field variables displacement 0 x
160 solid_mechanics_definitions outputs "door_link_field_results" field variables displacement 1 y
161 solid_mechanics_definitions outputs "door_link_field_results" field variables displacement 2 z
162 solid_mechanics_definitions outputs "door_link_field_results" field variables stress 0 von_mises
163 solid_mechanics_definitions outputs "door_link_field_results" field variables plastic_strain 0 equivalent
164 solid_mechanics_definitions outputs "door_hinge_field_results" new
165 solid_mechanics_definitions outputs "door_hinge_field_results" field database_name "door_hinge_results"
166 solid_mechanics_definitions outputs "door_hinge_field_results" field interval "simulation_output_interval"
167 solid_mechanics_definitions outputs "door_hinge_field_results" field part "door_hinge"
168 solid_mechanics_definitions outputs "door_hinge_field_results" field variables displacement 0 x
169 solid_mechanics_definitions outputs "door_hinge_field_results" field variables displacement 1 y
170 solid_mechanics_definitions outputs "door_hinge_field_results" field variables displacement 2 z
171 solid_mechanics_definitions outputs "door_hinge_field_results" field variables stress 0 von_mises
172 solid_mechanics_definitions outputs "door_hinge_field_results" field variables plastic_strain 0 equivalent
173 solid_mechanics_definitions outputs "door_pin_field_results" new
174 solid_mechanics_definitions outputs "door_pin_field_results" field database_name "door_pin_results"
175 solid_mechanics_definitions outputs "door_pin_field_results" field interval "simulation_output_interval"
176 solid_mechanics_definitions outputs "door_pin_field_results" field part "door_pin"
177 solid_mechanics_definitions outputs "door_pin_field_results" field variables displacement 0 x
178 solid_mechanics_definitions outputs "door_pin_field_results" field variables displacement 1 y
179 solid_mechanics_definitions outputs "door_pin_field_results" field variables displacement 2 z
180 solid_mechanics_definitions outputs "door_pin_field_results" field variables stress 0 von_mises
181 solid_mechanics_definitions outputs "door_pin_field_results" field variables plastic_strain 0 equivalent
182 solid_mechanics_definitions outputs "door_link_reaction_force_results" new
183 solid_mechanics_definitions outputs "door_link_reaction_force_results" history interval "simulation_output_interval"
184 solid_mechanics_definitions outputs "door_link_reaction_force_results" history probe_variables 0 door_link_reaction_force
185 solid_mechanics_definitions outputs "door_hinge_reaction_force_results" new
186 solid_mechanics_definitions outputs "door_hinge_reaction_force_results" history interval "simulation_output_interval"
187 solid_mechanics_definitions outputs "door_hinge_reaction_force_results" history probe_variables 0 door_hinge_reaction_force
188 solid_mechanics_definitions outputs "door_hinge_max_vm_results" new
189 solid_mechanics_definitions outputs "door_hinge_max_vm_results" history interval "simulation_output_interval"
190 solid_mechanics_definitions outputs "door_hinge_max_vm_results" history probe_variables 0 door_hinge_max_vm
191 #!=FIELD OUTPUT
192 #=PROCEDURES
193 label "door_hinge_failure"
194 procedures "pull_door_hinge" solid_mechanics
195 procedures "pull_door_hinge" solid_mechanics interval "simulation_interval"
196 procedures "pull_door_hinge" solid_mechanics flex_model "flex_models_1"
197 procedures "pull_door_hinge" solid_mechanics time_stepping_method "implicit_dynamics_quasistatic"

```

```

198 procedures "pull_door_hinge" solid_mechanics boundary_conditions 0 "hold_door_link_bottom"
199 procedures "pull_door_hinge" solid_mechanics boundary_conditions 1 "pull_door_hinge_bolts"
200 procedures "pull_door_hinge" solid_mechanics interactions 0 "frictional_contact"
201 procedures "pull_door_hinge" solid_mechanics outputs 0 "door_link_field_results"
202 procedures "pull_door_hinge" solid_mechanics outputs 1 "door_hinge_field_results"
203 procedures "pull_door_hinge" solid_mechanics outputs 2 "door_pin_field_results"
204 procedures "pull_door_hinge" solid_mechanics outputs 3 "door_link_reaction_force_results"
205 procedures "pull_door_hinge" solid_mechanics outputs 4 "door_hinge_reaction_force_results"
206 procedures pull_door_hinge solid_mechanics outputs 5 door_hinge_max_vm_results
207 #!=PROCEDURES
208 #=Save the Coreform Flex project
209 save "door_lock_assembly.cf"
210 #!=Save the Coreform Flex project
211 #=SUBMIT TRIM JOB
212 # Check the trimmed mesh
213 job "job_door_hinge_trim" new
214 job "job_door_hinge_trim" trim processor_count 16
215 job "job_door_hinge_trim" trim trim_parts [door_link door_hinge door_pin]
216 job "job_door_hinge_trim" submit
217 job "job_door_hinge_trim" wait
218 #!=SUBMIT TRIM JOB
219 #=SUBMIT SIMULATION JOB
220 job "job_door_hinge_failure" new
221 job "job_door_hinge_failure" simulation processor_count 16
222 job "job_door_hinge_failure" submit
223 job "job_door_hinge_failure" wait
224 #!=SUBMIT SIMULATION JOB
225 #=VISUALIZE SIMULATION RESULTS
226 job "job_door_hinge_failure" render_iga timestep last scalars stress von_mises
227 #!=VISUALIZE SIMULATION RESULTS
228

```

4.2.2. job_door_hinge_failure.iga

```

1 {
2   "coreform_iga_version": "2025.8",
3   "data_output_file": "cf_iga_data_output_1p2.json",
4   "flex_models": [
5     {
6       "database_name": "geom",
7       "label": "flex_models_1",
8       "parts": [
9         {
10          "label": "door_hinge_instance",
11          "material": "aluminum",
12          "material_model": "neohookean_isotropic_plasticity",
13          "part": "door_hinge",
14          "quadrature_options": {
15            "optimization_lawson_hanson_solve_completion": true,
16            "optimization_method": "tet_pruning",
17            "optimization_residual_tolerance": 1.0000000000000002e-12,
18            "optimized_cut_quadrature_strategy": "reduce_from_uncut",
19            "quadrature": "QP1",
20            "tessellation_option": "tessellation_options_1"
21          }
22        },
23        {
24          "label": "door_link_instance",
25          "material": "aluminum",
26          "material_model": "neohookean_isotropic_plasticity",
27          "part": "door_link",
28          "quadrature_options": {
29            "optimization_lawson_hanson_solve_completion": true,
30            "optimization_method": "tet_pruning",
31            "optimization_residual_tolerance": 1.0000000000000002e-12,
32            "optimized_cut_quadrature_strategy": "reduce_from_uncut",
33            "quadrature": "QP1",
34            "tessellation_option": "tessellation_options_1"
35          }
36        },
37        {
38          "label": "door_pin_instance",
39          "material": "steel",
40          "material_model": "neohookean_isotropic_plasticity",
41          "part": "door_pin",
42          "quadrature_options": {
43            "optimization_lawson_hanson_solve_completion": true,
44            "optimization_method": "tet_pruning",
45            "optimization_residual_tolerance": 1.0000000000000002e-12,
46            "optimized_cut_quadrature_strategy": "reduce_from_uncut",
47            "quadrature": "QP1",
48            "tessellation_option": "tessellation_options_1"
49          }
50        }
51      ]
52    }
53  ]
54 }

```

```

51 ],
52   "small_cell_volume_ratio": 0
53 },
54 ],
55 "functions": [
56   {
57     "label": "aluminum_plastic_hardening",
58     "piecewise_linear": {
59       "abscissa": [0, 10],
60       "ordinate": [0, 100]
61     }
62   },
63   {
64     "label": "steel_plastic_hardening",
65     "piecewise_linear": {
66       "abscissa": [0, 10],
67       "ordinate": [0, 100]
68     }
69   },
70   {
71     "constant": {
72       "value": 1
73     },
74     "label": "constant_1"
75   },
76   {
77     "label": "linear_ramp",
78     "piecewise_linear": {
79       "abscissa": [0, 1],
80       "ordinate": [0, 1]
81     }
82   }
83 ],
84 "intervals": [
85   {
86     "label": "simulation_interval",
87     "start_time": 0,
88     "stop_time": 1,
89     "time_increment": 0.0005
90   },
91   {
92     "label": "simulation_output_interval",
93     "step_increment": 1,
94     "time_increment": 1,
95     "use_start_stop_from_interval": "simulation_interval"
96   }
97 ],
98 "label": "door_hinge_failure",
99 "linear_equation_solvers": [
100   {
101     "direct": {
102       "lu": {
103         "use_diagonal_scaling": false
104       }
105     },
106     "label": "direct_lu"
107   },
108   {
109     "direct": {
110       "multi_frontal": {
111         "use_diagonal_scaling": false
112       }
113     },
114     "label": "direct_multi_frontal"
115   }
116 ],
117 "materials": [
118   {
119     "label": "aluminum",
120     "mass_density": 2.6999999999999998e-9,
121     "neohookean_isotropic_plasticity": {
122       "isotropic_plasticity": {
123         "hardening_function": "aluminum_plastic_hardening",
124         "yield_stress": 322
125       },
126       "neohookean": {
127         "poissons_ratio": 0.3,
128         "youngs_modulus": 73800
129       }
130     }
131   },
132   {
133     "label": "steel",
134     "mass_density": 2.6999999999999998e-9,
135     "neohookean_isotropic_plasticity": {
136       "isotropic_plasticity": {
137         "hardening_function": "steel_plastic_hardening",
138         "yield_stress": 2000
139       },
140       "neohookean": {
141         "poissons_ratio": 0.29,
142         "youngs_modulus": 200000

```

```

143     }
144   }
145 }
146 ],
147 "nonlinear_equation_solvers": [
148   {
149     "label": "newton_raphson",
150     "newton": {
151       "linear_equation_solver": "direct_multi_frontal",
152       "maximum_iterations": 20,
153       "target_relative_residual": 1e-8,
154       "use_line_search": false
155     }
156   }
157 ],
158 "procedures": [
159   {
160     "label": "pull_door_hinge",
161     "solid_mechanics": {
162       "boundary_conditions": [
163         "hold_door_link_bottom",
164         "pull_door_hinge_bolts"
165       ],
166       "flex_model": "flex_models_1",
167       "interactions": [
168         "frictional_contact"
169       ],
170       "interval": "simulation_interval",
171       "outputs": [
172         "door_link_field_results",
173         "door_hinge_field_results",
174         "door_pin_field_results",
175         "door_link_reaction_force_results",
176         "door_hinge_reaction_force_results"
177       ],
178       "time_stepping_method": "implicit_dynamics_quasistatic"
179     }
180   }
181 ],
182 "solid_mechanics_definitions": {
183   "boundary_conditions": [
184     {
185       "displacement": {
186         "components": ["x", "y", "z"],
187         "function": "constant_1",
188         "scale_factor": 0
189       },
190       "label": "hold_door_link_bottom",
191       "penalty": {
192         "dimensionless": true,
193         "value": 10
194       },
195       "quadrature_options": {
196         "optimization_lawson_hanson_solve_completion": true,
197         "optimization_method": "tet_pruning",
198         "optimization_residual_tolerance": 1.0000000000000002e-12,
199         "optimized_cut_quadrature_strategy": "reduce_from_uncut",
200         "quadrature": "QP1",
201         "tessellation_option": "tessellation_options_1"
202       },
203       "set": "door_link_bottom_surfaces"
204     },
205     {
206       "displacement": {
207         "components": ["x", "y", "z"],
208         "function": "linear_ramp",
209         "scale_factor": [0, 0, 9]
210       },
211       "label": "pull_door_hinge_bolts",
212       "penalty": {
213         "dimensionless": true,
214         "value": 10
215       },
216       "quadrature_options": {
217         "optimization_lawson_hanson_solve_completion": true,
218         "optimization_method": "tet_pruning",
219         "optimization_residual_tolerance": 1.0000000000000002e-12,
220         "optimized_cut_quadrature_strategy": "reduce_from_uncut",
221         "quadrature": "QP1",
222         "tessellation_option": "tessellation_options_1"
223       },
224       "set": "door_hinge_bolt_surfaces"
225     }
226   ],
227   "interaction_properties": [
228     {
229       "coulomb_friction": {
230         "coefficient_with_regularization": {
231           "friction_coefficient": 0.3,
232           "regularization_velocity": 0.1
233         }
234     }

```

```

235     "label": "friction"
236   },
237 ],
238 "interactions": [
239   {
240     "label": "frictional_contact",
241     "mechanical_contact": {
242       "activation_distance": {
243         "dimensionless": true,
244         "value": 0.6
245       },
246       "activation_zone_influential_radius_factor": 1,
247       "angle_scaling": {
248         "negative_dot_product_lower_limit": 0,
249         "negative_dot_product_upper_limit": 1,
250         "ramp_function_continuity": "C0",
251         "scaling_strategy": "signed_distance"
252       },
253       "approximate_tangent_iterations": 6,
254       "base_contact": {
255         "complement": true
256       },
257       "collision_search_filter": {
258         "angle_filter": {
259           "threshold_angle": 30
260         },
261         "area_filter": {
262           "threshold_area_ratio": 10
263         },
264         "spurious_self_contact_filter": {
265           "use": true
266         }
267       },
268       "effective_distance_smoothing": {
269         "distance_smoothing_factor": 0.125
270       },
271       "interaction_properties": "friction",
272       "penalty": {
273         "dimensionless": true,
274         "value": 10
275       },
276       "potential_cutoff_distance_factor": 0.5
277     },
278     "quadrature_options": {
279       "optimization_lawson_hanson_solve_completion": true,
280       "optimization_method": "tet_pruning",
281       "optimization_residual_tolerance": 1.0000000000000002e-12,
282       "optimized_cut_quadrature_strategy": "reduce_from_uncut",
283       "quadrature": "QP1",
284       "tessellation_option": "tessellation_options_1"
285     }
286   },
287 ],
288 "outputs": [
289   {
290     "field": {
291       "database_name": "door_link_results_0p6",
292       "element_variable_output_strategy": "interpolate",
293       "external_surfaces_only": false,
294       "include_integration_point_output": false,
295       "interval": "simulation_output_interval",
296       "part": "door_link",
297       "variables": {
298         "displacement": ["x", "y", "z"],
299         "plastic_strain": ["equivalent"],
300         "stress": ["von_mises"]
301       }
302     },
303     "label": "door_link_field_results"
304   },
305   {
306     "field": {
307       "database_name": "door_hinge_results_0p6",
308       "element_variable_output_strategy": "interpolate",
309       "external_surfaces_only": false,
310       "include_integration_point_output": false,
311       "interval": "simulation_output_interval",
312       "part": "door_hinge",
313       "variables": {
314         "displacement": ["x", "y", "z"],
315         "plastic_strain": ["equivalent"],
316         "stress": ["von_mises"]
317       }
318     },
319     "label": "door_hinge_field_results"
320   },
321   {
322     "field": {
323       "database_name": "door_pin_results_0p6",
324       "element_variable_output_strategy": "interpolate",
325       "external_surfaces_only": false,
326       "include_integration_point_output": false,

```

```

327         "interval": "simulation_output_interval",
328         "part": "door_pin",
329         "variables": {
330             "displacement": ["x", "y", "z"],
331             "plastic_strain": ["equivalent"],
332             "stress": ["von_mises"]
333         }
334     },
335     "label": "door_pin_field_results"
336 },
337 {
338     "history": {
339         "interval": "simulation_output_interval",
340         "probe_variables": ["door_link_reaction_force"]
341     },
342     "label": "door_link_reaction_force_results"
343 },
344 {
345     "history": {
346         "interval": "simulation_output_interval",
347         "probe_variables": ["door_hinge_reaction_force"]
348     },
349     "label": "door_hinge_reaction_force_results"
350 }
351 ],
352 "probes": [
353     {
354         "integrated_surface_quantity": {
355             "use_set_from_boundary_condition": "hold_door_link_bottom",
356             "variables": {
357                 "reaction_force": ["x", "y", "z"]
358             }
359         },
360         "label": "door_link_reaction_force"
361     },
362     {
363         "integrated_surface_quantity": {
364             "use_set_from_boundary_condition": "pull_door_hinge_bolts",
365             "variables": {
366                 "reaction_force": ["x", "y", "z"]
367             }
368         },
369         "label": "door_hinge_reaction_force"
370     }
371 ],
372 },
373 "tessellation_options": [
374     {
375         "label": "tessellation_options_1",
376         "meshgems": {
377             "average_triangle_edge_subdivisions": 4
378         }
379     }
380 ],
381 "time_steppers": [
382     {
383         "generalized_alpha": {
384             "adaptivity": {
385                 "decrease_factor": 0.25,
386                 "increase_factor": 1.5,
387                 "maximum_time_step": 0.1,
388                 "minimum_time_step": 0.00001
389             },
390             "nonlinear_equation_solver": "newton_raphson",
391             "predictor": "constant_velocity",
392             "spectral_radius": 0
393         },
394         "label": "implicit_dynamics_quasistatic"
395     }
396 ]
397 }

```

4.2.3. read_force_vm.py

```

1  #!/usr/bin/env python3
2  # -*- coding: utf-8 -*-
3  """
4  Created on Thu Aug 21 10:42:45 2025
5
6  @author: danajer
7  """
8
9  import pandas as pd
10 import matplotlib.pyplot as plt

```

```

11 import numpy as np
12 import seaborn as sns
13
14 plt.close('all')
15
16 from matplotlib import rc
17
18 def set_style_sns():
19     sns.set_context('paper')
20     sns.set(font = 'serif')
21     sns.set(font_scale = 1.1)
22
23     sns.set_style('white', {
24         'font.family': 'serif',
25         'font.serif': ['Time', 'Palatino', 'serif'],
26         'lines.markersize': 10
27     })
28
29
30 plt.rcParams.update({'font.size':8})
31 set_style_sns()
32
33 plt.rcParams.update({'text.usetex': False})
34
35 files = ['with_probe/results_0p8/cf_iga_data_output.json',
36         'with_probe/results_1p0/cf_iga_data_output.json',
37         'with_probe/results_1p2/cf_iga_data_output.json']
38 mesh_sizes = ['0p8', '1p0', '1p2']
39 directs = ['x', 'y', 'z']
40
41 plt.figure(figsize = (10,8))
42
43 force_mag = []
44 vm_stresses = []
45 dofs = np.array([260247, 154746, 101739])
46 runtimes = []
47 for ii,file in enumerate(files):
48     data = pd.read_json(file, orient = 'index')
49     data_f = data['history']['pull_door_hinge']['door_hinge_reaction_force']
50     time = data_f['time']
51     force = np.stack([data_f['reaction_force']['x'], data_f['reaction_force']['y'], data_f['reaction_force']['z']])
52     vm_stress = data['history']['pull_door_hinge']['door_hinge_max_vm']['extremum']['stress']['von_mises']
53     vm_stresses.append(vm_stress[-1])
54     force_mag.append(np.sqrt(force[0,-1]**2 + force[1,-1]**2 + force[2,-1]**2))
55     runtimes.append(data['monitors']['pull_door_hinge']['timing']['procedure_solve'][0])
56     for jj in range(3):
57         plt.subplot(2,2,jj+1)
58         plt.plot(time, force[jj,:], label = mesh_sizes[ii])
59
60
61         if ii ==2:
62             plt.xlabel('Time, s')
63             plt.ylabel('door hinge reaction force, lbf')
64             plt.title(directs[jj])
65             plt.legend()
66             plt.grid('on')
67
68     plt.subplot(2,2,4)
69     plt.plot(time, vm_stress, label = mesh_sizes[ii])
70     if ii ==2:
71         plt.xlabel('Time, s')
72         plt.ylabel('door hinge von Mises, psi')
73         plt.title(directs[jj])
74         plt.legend()
75         plt.grid('on')
76
77
78 force_mag = np.array(force_mag)
79 vm_stresses = np.array(vm_stresses)
80 runtimes = np.array(runtimes)
81
82 plt.tight_layout()
83 plt.savefig('reaction_force_comparison.png')
84
85 plt.show()
86
87
88 plt.figure(figsize = (8,8))
89 plt.subplot(2,1,1)
90 plt.plot(dofs, force_mag, '-.', label = 'IGA')
91 plt.ylabel('Reaction Force Magnitude, lbf')
92 plt.xlabel('Number of DOFs')
93 plt.grid('on')
94 plt.legend()
95 plt.tight_layout()
96
97 plt.subplot(2,1,2)
98 plt.plot(dofs, vm_stresses, '-.', label = 'IGA')
99 plt.ylabel('Peak von Mises, psi')
100 plt.xlabel('Number of DOFs')
101 plt.grid('on')
102 plt.legend()

```

```

103 plt.tight_layout()
104 plt.savefig('door_hinge_force_vm_dofs.png')
105 plt.show()

```

4.3. Circuit Board

- Analysis type: nonlinear statics, modal
- Features: linear elastic materials
- Note: required slight geometry clean up




Figure 4-3. Circuit board geometry used for nonlinear static and modal analysis.

4.3.1. cb_modal_workflow_journal_separate.txt

```

1 #!python
2
3 import pickle
4
5 flex.cmd('reset')
6 flex.cmd('cd "C:\\Users\\danajer\\Documents\\fy25_coreform_eval\\iga\\circuit_board" ')
7
8 flex.cmd('open "C:\\Users\\danajer\\Documents\\fy25_coreform_eval\\iga\\circuit_board\\united_cb.cf" ')
9
10 flex.cmd('materials "materials_1" new')
11 flex.cmd('materials materials_1 label "aluminum" ')
12 flex.cmd('materials aluminum mass_density 0.0002538597037 ')
13 flex.cmd('materials aluminum elastic youngs_modulus 9.9e6')
14 flex.cmd('materials aluminum elastic poissons_ratio 0.33')
15 flex.cmd('materials aluminum elastic thermal_expansion thermal_expansion_coefficient 1e-6 ')
16 flex.cmd('materials aluminum elastic thermal_expansion reference_temperature 0.0 ') # assume C
17
18 names = ['volume_0', 'volume_1', 'volume_2', 'volume_3', 'volume_4', 'volume_5', 'volume_6', 'volume_7', 'volume_8', 'volume_9', 'volume_10',
19 ↪ 'volume_11', 'volume_12', 'volume_13', 'volume_14', 'volume_15', 'volume_16', 'volume_17', 'volume_18', 'volume_19', 'volume_20', 'volume_21',
20 ↪ 'volume_22', 'volume_23', 'volume_24', 'volume_25', 'volume_26', 'volume_27', 'volume_28', 'volume_29', 'volume_30', 'volume_31', 'volume_32',
21 ↪ 'volume_33', 'volume_34', 'volume_35', 'volume_36', 'volume_37', 'volume_38', 'volume_39', 'volume_40', 'volume_41', 'volume_42', 'volume_43',
22 ↪ 'volume_44', 'volume_45', 'volume_46', 'volume_47', 'volume_48', 'volume_49', 'volume_50', 'volume_51', 'volume_52', 'volume_53', 'volume_54',
23 ↪ 'volume_55', 'volume_56', 'volume_57', 'volume_58', 'volume_59', 'volume_60', 'volume_61', 'volume_62', 'volume_63', 'volume_64', 'volume_65',
24 ↪ 'volume_66', 'volume_67', 'volume_68', 'volume_69', 'volume_70', 'volume_71', 'volume_72', 'volume_73', 'volume_74', 'volume_75', 'volume_76',
25 ↪ 'volume_77', 'volume_78', 'volume_79', 'volume_80', 'volume_81', 'volume_82', 'volume_83', 'volume_84', 'volume_85', 'volume_86', 'volume_87',
26 ↪ 'volume_88', 'volume_89', 'volume_90', 'volume_91', 'volume_92', 'volume_93', 'volume_94', 'volume_95', 'volume_96', 'volume_97', 'volume_98',
27 ↪ 'volume_99', 'volume_100', 'volume_101', 'volume_102', 'volume_103', 'volume_104', 'volume_105', 'volume_106', 'volume_107', 'volume_108',
28 ↪ 'volume_109', 'volume_110', 'volume_111', 'volume_112', 'volume_113', 'volume_114', 'volume_115', 'volume_116', 'volume_117', 'volume_118',
29 ↪ 'volume_119']

```

```

char_lens = [0.0999999999999999964, 0.0999999999999999964, 0.125, 0.125, 0.125, 0.125, 0.0999999999999999964, 0.0999999999999999964, 6.075098173652298,
→ 2.1649999999999999, 4.990000000000000055, 0.260000000000000023, 0.009274631851750925, 1.029999999999999998, 0.23525317391444212, 0.23525317391443856,
→ 0.23525326482660702, 0.23525326482661058, 0.94, 0.794999999999999989, 1.25, 1.25, 1.25, 1.25, 0.199999999999999993, 0.199999999999999993,
→ 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993,
→ 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993,
→ 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993, 0.199999999999999993,
→ 0.199999999999999993, 0.199999999999999993, 0.242499999999999994, 0.242499999999999983, 0.242499999999999994, 0.242499999999999994, 0.399999999999999947,
→ 0.400000000000000013, 0.39999999999999999, 0.400000000000000013, 0.39999999999999999, 0.400000000000000036, 0.399999999999999947, 0.474999999999999964,
→ 0.474999999999999964, 0.400000000000000013, 0.400000000000000013, 0.424999999999999983, 0.274999999999999998, 0.27499999999999999, 0.375,
→ 0.52499999999999999, 0.37499999999999999, 0.375, 0.37500000000000002, 0.5, 0.37499999999999999, 0.42500000000000004, 0.55000000000000007,
→ 0.72499999999999999, 0.89999999999999999, 0.55, 0.5, 0.375, 0.27499999999999999, 0.27499999999999998, 0.57149999999999995, 0.57149999999999995,
→ 1.04139999999999999, 0.36115737867878117, 0.125, 0.44989615503082714, 0.30000000000000007, 1.299406919836394, 3.2999999999999999,
→ 4.3999999999999995, 4.116703784960141, 3.870772707314833, 1.27, 0.31750000000000008, 0.31750000000000008, 0.31749999999999999, 0.31749999999999999,
→ 0.31749999999999999, 0.31749999999999999, 1.27, 0.31749999999999999, 0.31749999999999999, 0.31749999999999999, 0.31749999999999999, 0.31749999999999999,
→ 0.31749999999999999, 0.09999999999999998, 0.5, 0.72500000000000004, 0.72500000000000003]

flex.cmd('data_output_file "cf_iga_data_output_0p1.json"')
flex.cmd('label "cb_modal_0p1"')

pnames = []
for ii in range(len(names)):
    pname = "part-{}".format(str(ii + 1))
    flex.cmd(' name part {} "{}" '.format(ii + 1, pname))
    mesh_name = "mesh_" + pname #names[ii]
    ms = char_lens[ii]/3.0
    print('mesh "{}" rectilinear degree 2 continuity 1 element_size [{} {} {}] padding [2 2 2]'.format(mesh_name, ms, ms, ms))
    flex.cmd('mesh "{}" rectilinear degree 2 continuity 1 element_size [{} {} {}] padding [2 2 2]'.format(mesh_name, ms, ms, ms))
    flex.cmd('part "{}" mesh "{}" '.format(pname, mesh_name))
    flex.cmd('part "{}" volume_box'.format(pname))
    flex.cmd(' visibility mesh [{}] toggle '.format(mesh_name))
    pnames.append(pname)

for ii in range(len(names)):
    flex.cmd('model_tree "geometry frames {} label" "frame-{}" undefined '.format(str(ii),str(ii)))

## flex models

flex.cmd('flex_models "flex_models_1" new ')
flex.cmd('flex_models "flex_models_1" database_name "geom" ')
flex.cmd('flex_models "flex_models_1" small_cell_volume_ratio 0')

for ii in range(len(pnames)):
    instance_name = "instance_" + pnames[ii]
    flex.cmd('flex_models "flex_models_1" parts "{}" part "{}" '.format(instance_name, pnames[ii]))
    flex.cmd('flex_models "flex_models_1" parts "{}" material "aluminum" '.format(instance_name))
    flex.cmd('flex_models "flex_models_1" parts "{}" material_model elastic '.format(instance_name))

## modal
flex.cmd('structural_modal_analysis_definitions modal_solution_methods "modal_solution_methods_1" new')
flex.cmd('structural_modal_analysis_definitions modal_solution_methods modal_solution_methods_1 frequency_extraction minimum_frequency 1')
flex.cmd('structural_modal_analysis_definitions modal_solution_methods modal_solution_methods_1 frequency_extraction maximum_frequency 5000')

## boundary conditions

flex.cmd('set "set_bc" pick curve 5448')
flex.cmd('set "set_bc" pick curve 5434')

flex.cmd('structural_modal_analysis_definitions boundary_conditions "fixed" new ')
flex.cmd('structural_modal_analysis_definitions boundary_conditions "fixed" set "set_bc" ')
flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components new')
flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components 0 x')
flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components new')
flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components 1 y')
flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components new')
flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components 2 z')

## output

flex.cmd('structural_modal_analysis_definitions outputs "outputs_1" new')
flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field database_name "cb_modal_0p1"')
flex.cmd('intervals "intervals_1" new')
flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field interval "intervals_1"')
flex.cmd('intervals intervals_1 start_time 1')
flex.cmd('intervals intervals_1 step_increment 1')
flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field variables displacement new')
flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field variables displacement 0 all')
flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field part "part_1" ')

flex.cmd('set "all_parts" new ')
for ii in range(len(pnames)):
    flex.cmd('set "all_parts" add parts [{}]'.format(ii + 1))

flex.cmd('structural_modal_analysis_definitions outputs "outputs_2" new')
flex.cmd('structural_modal_analysis_definitions outputs outputs_2 field database_name "cb_all_parts_modal_0p1"')
flex.cmd('intervals "intervals_1" new')
flex.cmd('structural_modal_analysis_definitions outputs outputs_2 field interval "intervals_1"')
flex.cmd('intervals intervals_1 start_time 1')
flex.cmd('intervals intervals_1 step_increment 1')
flex.cmd('structural_modal_analysis_definitions outputs outputs_2 field variables displacement new')
flex.cmd('structural_modal_analysis_definitions outputs outputs_2 field variables displacement 0 all')

```

```

96 flex.cmd('structural_modal_analysis_definitions outputs outputs_2 field set "all_parts" ')
97
98 ## functions
99
100 flex.cmd('functions "constant_1" new ')
101 flex.cmd('functions "constant_1" constant value 1 ')
102
103 ## procedure
104
105 flex.cmd('procedures procedures_1 structural_modal_analysis flex_model "flex_models_1" ')
106 flex.cmd('procedures procedures_1 structural_modal_analysis modal_solution_method "modal_solution_methods_1"')
107 flex.cmd('procedures procedures_1 structural_modal_analysis boundary_conditions new')
108 flex.cmd('procedures procedures_1 structural_modal_analysis boundary_conditions 0 fixed')
109 flex.cmd('procedures procedures_1 structural_modal_analysis interactions new')
110 flex.cmd('procedures procedures_1 structural_modal_analysis interactions 0 delete')
111 flex.cmd('procedures procedures_1 structural_modal_analysis outputs new')
112 flex.cmd('procedures procedures_1 structural_modal_analysis outputs 0 outputs_1')
113 flex.cmd('procedures procedures_1 structural_modal_analysis outputs new')
114 flex.cmd('procedures procedures_1 structural_modal_analysis outputs 1 outputs_2')
115
116 ## interactions
117
118 flex.cmd('procedures procedures_1 structural_modal_analysis interactions new')
119 flex.cmd('structural_modal_analysis_definitions interactions "interactions_1" new')
120 flex.cmd('procedures procedures_1 structural_modal_analysis interactions 0 interactions_1')
121 flex.cmd('structural_modal_analysis_definitions interactions interactions_1 tied_constraint active')
122 flex.cmd('structural_modal_analysis_definitions interaction_search_parameters "interaction_search_parameters_1" new')
123 flex.cmd('structural_modal_analysis_definitions interactions interactions_1 tied_constraint region_search_method "interaction_search_parameters_1"')
124 flex.cmd('structural_modal_analysis_definitions interactions interactions_1 tied_constraint target_set "all_parts" ')
125 flex.cmd('structural_modal_analysis_definitions interactions interactions_1 tied_constraint source_set "all_parts" ')
126
127 ## Check the trimmed mesh
128 flex.cmd('job "job_cb_modal_001" new ')
129 flex.cmd('job "job_cb_modal_001" trim processor_count 16 ')
130 flex.cmd('model_tree "job_manager queues local working_dir" "jobs_cb_modal_001" undefined')
131
132 fstr = '['
133 for ii in range(len(names)):
134     fstr = fstr + '{' '.format(pnames[ii])
135
136 fstr = fstr + ']'
137
138 flex.cmd('job "job_cb_modal_001" trim trim_parts {} '.format(fstr))
139
140 flex.cmd('model_tree "job_manager jobs 0 job_type trim processor_count" "64" undefined')
141 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts" new')
142 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts 0" "part_1" undefined')
143 flex.cmd('model_tree "job_manager jobs 0 job_type simulation processor_count" "64" undefined')
144 flex.cmd('model_tree "job_manager jobs 0 job_type simulation render variable displacement" "undefined" undefined')
145 flex.cmd('model_tree "job_manager jobs 0 job_type simulation render variable displacement" "all" undefined')
146
147 ## end
148
149 ## intervals
150
151 flex.cmd('intervals "simulation_interval" new')
152 flex.cmd('intervals "simulation_interval" start_time 0')
153 flex.cmd('intervals intervals_1 start_step 1')
154 flex.cmd('intervals "simulation_interval" stop_time 1')
155 flex.cmd('intervals "simulation_interval" time_increment 5e-4')
156 flex.cmd('intervals "simulation_output_interval" new')
157 flex.cmd('intervals "simulation_output_interval" use_start_stop_from_interval "simulation_interval"')
158 flex.cmd('intervals "simulation_output_interval" step_increment 1')
159 #flex.cmd('intervals simulation_output_interval number_equally_spaced_values 10')
160
161 ## linear eq solvers
162
163 flex.cmd('linear_equation_solvers "direct_lu" new')
164 flex.cmd('linear_equation_solvers "direct_lu" direct_lu')
165 flex.cmd('linear_equation_solvers "direct_multi_frontal" new')
166 flex.cmd('linear_equation_solvers "direct_multi_frontal" direct_multi_frontal')
167
168 ## nonlinear eq. solvers
169
170 flex.cmd('nonlinear_equation_solvers "newton_raphson" new')
171 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton linear_equation_solver "direct_multi_frontal"')
172 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton maximum_iterations 20')
173 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton target_relative_residual 1e-8')
174
175 ## timesteppers
176
177 flex.cmd('time_steppers "implicit_dynamics_quasistatic" new ')
178 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha spectral_radius 0 ')
179 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha predictor constant_velocity ')
180 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha nonlinear_equation_solver "newton_raphson" ')
181 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity maximum_time_step 0.1 ')
182 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity minimum_time_step 1e-5 ')
183 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity decrease_factor 0.25 ')
184 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity increase_factor 1.5 ')
185
186 ## functions
187

```

```

188 flex.cmd('functions "constant_1" new ')
189 flex.cmd('functions "constant_1" constant value 1 ')
190 flex.cmd('functions "linear_ramp" new ')
191 flex.cmd('functions "linear_ramp" piecewise_linear abscissa [0 1] ')
192 flex.cmd('functions "linear_ramp" piecewise_linear ordinate [0 1] ')
193
194 ## boundary conditions
195
196 flex.cmd('set "set_bc" pick curve 5448')
197 flex.cmd('set "set_bc" pick curve 5434 ')
198
199 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" new ')
200 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" set "set_bc" ')
201 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement function "constant_1" ')
202 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 0 x ')
203 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 1 y ')
204 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 2 z ')
205 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement scale_factor 0 ')
206
207 ## load
208
209 flex.cmd('solid_mechanics_definitions load_conditions "load_conditions_1" new')
210 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force active ')
211 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force components new ')
212 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force components 0 y ')
213 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force function "linear_ramp" ')
214 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 part "part_1" ')
215 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force scale_factor [50] ')
216
217 ## output
218
219 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" new ')
220 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field database_name "cb_statics_result"')
221 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field interval "simulation_output_interval"')
222 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field part "part_1" ')
223 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 0 x ')
224 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 1 y ')
225 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 2 z ')
226 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables stress 0 von_mises ')
227
228 ## procedure
229
230 flex.cmd('label "uur_mech_analysis" ')
231 flex.cmd('procedures "cb_statics" solid_mechanics ')
232 flex.cmd('procedures "cb_statics" solid_mechanics interval "simulation_interval" ')
233 flex.cmd('procedures "cb_statics" solid_mechanics flex_model "flex_models_1" ')
234 flex.cmd('procedures "cb_statics" solid_mechanics time_stepping_method "implicit_dynamics_quasistatic" ')
235 flex.cmd('procedures "cb_statics" solid_mechanics boundary_conditions 0 "fixed" ')
236
237 flex.cmd('procedures "cb_statics" solid_mechanics outputs 0 "cb_statics_results" ')
238 flex.cmd('procedures "cb_statics" solid_mechanics load_conditions 0 load_conditions_1 ')
239
240 flex.cmd('model_tree "job_manager jobs 0 label" "cb_static_" undefined')
241 flex.cmd('model_tree "job_manager jobs 0 label" "cb_static_0p1" undefined')
242 flex.cmd('model_tree "job_manager jobs 0 job_type trim" "undefined" undefined')
243 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts" new')
244 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts 0" "part_1" undefined')
245 flex.cmd('model_tree "job_manager jobs 0 job_type trim processor_count" "24" undefined')

```

4.3.2. cb_modal_workflow_journal.txt

```

1 #!python
2
3 import pickle
4
5 flex.cmd('reset')
6 flex.cmd('cd "C:\\Users\\danajer\\Documents\\fy25_coreform_eval\\iga\\circuit_board" ')
7
8 flex.cmd('open "C:\\Users\\danajer\\Documents\\fy25_coreform_eval\\iga\\circuit_board\\united_cb.cf" ')
9
10 flex.cmd('materials "materials_1" new')
11 flex.cmd('materials materials_1 label "aluminum" ')
12 flex.cmd('materials aluminum mass_density 0.0002538597037 ')
13 flex.cmd('materials aluminum elastic youngs_modulus 9.9e6')
14 flex.cmd('materials aluminum elastic poissons_ratio 0.33')
15 flex.cmd('materials aluminum elastic thermal_expansion thermal_expansion_coefficient 1e-6 ')
16 flex.cmd('materials materials aluminum elastic thermal_expansion reference_temperature 0.0 ') # assume C
17
18 names = ['ARDUINO_UNO_REV3_SMD_NAU01-1001-003-02000-1001-003-02000-Chamfer3']
19 char_lens = [0.3]
20
21 flex.cmd('data_output_file "cf_iga_data_output_0p1.json"')
22 flex.cmd('label "cb_modal_0p1"')
23

```

```

24 pnames = []
25 for ii in range(len(names)):
26     pname = "part_{}".format(str(ii + 1))
27     flex.cmd(' name part {} {}'.format(ii + 1, pname))
28     mesh_name = "mesh_" + pname #names[ii]
29     ms = char_lens[ii]/3.0
30     print('mesh "{}" rectilinear degree 2 continuity 1 element_size [{} {} {}] padding [2 2 2]'.format(mesh_name, ms, ms, ms))
31     flex.cmd('mesh "{}" rectilinear degree 2 continuity 1 element_size [{} {} {}] padding [2 2 2]'.format(mesh_name, ms, ms, ms))
32     flex.cmd('part {} mesh {} {}'.format(pname, mesh_name))
33     flex.cmd('part {} volume_box'.format(pname))
34     flex.cmd(' visibility mesh [{}] toggle {}'.format(mesh_name))
35     pnames.append(pname)
36
37 for ii in range(len(names)):
38     flex.cmd('model_tree "geometry frames {} label" "frame-{}" undefined {}'.format(str(ii), str(ii)))
39
40 ## flex models
41
42 flex.cmd('flex_models "flex_models_1" new ')
43 flex.cmd('flex_models "flex_models_1" database_name "geom" ')
44 flex.cmd('flex_models "flex_models_1" small_cell_volume_ratio 0')
45
46 for ii in range(len(pnames)):
47     instance_name = "instance_" + pnames[ii]
48     flex.cmd('flex_models "flex_models_1" parts {} part {}'.format(instance_name, pnames[ii]))
49     flex.cmd('flex_models "flex_models_1" parts {} material "aluminum" {}'.format(instance_name))
50     flex.cmd('flex_models "flex_models_1" parts {} material_model elastic {}'.format(instance_name))
51
52 ## modal
53 flex.cmd('structural_modal_analysis_definitions modal_solution_methods "modal_solution_methods_1" new')
54 flex.cmd('structural_modal_analysis_definitions modal_solution_methods modal_solution_methods_1 frequency_extraction minimum_frequency 1')
55 flex.cmd('structural_modal_analysis_definitions modal_solution_methods modal_solution_methods_1 frequency_extraction maximum_frequency 5000')
56
57 ## boundary conditions
58
59 flex.cmd('set "set_bc" pick curve 5448')
60 flex.cmd('set "set_bc" pick curve 5434')
61
62 flex.cmd('structural_modal_analysis_definitions boundary_conditions "fixed" new ')
63 flex.cmd('structural_modal_analysis_definitions boundary_conditions "fixed" set "set_bc" ')
64 flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components new')
65 flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components 0 x')
66 flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components new')
67 flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components 1 y')
68 flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components new')
69 flex.cmd('structural_modal_analysis_definitions boundary_conditions fixed components 2 z')
70
71 ## output
72
73 flex.cmd('structural_modal_analysis_definitions outputs "outputs_1" new')
74 flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field database_name "cb_modal_0p1"')
75 flex.cmd('intervals "intervals_1" new')
76 flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field interval "intervals_1"')
77 flex.cmd('intervals intervals_1 start_time 1')
78 flex.cmd('intervals intervals_1 step_increment 1')
79 flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field variables displacement new')
80 flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field variables displacement 0 all')
81 flex.cmd('structural_modal_analysis_definitions outputs outputs_1 field part "part_1" ')
82
83 ## functions
84
85 flex.cmd('functions "constant_1" new ')
86 flex.cmd('functions "constant_1" constant value 1 ')
87
88 ## procedure
89
90 flex.cmd('procedures procedures_1 structural_modal_analysis flex_model "flex_models_1" ')
91 flex.cmd('procedures procedures_1 structural_modal_analysis modal_solution_method "modal_solution_methods_1"')
92 flex.cmd('procedures procedures_1 structural_modal_analysis boundary_conditions new')
93 flex.cmd('procedures procedures_1 structural_modal_analysis boundary_conditions 0 fixed')
94 flex.cmd('procedures procedures_1 structural_modal_analysis interactions new')
95 flex.cmd('procedures procedures_1 structural_modal_analysis interactions 0 delete')
96 flex.cmd('procedures procedures_1 structural_modal_analysis outputs new')
97 flex.cmd('procedures procedures_1 structural_modal_analysis outputs 0 outputs_1')
98
99 flex.cmd('model_tree "job_manager jobs 0 job_type trim processor_count" "64" undefined')
100 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts" new')
101 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts 0" "part_1" undefined')
102 flex.cmd('model_tree "job_manager jobs 0 job_type simulation processor_count" "64" undefined')
103 flex.cmd('model_tree "job_manager jobs 0 job_type simulation render variable displacement" "undefined" undefined')
104 flex.cmd('model_tree "job_manager jobs 0 job_type simulation render variable displacement" "all" undefined')
105
106 ## end
107
108 ## intervals
109
110 flex.cmd('intervals "simulation_interval" new')
111 flex.cmd('intervals "simulation_interval" start_time 0')
112 flex.cmd('intervals "simulation_interval" stop_time 1')
113 flex.cmd('intervals "simulation_interval" time_increment 5e-4')
114 flex.cmd('intervals "simulation_output_interval" new')
115 flex.cmd('intervals "simulation_output_interval" use_start_stop_from_interval "simulation_interval")

```

```

116 flex.cmd('intervals "simulation_output_interval" step_increment 1')
117 #flex.cmd('intervals simulation_output_interval number_equally_spaced_values 10')
118
119 ## linear eq solvers
120
121 flex.cmd('linear_equation_solvers "direct_lu" new')
122 flex.cmd('linear_equation_solvers "direct_lu" direct_lu')
123 flex.cmd('linear_equation_solvers "direct_multi_frontal" new')
124 flex.cmd('linear_equation_solvers "direct_multi_frontal" direct_multi_frontal')
125
126 ## nonlinear eq. solvers
127
128 flex.cmd('nonlinear_equation_solvers "newton_raphson" new')
129 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton linear_equation_solver "direct_multi_frontal"')
130 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton maximum_iterations 20')
131 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton target_relative_residual 1e-8')
132
133 ## timesteppers
134
135 flex.cmd('time_steppers "implicit_dynamics_quasistatic" new ')
136 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha spectral_radius 0 ')
137 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha predictor constant_velocity ')
138 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha nonlinear_equation_solver "newton_raphson" ')
139 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity maximum_time_step 0.1 ')
140 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity minimum_time_step 1e-5 ')
141 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity decrease_factor 0.25 ')
142 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity increase_factor 1.5 ')
143
144 ## functions
145
146 flex.cmd('functions "constant_1" new ')
147 flex.cmd('functions "constant_1" constant value 1 ')
148 flex.cmd('functions "linear_ramp" new ')
149 flex.cmd('functions "linear_ramp" piecewise_linear abscissa [0 1] ')
150 flex.cmd('functions "linear_ramp" piecewise_linear ordinate [0 1] ')
151
152 ## boundary conditions
153
154 flex.cmd('set "set_bc" pick curve 5448')
155 flex.cmd('set "set_bc" pick curve 5434 ')
156
157 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" new ')
158 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" set "set_bc" ')
159 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement function "constant_1" ')
160 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 0 x ')
161 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 1 y ')
162 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 2 z ')
163 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement scale_factor 0 ')
164
165 ## load
166
167 flex.cmd('solid_mechanics_definitions load_conditions "load_conditions_1" new')
168 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force active ')
169 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force components new ')
170 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force components 0 y ')
171 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force function "linear_ramp" ')
172 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 part "part_1" ')
173 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force scale_factor [50] ')
174
175 ## output
176
177 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" new ')
178 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field database_name "cb_statics_result"')
179 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field interval "simulation_output_interval"')
180 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field part "part_1" ')
181 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 0 x ')
182 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 1 y ')
183 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 2 z ')
184 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables stress 0 von_mises ')
185
186 ## procedure
187
188 flex.cmd('label "uur_mech_analysis" ')
189 flex.cmd('procedures "cb_statics" solid_mechanics ')
190 flex.cmd('procedures "cb_statics" solid_mechanics interval "simulation_interval" ')
191 flex.cmd('procedures "cb_statics" solid_mechanics flex_model "flex_models_1" ')
192 flex.cmd('procedures "cb_statics" solid_mechanics time_stepping_method "implicit_dynamics_quasistatic" ')
193 flex.cmd('procedures "cb_statics" solid_mechanics boundary_conditions 0 "fixed" ')
194
195 flex.cmd('procedures "cb_statics" solid_mechanics outputs 0 "cb_statics_results" ')
196 flex.cmd('procedures "cb_statics" solid_mechanics load_conditions 0 load_conditions_1 ')
197
198 flex.cmd('model_tree "job_manager jobs 0 label" "cb_static_" undefined')
199 flex.cmd('model_tree "job_manager jobs 0 label" "cb_static_0p1" undefined')
200 flex.cmd('model_tree "job_manager jobs 0 job_type trim" "undefined" undefined')
201 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts" new')
202 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts 0" "part_1" undefined')
203 flex.cmd('model_tree "job_manager jobs 0 job_type trim processor_count" "24" undefined')

```

4.3.3. cb_workflow_journal.txt

```
1 #!python
2
3 import pickle
4
5 flex.cmd('reset')
6 flex.cmd('cd "C:\\Users\\danajer\\Documents\\fy25_coreform_eval\\iga\\circuit_board" ')
7
8 flex.cmd('open "C:\\Users\\danajer\\Documents\\fy25_coreform_eval\\iga\\circuit_board\\united_cb.cf" ')
9
10 flex.cmd('materials "materials_1" new')
11 flex.cmd('materials materials_1 label "aluminum" ')
12 flex.cmd('materials aluminum mass_density 0.0002538597037 ')
13 flex.cmd('materials aluminum elastic youngs_modulus 9.9e6')
14 flex.cmd('materials aluminum elastic poissons_ratio 0.33')
15 flex.cmd('materials aluminum elastic thermal_expansion thermal_expansion_coefficient 1e-6 ')
16 flex.cmd('materials aluminum elastic thermal_expansion reference_temperature 0.0 ') # assume C
17
18 names = ['ARDUINO_UNO_REV3_SMD_NAU01_1001-003-02000_1001-003-02000_Chamfer3']
19 char_lens = [0.3]
20
21 flex.cmd('data_output_file "cf_iga_data_output_0p1.json"')
22 flex.cmd('label "cb_static_grav_0p1"')
23
24 pnames = []
25 for ii in range(len(names)):
26     pname = "part-{}".format(str(ii + 1))
27     flex.cmd('name part {} "{}" '.format(ii + 1, pname))
28     mesh_name = "mesh-" + pname #names[ii]
29     ms = char_lens[ii]/3.0
30     print('mesh "{}" rectilinear degree 2 continuity 1 element_size [{} {} {}] padding [2 2 2]'.format(mesh_name, ms, ms, ms))
31     flex.cmd('mesh "{}" rectilinear degree 2 continuity 1 element_size [{} {} {}] padding [2 2 2]'.format(mesh_name, ms, ms, ms))
32     flex.cmd('part {} mesh "{}" '.format(pname, mesh_name))
33     flex.cmd('part {} volume_box'.format(pname))
34     flex.cmd('visibility mesh [{}] toggle '.format(mesh_name))
35     pnames.append(pname)
36
37 for ii in range(len(names)):
38     flex.cmd('model_tree "geometry frames {} label" "frame-{}" undefined '.format(str(ii), str(ii)))
39
40 ## flex models
41
42 flex.cmd('flex_models "flex_models_1" new ')
43 flex.cmd('flex_models "flex_models_1" database_name "geom" ')
44 flex.cmd('flex_models "flex_models_1" small_cell_volume_ratio 0')
45
46 for ii in range(len(pnames)):
47     instance_name = "instance-" + pnames[ii]
48     flex.cmd('flex_models "flex_models_1" parts "{}" part "{}" '.format(instance_name, pnames[ii]))
49     flex.cmd('flex_models "flex_models_1" parts "{}" material "aluminum" '.format(instance_name))
50     flex.cmd('flex_models "flex_models_1" parts "{}" material_model elastic '.format(instance_name))
51
52 ## intervals
53
54 flex.cmd('intervals "simulation_interval" new')
55 flex.cmd('intervals "simulation_interval" start_time 0')
56 flex.cmd('intervals "simulation_interval" stop_time 1')
57 flex.cmd('intervals "simulation_interval" time_increment 5e-4')
58 flex.cmd('intervals "simulation_output_interval" new')
59 flex.cmd('intervals "simulation_output_interval" use_start_stop_from_interval "simulation_interval"')
60 #flex.cmd('intervals "simulation_output_interval" step_increment 1')
61 flex.cmd('intervals simulation_output_interval number_equally_spaced_values 10')
62
63 ## linear eq solvers
64
65 flex.cmd('linear_equation_solvers "direct_lu" new')
66 flex.cmd('linear_equation_solvers "direct_lu" direct lu')
67 flex.cmd('linear_equation_solvers "direct_multi_frontal" new')
68 flex.cmd('linear_equation_solvers "direct_multi_frontal" direct multi-frontal')
69
70 ## nonlinear eq. solvers
71
72 flex.cmd('nonlinear_equation_solvers "newton_raphson" new')
73 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton linear_equation_solver "direct_multi_frontal"')
74 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton maximum_iterations 20')
75 flex.cmd('nonlinear_equation_solvers "newton_raphson" newton target_relative_residual 1e-8')
76
77 ## timesteppers
78
79 flex.cmd('time_steppers "implicit_dynamics_quasistatic" new ')
80 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha spectral_radius 0 ')
81 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha predictor constant_velocity ')
82 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha nonlinear_equation_solver "newton_raphson" ')
83 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity maximum_time_step 0.1 ')
84 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity minimum_time_step 1e-5 ')
85 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity decrease_factor 0.25 ')
86 flex.cmd('time_steppers "implicit_dynamics_quasistatic" generalized_alpha adaptivity increase_factor 1.5 ')
87
```

```

88 ## functions
89
90 flex.cmd('functions "constant_1" new ')
91 flex.cmd('functions "constant_1" constant value 1 ')
92 flex.cmd('functions "linear_ramp" new ')
93 flex.cmd('functions "linear_ramp" piecewise_linear abscissa [0 1] ')
94 flex.cmd('functions "linear_ramp" piecewise_linear ordinate [0 1] ')
95
96 ## boundary conditions
97
98 flex.cmd('set "set_bc" pick curve 5448')
99 flex.cmd('set "set_bc" pick curve 5434')
100
101 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" new ')
102 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" set "set_bc" ')
103 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement function "constant_1" ')
104 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 0 x ')
105 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 1 y ')
106 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement components 2 z ')
107 flex.cmd('solid_mechanics_definitions boundary_conditions "fixed" displacement scale_factor 0 ')
108
109
110 ## load
111
112 flex.cmd('solid_mechanics_definitions load_conditions "load_conditions_1" new')
113 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force active ')
114 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force components new ')
115 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force components 0 y ')
116 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force function "linear_ramp" ')
117 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 part "part_1" ')
118 flex.cmd('solid_mechanics_definitions load_conditions load_conditions_1 body_force scale_factor [50] ')
119
120 ## output
121
122 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" new ')
123 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field database_name "cb_statics_result"')
124 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field interval "simulation_output_interval"')
125 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field part "part_1" ')
126 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 0 x ')
127 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 1 y ')
128 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables displacement 2 z ')
129 flex.cmd('solid_mechanics_definitions outputs "cb_statics_results" field variables stress 0 von_mises ')
130
131 ## procedure
132
133 flex.cmd('label "uur_mech_analysis" ')
134 flex.cmd('procedures "cb_statics" solid_mechanics ')
135 flex.cmd('procedures "cb_statics" solid_mechanics interval "simulation_interval" ')
136 flex.cmd('procedures "cb_statics" solid_mechanics flex_model "flex_models_1" ')
137 flex.cmd('procedures "cb_statics" solid_mechanics time_stepping_method "implicit_dynamics_quasistatic" ')
138 flex.cmd('procedures "cb_statics" solid_mechanics boundary_conditions 0 "fixed" ')
139
140 flex.cmd('procedures "cb_statics" solid_mechanics outputs 0 "cb_statics_results" ')
141 flex.cmd('procedures "cb_statics" solid_mechanics load_conditions 0 load_conditions_1 ')
142
143 flex.cmd('model_tree "job_manager jobs 0 label" "cb_static_" undefined')
144 flex.cmd('model_tree "job_manager jobs 0 label" "cb_static_0p1" undefined')
145 flex.cmd('model_tree "job_manager jobs 0 job_type trim" "undefined" undefined')
146 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts" new')
147 flex.cmd('model_tree "job_manager jobs 0 job_type trim parts 0" "part_1" undefined')
148 flex.cmd('model_tree "job_manager jobs 0 job_type trim processor_count" "24" undefined')

```

5. METHODS

DRAFT

This page intentionally left blank.

6. RESULTS

DRAFT

This page intentionally left blank.

7. CONCLUSION

That is, as they say, all, folks.

DRAFT

This page intentionally left blank.

8. BIBLIOGRAPHY

Hughes, T.J.R., Cottrell, J.A., and Bazilevs, Y. (2005). "Isogeometric analysis: CAD, finite elements, NURBS, exact geometry and mesh refinement." *Computer Methods in Applied Mechanics and Engineering*.

This page intentionally left blank.

APPENDIX A. Appendices

Include any supplementary material, such as additional data, calculations, or detailed explanations of methods that are too lengthy for the main sections.

DRAFT



Sandia
National
Laboratories

Sandia National Laboratories is a multimission laboratory managed and operated by National Technology & Engineering Solutions of Sandia LLC, a wholly owned subsidiary of Honeywell International Inc., for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.