

CUSTOMER MILESTONE BRIEF

MS #60 - CloudBank Native Account/Transfer Transaction Wave

Purpose, customer value, delivered capability, evidence, and claim boundaries

Status	Complete - execution passed
Release	0.60.0
Date	2026-09-02
Audience	Customers, partners, executives, architects, delivery teams, and assurance reviewers

Published execution result

Published 2026-09-11: Native Account and Transfer wave. The original signed receipt is retained in the completed MS67 evidence chain.

[Original signed receipt 1](#)

[Full MS54–67 execution evidence index](#)

Executive summary

MS #60 - CloudBank Native Account/Transfer Transaction Wave converts a specific part of the LIGHTYEAR modernization approach into a governed, reviewable capability. Turns the bounded PostgreSQL transaction core into a live two-service money-movement wave with authenticated HTTP, restart recovery, and concurrent conservation evidence.

Why this matters to a customer

Turns the bounded PostgreSQL transaction core into a live two-service money-movement wave with authenticated HTTP, restart recovery, and concurrent conservation evidence.

The practical result is a narrower, evidence-backed decision instead of a broad modernization claim. Commercial, architecture, delivery, security, and assurance teams can review the same capability, proof, and limits.

What the milestone delivers

- An MS #59-chained isolated target that starts native PostgreSQL plus real Account and Transfer executable JARs on loopback-only ephemeral ports.
- An explicit cloudbank-wave security profile requiring synthetic Basic authentication at Transfer and an internal token plus actor authorization at Account.
- Eleven live scenarios covering health, authentication boundaries, invalid input, ownership, insufficient funds, successful conservation, duplicate replay, service restarts, and concurrency.

- Durable idempotency evidence after separate Transfer and Account process restarts without a second debit or journal mutation.
- Eight concurrent opposite transfers proving stable lock ordering, exact balances, paired journals, and net-zero value movement.
- Executable JAR inspection requiring two applications with zero Oracle and zero MicroTx runtime libraries.
- Per-run generated credentials, synthetic data only, loopback network exposure, non-persisted raw logs, and safe aggregate failure evidence.
- Deterministic plans, acceptance and compatibility contracts, schemas, cross-platform launchers, CI, Control Tower status, documentation, and adversarial receipt tests.

How it differs from earlier work

MS #59 generated and natively qualified the bounded PostgreSQL transaction core while testing Transfer against an isolated facade. MS #60 starts Account and Transfer together and closes only the target-side integrated wave and local LRA-replacement gates.

Earlier evidence is not automatically promoted into this milestone. A parser, simulator, local comparison, or generated artifact is not live platform equivalence or production readiness.

What a customer can do with it

A customer can use cloudbank native account/transfer transaction wave as a bounded decision and delivery capability, attached to approved sources, owners, policies, target architecture, acceptance criteria, and authorized evidence.

Unresolved semantic loss, policy decisions, unsupported behavior, and live-evidence requirements remain visible.

Evidence and acceptance posture

The repository capability is complete because its committed implementation and release record are present. Customer qualification remains claim-specific and evidence-class-specific.

Review exact source and artifact identities, distinguish development from authorized live evidence, inspect policy and loss classifications, confirm passed and blocked gates, and verify that later changes have not invalidated the evidence.

Boundaries and claims not made

- These boundaries describe MS #60's own evidence scope. Later MS65, MS66 and MS67 receipts add their separate nonproduction qualifications; they do not rewrite this milestone's signed fields.
- A passing signed receipt closes only the bounded target-side Account/Transfer native transaction wave and local LRA replacement.
- The cloudbank-wave Basic-auth profile is synthetic and development-only; it does not qualify production OAuth/OIDC identity or authorization.
- The original Account/Transfer wave is not executed on Oracle, so Oracle-to-PostgreSQL equivalence remains false.
- Checks AQ/JMS and the remaining five deployable services are not migrated or qualified.
- No production data, native CDC, production deployment, or cutover is accessed or claimed.

- Whole-CloudBank equivalence, migration completion, production promotion, and production readiness remain false.

Source of record

- CHANGELOG.md release section(s): 0.60.0
- README.md product and operating guidance
- LIGHTYEAR-ROADMAP.md governing sequence and claim classifications
- docs/milestones/catalog.json metadata and docs/milestones/manifest.json artifact integrity