LIGHTYEAR

MS78 Reliable local agent runs and cancellation

Status: **implemented and tested for the retained CloudBank workflow**.

Delivered in PR #208.

Why it matters

An operator or assistant can start a verification run, disconnect, reconnect and ask it to stop without losing the run's identity or confusing a cancellation request with a completed cancellation. The same project-bound service is exposed through the JSON command line and a local MCP server.

What was delivered

PR #208 adds durable, project-scoped cancellation to the existing local agent workflow. A cancellation request is recorded independently of the client connection. The worker acknowledges it in the verified journal, terminates its owned subprocesses and stops further actions. Resume respects the cancellation request, while completed results remain immutable. The current-plan MCP resource explicitly checks that the project's configuration has not changed.

The workflow supports capability discovery, plan review, idempotent start, status, paginated events, verification, export, resume and cancellation. Run IDs and reviewed plan hashes connect these operations. Human approvals remain separate, signed decisions in Control Tower.

Follow-up client usability

The A2 cleanup makes event pages default to 25 consistently in the service, CLI, MCP tool and first-page resource. Smaller explicit pages remain supported. Unconfirmed dispatch responses expose `retriable: true`; recovery inspects and resumes the same durable run rather than creating another run. A missing or incompatible optional MCP SDK produces a structured installation hint on stderr and exit code 2, with no traceback or protocol output on stdout.

Evidence and verification

The merged cancellation work covers queued and active cancellation, owned-process termination, reconnect, publication races, crash recovery and immutable terminal evidence. The follow-up tests cover default page contents, cursor continuation, retry metadata and missing-SDK startup behavior.

```
PYTHONPATH=src python -m unittest tests.test_agent_workflow tests.test_agent_mcp -v
```

The real MCP integration tests require the optional `.[agent]` dependencies. See the local agent runbook for installation, Windows worker ownership, operation contracts and exit codes.

Boundaries

This workflow verifies retained evidence. It does not execute fresh Oracle or AlloyDB workloads, modernize arbitrary customer applications, grant human approval or establish production readiness. A verified journal can still end at a human-decision gate. A cancellation request is not terminal until acknowledged.

This record complements the engine-to-history work: durable control and cancellation preserve the meaning of the terminal history record.