

CUSTOMER MILESTONE BRIEF

MS #54 - CloudBank Executable Source Baseline

Purpose, customer value, delivered capability, evidence, and claim boundaries

Status	Complete - execution passed
Release	0.54.0
Date	2026-09-02
Audience	Customers, partners, executives, architects, delivery teams, and assurance reviewers

Published execution result

Published 2026-09-11: Source build and bounded Oracle runtime. The original signed receipt is retained in the completed MS67 evidence chain.

[Original signed receipt 1](#)

[Original signed receipt 2](#)

[Full MS54–67 execution evidence index](#)

Executive summary

MS #54 - CloudBank Executable Source Baseline converts a specific part of the LIGHTYEAR modernization approach into a governed, reviewable capability. Turns the pinned CloudBank estate into a reproducible, fail-closed source execution contract so the first dark factory workcell can start from proven Oracle behavior instead of static inventory alone.

Why this matters to a customer

Turns the pinned CloudBank estate into a reproducible, fail-closed source execution contract so the first dark factory workcell can start from proven Oracle behavior instead of static inventory alone.

The practical result is a narrower, evidence-backed decision instead of a broad modernization claim. Commercial, architecture, delivery, security, and assurance teams can review the same capability, proof, and limits.

What the milestone delivers

- A deterministic Java 21 and Maven 3.6-or-newer build plan bound to the exact 189-file, 70-Java-unit, ten-module CloudBank v5 source tree.
- A reproducible build of the seven-service set declared by the pinned upstream image-build script, with seven JAR hashes required in the signed receipt.
- A bounded Oracle runtime plan using the pinned azn-server Testcontainers suite: three integration classes, seven tests, and gvenzl/oracle-free:23.26.1-slim-faststart.

- Content-addressed readiness, build, and Oracle-runtime contracts plus three JSON Schemas.
- Environment-key-signed receipts that retain aggregate results and hashes while excluding credentials, raw stdout, and raw stderr.
- Strict verification rejecting unsigned evidence, source or plan drift, Java 17, old Maven, missing artifacts, failed or skipped tests, image-identity gaps, and PostgreSQL or production overclaims.
- Cross-platform launchers and a Java 21 CI source-build job that exercises the exact pinned upstream checkout.
- An explicit data boundary: pinned sample and bootstrap data qualify the first controlled run, while production data requires a separately authorized and profiled extract.

How it differs from earlier work

MS #53 selected, pinned, inventoried, and projected CloudBank without building or running it. MS #54 defines the exact full-source build and bounded native Oracle evidence required before PostgreSQL mapping or an autonomous customer-service transformation may begin.

Earlier evidence is not automatically promoted into this milestone. A parser, simulator, local comparison, or generated artifact is not live platform equivalence or production readiness.

What a customer can do with it

A customer can use cloudbank executable source baseline as a bounded decision and delivery capability, attached to approved sources, owners, policies, target architecture, acceptance criteria, and authorized evidence.

Unresolved semantic loss, policy decisions, unsupported behavior, and live-evidence requirements remain visible.

Evidence and acceptance posture

The repository capability is complete because its committed implementation and release record are present. Customer qualification remains claim-specific and evidence-class-specific.

Review exact source and artifact identities, distinguish development from authorized live evidence, inspect policy and loss classifications, confirm passed and blocked gates, and verify that later changes have not invalidated the evidence.

Boundaries and claims not made

- These boundaries describe MS #54's own evidence scope. Later MS65, MS66 and MS67 receipts add their separate nonproduction qualifications; they do not rewrite this milestone's signed fields.
- The bounded Oracle runtime suite proves only the azn-server source baseline; it does not execute the customer service or the complete CloudBank application.
- The upstream source is required as an exact external checkout and is not vendored into this repository.
- No customer or production CloudBank data is present, copied, or implied.
- PostgreSQL target selection and mapping do not begin until the source runtime receipt is admitted.

- PostgreSQL compatibility, target equivalence, application equivalence, migration completion, and production readiness remain false.

Source of record

- CHANGELOG.md release section(s): 0.54.0
- README.md product and operating guidance
- LIGHTYEAR-ROADMAP.md governing sequence and claim classifications
- docs/milestones/catalog.json metadata and docs/milestones/manifest.json artifact integrity