

Subscription API Hooks — Shopify Integration Points

Overview

This document describes the integration points between the subscription system and Shopify. All hooks are currently stubs/mocks in the prototype.

1. Billing Integration

Shopify Subscription API

TODO: **Connect** to Shopify Selling Plan Groups API

- Create selling plans **for** Bronze/Silver/Gold tiers
- Map MembershipTier records to Shopify selling plan IDs
- Handle billing events via webhooks

Webhooks to Implement

Webhook	Action
subscription_contracts/create	Create UserSubscription record
subscription_contracts/update	Update status (pause/resume/cancel)
subscription_billing_attempts/success	Grant monthly credits, log transaction
subscription_billing_attempts/failure	Mark subscription as PAST_DUE

2. Inventory Integration

Current Stubs (/app/lib/inventory-sync.server.js)

Function	Shopify Hook
syncSkuAvailability(sku, count)	inventory_levels/update webhook
checkPackAvailability(packId)	Called before order approval
reservePackInventory(packId, qty)	Called on order approval

Webhooks to Implement

Webhook	Action
products/update	Sync product status, pricing
inventory_levels/update	Update stock counts
inventory_levels/connect	Track new inventory items

3. Order Fulfillment

Current Flow (Prototype)

PackOrder (PENDING) → Admin Approves → ADMIN_APPROVED → Manual shipping → FULFILLED

Production Flow

PackOrder (PENDING) → Admin Approves →
 Create Shopify Draft Order → Customer pays →
 Shopify Order created → Fulfillment via Shopify →
 Webhook: orders/fulfilled → Mark FULFILLED

Webhooks to Implement

Webhook	Action
orders/create	Link PackOrder to Shopify order ID
orders/paid	Confirm payment received
orders/fulfilled	Mark PackOrder as FULFILLED
orders/cancelled	Refund credits if applicable

4. Customer Sync

Webhooks to Implement

Webhook	Action
<code>customers/create</code>	Create User record (Shopify OAuth)
<code>customers/update</code>	Sync email, name changes
<code>customers/delete</code>	Deactivate user, retain data

5. Ownership Tracking (Phase 2)

When Phase 2 is Active

Event	Action
<code>orders/fulfilled</code>	Call <code>trackPurchase()</code> for each line item SKU
Manual import	Bulk create UserOwnedSku records from CSV

6. Authentication

Current: Email/Password (Prototype)

- Session-based auth via `session.server.js`
- Password hashing via `bcrypt`

Production: Shopify OAuth

- Replace with Shopify App Bridge session tokens
- Map Shopify customer IDs to User records
- Remove password fields from User model
- All auth files marked with `TODO PRODUCTION`