First aid

UNREVIEWED DRAFT - incomplete emergency reference

Scene safety, calling for help, severe bleeding and burns.

Protect yourself first

Check for traffic, electricity, fire, floodwater and unstable structures. Do not become another casualty. Call **112** in Germany/EU for a life-threatening emergency. Give the location, what happened and the number of people affected; follow the dispatcher.

Unresponsive person

Check responsiveness and normal breathing. Gasping is not normal breathing. If breathing is absent or abnormal, use the **Adult CPR & AED** guide and follow the dispatcher. If breathing normally, maintain an open airway, monitor continuously and follow instructions; a suspected spinal injury needs particular care.

Severe external bleeding

Use gloves if available. Press firmly and continuously on the wound with a clean dressing. Get emergency help. Do not pull out an embedded object; press around it. Life-threatening bleeding may require a commercial tourniquet when indicated and according to training/instructions. Never loosen one casually.

Burns

Stop the burning safely. Cool a thermal burn with cool running water, avoid chilling the rest of the person, and cover loosely with a clean non-stick dressing. No ice, butter or creams. Major, chemical, electrical, facial or breathing-related burns need urgent assessment.

Preview limits

This is an introductory summary, not a complete first-aid course. Dedicated child/infant CPR, choking and other drafts are linked below; none has yet received professional review. Do not delay calling for help while searching this app.

Adult CPR & AED

UNREVIEWED DRAFT - incomplete emergency reference

For an unresponsive ADULT who is not breathing normally.

Adult emergency sequence

Call **112**, use speakerphone and follow the dispatcher. Send someone for an AED. Gasping is abnormal breathing.

Start compressions in the centre of the chest: **100–120 per minute**, **5–6 cm** deep, with full recoil and minimal pauses. If trained and able, use **30 compressions then 2 breaths**; otherwise give continuous compressions.

Switch on the AED and follow its spoken instructions. Nobody touches the person during analysis or shock. Resume CPR when instructed.

Continue until professionals take over, normal breathing/signs of life return, you cannot continue, or the scene becomes unsafe.

Children, infants and drowning need additional guidance. This page covers adults only; follow the dispatcher.

CPR: babies & children

UNREVIEWED DRAFT - incomplete emergency reference

Unresponsive and not breathing normally: 112, five initial breaths, CPR.

Check and call

Ensure safety. If unresponsive, call **112** on speakerphone/send a helper. Open the airway and check breathing for no longer than **10 seconds**. Gasping is not normal. This is not a newborn-at-birth protocol.

Breaths and compressions

If not breathing normally, give **5 initial rescue breaths**, each about 1 second, enough for visible chest rise. Infant: head nearly neutral, seal over mouth and nose. Older child: tilt head/lift chin, pinch nose, seal over mouth. If no rise, reposition; do not repeatedly delay compressions.

Compress the lower half of the breastbone at **100–120/min**, at least one third of chest depth, never beyond 6 cm; adolescents: 5–6 cm. Allow full recoil. Infant: encircle chest with fingers supporting the back and press with both thumbs. Older child: one or two hands according to size. Continue **30 compressions:2 breaths**; those specifically trained in paediatric basic life support use **15:2**. If breaths are impossible, give compressions.

AED and help

Use an AED promptly, follow its instructions; select child mode if indicated. Do not let pads touch; follow its placement diagram. Continue until normal breathing/signs of life, professionals take over or danger/exhaustion prevents you. Alone without a phone: give about 1 minute of CPR before seeking help.

Choking: adults

UNREVIEWED DRAFT - incomplete emergency reference

Effective cough: encourage coughing. Unable to breathe or speak: act immediately.

Coughing or silent obstruction?

If the person coughs effectively, encourage coughing and stay nearby. If they cannot speak, breathe or cough effectively, call **112** on speakerphone or send a helper.

While conscious

Lean them forward, support their chest and give up to **5 sharp blows between the shoulder blades**, checking after each. If unsuccessful, stand behind them, place a fist between navel and breastbone, grasp it and pull sharply inward/upward up to **5 times**. Alternate these sets until cleared. Stop as soon as the obstruction clears.

Important exceptions

For pregnancy or when you cannot encircle the abdomen, use chest thrusts instead and follow the dispatcher. Never sweep blindly inside the mouth.

If they collapse

Lower them safely; if unresponsive and not breathing normally, start adult CPR/AED. Have medical assessment after abdominal/chest thrusts or if coughing, pain or swallowing difficulty persists.

Choking: babies & children

UNREVIEWED DRAFT - incomplete emergency reference

Infants need chest thrusts, not abdominal thrusts.

Act immediately

An effective loud cough: let them cough and watch closely. If unable to breathe, cry or cough effectively, call **112**/send a helper and begin treatment. Remove only an easily reached, clearly visible object; never sweep blindly.

Baby under 1 year

Support head/neck, lay face down along your forearm resting on your thigh, head lower than chest. Give up to **5 back blows**, checking between blows. If not cleared, turn face up on your lap. Encircle the chest with both hands, thumbs on the lower half of the breastbone; give up to **5 sharp chest thrusts**. Alternate sets until cleared. **No abdominal thrusts in infants.**

Child from 1 year

Lean forward; give up to **5 back blows**. If unsuccessful, give up to **5 abdominal thrusts** as on the adult page, adapted to size. Alternate sets; stop when cleared.

Unresponsive or after relief

Start child/infant CPR with five initial breaths if unresponsive and not breathing normally. After chest/abdominal thrusts, or persistent symptoms, obtain urgent medical assessment.

Safe drinking water

UNREVIEWED DRAFT - incomplete emergency reference

Choose a safer source; treatment depends on the contamination.

Choose the source first

Prefer a protected supply of drinking water. Clear-looking stream water is not necessarily safe. Do not drink floodwater, heating-system water or water suspected of fuel, toxic chemical or radioactive contamination.

Germs: boiling

For water without suspected chemical/radioactive contamination: settle or prefilter cloudy water, then bring clear water to a rolling boil for **1 minute**; above approximately **2,000 m**, use **3 minutes**. Cool and keep covered in a clean container. Prefiltering through cloth alone does not disinfect it.

Filters and tablets

Follow the specific product instructions, including water volume, temperature, contact time and supported organisms. Many hiking filters do not remove viruses. Disinfection methods differ against parasites. Avoid iodine-treated water in pregnancy or with thyroid conditions unless medically advised.

Chemicals and fallout

Boiling or disinfection does not make chemically or radioactively contaminated water safe. Use a verified alternative supply. Ordinary filters are not universal contaminant removers. Follow the actual local drinking-water advisory.

Storage

Keep treated water in clean, food-safe covered containers. Avoid dirty hands/cups touching the contents. Separate drinking water from washing water.

Power outage

UNREVIEWED DRAFT - incomplete emergency reference

Light, warmth, medical needs, food and communication without mains power.

First actions

Use a torch. Check for fire, damaged wiring, floodwater or a gas smell before investigating the outage. Avoid fallen cables. Check whether neighbours are affected and contact the utility when communications work. Keep one light on to notice restoration; disconnect sensitive equipment if safe.

Prevent a second emergency

Never use charcoal grills, outdoor camping stoves or petrol engines indoors or in garages. Portable generators belong outside, at least approximately **6 m** from openings, with exhaust directed away. Use CO alarms. Never feed power into a wall socket; a building connection requires suitable equipment and a qualified electrician.

Prioritise

Arrange help early for powered medical equipment and refrigerated medicines. Keep fridge/freezer doors closed; see Food safety. Use warm layers and one suitable room rather than improvised indoor combustion. Move to safe help if indoor conditions become dangerous.

Information and supplies

Use a battery radio, preserve phone charge and check neighbours who may need assistance. Water, sewage, ATMs and mobile service may also fail. Your offline notes and supplies remain useful when banking and internet stop.

Flood & flash flooding

UNREVIEWED DRAFT - incomplete emergency reference

Move away from rising water; electricity and contaminated water are major hazards.

Move to safety early

Follow evacuation instructions. If water rises quickly, reach higher safe ground; do not go down into a basement to rescue belongings. Do not walk, swim or drive through floodwater. A road may be washed out beneath it. Never bypass a road barrier.

Electricity and entrapment

Do not touch electrical equipment or enter water that may be energised. Switch off utilities only from a safe dry place if you know how; otherwise leave it to professionals. Avoid lifts. Call for help if trapped; move upward to a place from which you can signal, avoiding a closed attic without an exit.

Water and health

Floodwater can contain sewage, chemicals, debris and other hazards. Keep children away, protect wounds and use a verified drinking-water supply. Discard food touched by floodwater; clean containers and avoid cross-contamination.

Return cautiously

Wait for permission; structural, electrical and gas hazards may remain. Photograph damage when safe. Use appropriate protective equipment, ventilate when safe, and obtain help for significant contamination/mould. Have damaged electrical systems checked before restoring power.

Prepare

Know local escape routes, move essential documents and medicines above expected water levels, and plan for those needing assistance.

Earthquake

UNREVIEWED DRAFT - incomplete emergency reference

Protect yourself during shaking; watch for aftershocks and damaged buildings.

During shaking

Get down, protect your head/neck and hold onto shelter. Indoors, use a sturdy nearby table; stay away from glass and falling objects. Do not rush outside or use lifts while shaking continues. A doorway is not universal protection.

Outside, stay in an open area away from buildings, trees and power lines. Driving: stop safely away from bridges, cables and structures; stay in the vehicle until shaking stops. If using a wheelchair, lock wheels where possible and protect head/neck.

Afterwards

Expect aftershocks and repeat protection. Check injuries and leave an unsafe building cautiously when possible. Avoid damaged structures and fallen cables. If you smell gas, avoid flames and electrical switching; leave and seek help from a safe location. Do not re-enter until competent authorities say it is safe.

Trapped or near the coast

Use a whistle or tap to signal; protect against dust. Text if service is available. After strong or prolonged coastal shaking, follow tsunami evacuation guidance toward high ground/inland without waiting for an app alert.

Prepare

Secure heavy furniture, identify safer spots and practise with your household. Keep shoes, a torch and essential supplies accessible.

Nuclear fallout & radiation

UNREVIEWED DRAFT - incomplete emergency reference

Shelter, reduce contamination, use protected supplies and seek official instructions.

Immediate protection

An explosion can cause blast, heat and falling debris before fallout arrives. Take immediate cover; do not look toward a flash. Once able to move safely, get inside a substantial building. Prefer a basement or central interior area away from windows and exterior walls, provided it is not threatened by collapse, fire or flooding.

Reduce exposure

Stay inside and obtain official instructions by radio or other working channels. Close windows/doors and stop systems bringing in outside air when instructed/appropriate. Do not run combustion equipment in a sealed space. There is no universal timer that proves it is safe to leave.

If contaminated outside

Remove outer clothing carefully without shaking it, bag it and keep it away from people/pets. Gently wash exposed skin and hair with soap and water; avoid scrubbing or damaging skin. Attend to life-threatening injuries first.

Food, water and medicine

Use protected packaged supplies. Boiling does not remove radioactive contamination. Potassium iodide protects only the thyroid against radioactive iodine, not general radiation; use only when authorities instruct, with appropriate medical guidance.

Limits

A phone cannot measure radiation. The app has no live plume model or verified shelter locations. Leaving an immediately unsafe building may be necessary even when sheltering is otherwise advised.

Cyberattack & digital outage

UNREVIEWED DRAFT - incomplete emergency reference

Separate a hacked device/account from a wider infrastructure failure.

Personal account or device attack

Use a separate trusted device to contact the affected provider through a known address. For a stolen account: recover access, change compromised/reused passwords, revoke unknown sessions and enable multifactor authentication. Secure the email account used for password resets. Contact your bank promptly if payments or credentials may be compromised.

Disconnect a suspected infected device from networks to limit spread. Preserve messages, timestamps and evidence. Avoid random cleanup tools, paying a supposed support agent, or wiping everything before considering evidence and backups. Recovery steps depend on the incident; use the provider or qualified support.

Infrastructure failure

Cyberattacks can disrupt power, water, payments, hospitals, deliveries and communications without infecting your own phone. Use the outage, water, food and household guides. Keep written contacts and some accessible cash. Do not assume an unexplained outage proves an attack.

Prepare and recover

Keep protected offline backups and recovery codes, test restores, update devices and verify urgent messages through an independent channel. Never enter passwords or recovery codes into an unexpected message link. This app does not scan your device or determine whether infrastructure is operational.

Pandemic & infectious disease

UNREVIEWED DRAFT - incomplete emergency reference

Reduce transmission and maintain care; the pathogen determines the details.

Identify the type of guidance

Not every outbreak spreads the same way. Respiratory, food/water-borne and contact-transmitted infections require different precautions. Seek current local public-health advice when communications work. This offline edition cannot identify a new pathogen or provide current treatment/vaccination rules.

Respiratory infections

Reduce close contact when ill. Improve indoor air when safe and consider a well-fitting protective mask, especially around vulnerable people. Cleaner air, hygiene and appropriate vaccination are complementary measures. Outdoor contamination, extreme weather or fallout may make opening windows unsafe: do not apply ventilation advice blindly.

Care at home

Plan a separate space where feasible, minimise exposed caregivers, wash hands and clean commonly touched surfaces appropriately. Avoid sharing personal items. Maintain fluids and prescribed medicines; seek early professional advice for people at risk of severe illness. Never mix cleaning chemicals.

Urgent help

Severe breathing difficulty, collapse, new confusion, severe dehydration or other rapidly worsening symptoms need urgent medical assessment; call 112 for life-threatening illness.

Continuity

Store practical supplies and contact information, arrange support for dependants and medication needs, and verify alarming claims through reliable sources. Do not self-prescribe antibiotics or unproven treatments.

Communication & getting help

UNREVIEWED DRAFT - incomplete emergency reference

Emergency numbers, radio, meeting plans and battery conservation.

Immediate help in Germany

112: fire/rescue and life-threatening medical emergencies. **110**: police emergencies. **116117**: urgent non-life-threatening medical advice when normal services are unavailable. Do not use emergency numbers just to ask why power is out. Outside Germany, confirm the local numbers in advance.

When networks fail

Try another available phone/network, but do not assume a failed call proves every network is down. Use official radio broadcasts and known local assistance points when safe. Agree on an out-of-area contact and meeting places before trouble. Written addresses and paper maps do not need batteries.

Preserve power

Dim the screen, reduce nonessential use and keep a charged power bank. Airplane mode saves searching for a missing signal but prevents normal calls/messages and alerts; deliberately check connectivity when needed. Check on vulnerable neighbours safely.

Verify information

Use official warnings and more than one reliable channel. Cached information may be stale. This app provides no live warnings, emergency messaging or verified shelter directory. The 112 button opens the phone dialler; it does not place a call automatically or guarantee service.

Water warnings: which use is safe?

UNREVIEWED DRAFT - incomplete emergency reference

Boil-water, do-not-drink and do-not-use instructions are different.

Read the actual warning

The water authority specifies which area, uses and contaminants are affected. This saved guide cannot know the current warning or whether it has been lifted.

Boil-water instruction

Usually concerns germs: use bottled or correctly boiled water for drinking, cooking and brushing teeth. Domestic filtering does not cancel a boil-water instruction. Handwashing/bathing rules depend on the notice; prevent swallowing, especially in young children. Ready-to-feed infant formula can reduce preparation risks.

Do not drink

Use a verified alternative for drinking, cooking, teeth, food preparation and pets. Boiling does not remove many chemicals/toxins. Whether bathing or other uses are allowed depends on the warning.

Do not use

Contact, swallowing or inhaling water may be hazardous. Do not use the affected tap supply for any purpose until officials say otherwise. Use verified alternatives. Do not treat showering as safe merely because you avoid drinking.

After clearance

Follow flushing, filter-replacement and appliance instructions. Refrigerator dispensers/ice connected to the affected supply need attention too. A clear appearance or an app cannot certify safety.

Household contact card

UNREVIEWED DRAFT - incomplete emergency reference

Private once completed. Keep a copy where your household can find it.

Names / household

Home address / location

Contact nearby - name and number

Contact outside the area - name and number

Meeting point near home

Alternative meeting point / address

Written / checked on

Print A4 landscape at 100% / actual size. Single-sided. Cut on the centre line.

Edition: 2026-10-19 | EN | GPLv3

Support and essentials

UNREVIEWED DRAFT - incomplete emergency reference

Private once completed. Keep a copy where your household can find it.

Help needed / who can help

Medicines / care-plan location / care contact

Equipment / power arrangements

Children / pets / dependants

Emergency bag / paper map / document locations

Other notes

Print A4 landscape at 100% / actual size. Single-sided. Cut on the centre line.

Edition: 2026-10-19 | EN | GPLv3