

NPC Class Definitions — Complete Specifications

Document Version: 1.0

Date: 2026-05-25

Companion: `npc_classes_implementation_plan.md`

Table of Contents

- [1. Overview & Shared Rules](#)
 - [2. Adept](#)
 - [3. Aristocrat](#)
 - [4. Commoner](#)
 - [5. Expert](#)
 - [6. Warrior](#)
 - [7. C# Implementation Architecture](#)
-

1. Overview & Shared Rules

1.1 NPC Class Common Properties

All NPC classes share these characteristics:

- **Feat Progression:** 1 feat at 1st level, +1 every 3 levels (3rd, 6th, 9th, ...) — same as PCs
- **Ability Score Increases:** +1 to one ability score every 4 character levels (4th, 8th, 12th, ...)
- **Default Stat Array:** Nonelite (13, 12, 11, 10, 9, 8)
- **CR Calculation:** Character Level – 1 for pure NPC class characters
- **CR when added to monsters:** Always nonassociated (+½ CR per level, up to creature's RHD)
- **Multiclassing:** NPC classes can multiclass freely (except Aristocrat restriction)
- **Max Skill Ranks:** Character Level + 3 (cross-class: half)
- **1st Level HP:** Maximum hit die value + Con modifier
- **Subsequent Levels:** Average roll (round down) + Con modifier

1.2 BAB & Save Progression Formulas

Progression	Formula	Level 1	Level 5	Level 10	Level 15	Level 20
Good BAB	+level	+1	+5	+10	+15	+20
Medium BAB	+¾ level	+0	+3	+7	+11	+15
Poor BAB	+½ level	+0	+2	+5	+7	+10
Good Save	2 + level/2	+2	+4	+7	+9	+12
Poor Save	level/3	+0	+1	+3	+5	+6

2. Adept

2.1 Class Overview

The Adept is a rudimentary divine spellcaster — a shaman, hedge wizard, or village healer found in isolated communities or among monstrous humanoids. They prepare and cast divine spells from a unique spell list.

2.2 Core Statistics

Property	Value
Hit Die	d6
BAB Progression	Poor (+½ level)
Good Saves	Fortitude, Will
Skill Points	2 + Int modifier per level
Weapon Proficiency	All simple weapons
Armor Proficiency	None
Spellcasting	Divine, prepared (Wisdom-based)

2.3 Class Features

Level	Feature
1	Divine spellcasting (0th and 1st level spells)
2	Summon Familiar (as Sorcerer/Wizard)

2.4 Level Progression Table

Level	BAB	Fort	Ref	Will	Spells/Day 0th	1st	2nd	3rd	4th	5th
1	+0	+2	+0	+2	3	1	—	—	—	—
2	+1	+3	+0	+3	3	1	—	—	—	—
3	+1	+3	+1	+3	3	2	—	—	—	—
4	+2	+4	+1	+4	3	2	0	—	—	—
5	+2	+4	+1	+4	3	2	1	—	—	—
6	+3	+5	+2	+5	3	2	1	—	—	—
7	+3	+5	+2	+5	3	3	2	—	—	—
8	+4	+6	+2	+6	3	3	2	0	—	—
9	+4	+6	+3	+6	3	3	2	1	—	—
10	+5	+7	+3	+7	3	3	2	1	—	—
11	+5	+7	+3	+7	3	3	3	2	—	—
12	+6/+ 1	+8	+4	+8	3	3	3	2	0	—
13	+6/+ 1	+8	+4	+8	3	3	3	2	1	—
14	+7/+ 2	+9	+4	+9	3	3	3	2	1	—
15	+7/+ 2	+9	+5	+9	3	3	3	3	2	—
16	+8/+ 3	+10	+5	+10	3	3	3	3	2	0
17	+8/+ 3	+10	+5	+10	3	3	3	3	2	1
18	+9/+ 4	+11	+6	+11	3	3	3	3	2	1
19	+9/+ 4	+11	+6	+11	3	3	3	3	3	2

Level	BAB	Fort	Ref	Will	Spells/Day 0th	1st	2nd	3rd	4th	5th
20	+10/ +5	+12	+6	+12	3	3	3	3	3	2

Bonus spells from high Wisdom apply as normal.

2.5 Adept Spell List

0th Level (Orisons): create water, cure minor wounds, detect magic, ghost sound, guidance, light, mending, purify food and drink, read magic, touch of fatigue

1st Level: bless, burning hands, cause fear, command, comprehend languages, cure light wounds, detect chaos/evil/good/law, endure elements, obscuring mist, protection from chaos/evil/good/law, sleep

2nd Level: aid, animal trance, bear's endurance, bull's strength, cat's grace, cure moderate wounds, darkness, delay poison, invisibility, mirror image, resist energy, scorching ray, see invisibility, web

3rd Level: animate dead, bestow curse, contagion, continual flame, cure serious wounds, daylight, deeper darkness, lightning bolt, neutralize poison, remove curse, remove disease, tongues

4th Level: cure critical wounds, minor creation, polymorph, restoration, stoneskin, wall of fire

5th Level: baleful polymorph, break enchantment, commune, heal, major creation, raise dead, true seeing, wall of stone

2.6 Class Skills

Concentration, Craft (any), Handle Animal, Heal, Knowledge (all taken individually), Profession (any), Spellcraft, Survival

2.7 C# Implementation Notes

```
public class AdeptClass : ICharacterClass
{
    public string ClassName => "Adept";
    public string Description => "A rudimentary divine spellcaster – shaman or hedge wizard.";
    public int HitDie => 6;
    public int BABatLevel3 => 1;           // Poor: floor(3/2) = 1
    public int SkillPointsPerLevel => 2;
    public bool GoodFortitude => true;
    public bool GoodReflex => false;
    public bool GoodWill => true;
    public bool IsSpellcaster => true;
    // ...
}
```

3. Aristocrat

3.1 Class Overview

The Aristocrat models individuals of high social standing — nobles, courtiers, wealthy merchants, and political leaders. They have broad education and combat training.

3.2 Core Statistics

Property	Value
Hit Die	d8
BAB Progression	Medium (+ $\frac{3}{4}$ level)
Good Saves	Will
Skill Points	4 + Int modifier per level
Weapon Proficiency	All simple and martial weapons
Armor Proficiency	All armor, all shields (including tower)
Spellcasting	None

3.3 Class Features

None. The Aristocrat's strength lies in broad proficiencies and a large skill list.

Special Rule: A character cannot multiclass into Aristocrat unless it was their 1st-level class. Characters can multiclass out of Aristocrat freely.

3.4 Level Progression Table

Level	BAB	Fort	Ref	Will
1	+0	+0	+0	+2
2	+1	+0	+0	+3
3	+2	+1	+1	+3
4	+3	+1	+1	+4
5	+3	+1	+1	+4
6	+4	+2	+2	+5
7	+5	+2	+2	+5
8	+6/+1	+2	+2	+6
9	+6/+1	+3	+3	+6
10	+7/+2	+3	+3	+7
11	+8/+3	+3	+3	+7
12	+9/+4	+4	+4	+8
13	+9/+4	+4	+4	+8
14	+10/+5	+4	+4	+9
15	+11/+6/+1	+5	+5	+9
16	+12/+7/+2	+5	+5	+10
17	+12/+7/+2	+5	+5	+10
18	+13/+8/+3	+6	+6	+11
19	+14/+9/+4	+6	+6	+11
20	+15/+10/+5	+6	+6	+12

3.5 Class Skills

Appraise, Bluff, Diplomacy, Disguise, Forgery, Gather Information, Handle Animal, Intimidate, Knowledge (all taken individually), Listen, Perform, Ride, Sense Motive, Speak Language, Spot, Swim, Survival

3.6 C# Implementation Notes

```
public class AristocratClass : ICharacterClass
{
    public string ClassName => "Aristocrat";
    public string Description => "A noble with broad education and martial training.";
    public int HitDie => 8;
    public int BABAtLevel3 => 2;           // Medium: floor(3*3/4) = 2
    public int SkillPointsPerLevel => 4;
    public bool GoodFortitude => false;
    public bool GoodReflex => false;
    public bool GoodWill => true;
    public bool IsSpellcaster => false;
    // DefaultArmorBonus => 5 (chainmail)
    // DefaultShieldBonus => 2 (heavy shield)
    // DefaultDamageDice => 8 (longsword)
}
```

4. Commoner

4.1 Class Overview

The weakest class in the game. Represents farmers, laborers, servants, and unskilled workers — the vast majority of the population.

4.2 Core Statistics

Property	Value
Hit Die	d4
BAB Progression	Poor (+½ level)
Good Saves	None
Skill Points	2 + Int modifier per level
Weapon Proficiency	One simple weapon (DM's choice)
Armor Proficiency	None
Spellcasting	None

4.3 Class Features

None. The Commoner has no class features whatsoever.

4.4 Level Progression Table

Level	BAB	Fort	Ref	Will
1	+0	+0	+0	+0
2	+1	+0	+0	+0
3	+1	+1	+1	+1
4	+2	+1	+1	+1
5	+2	+1	+1	+1
6	+3	+2	+2	+2
7	+3	+2	+2	+2
8	+4	+2	+2	+2
9	+4	+3	+3	+3
10	+5	+3	+3	+3
11	+5	+3	+3	+3
12	+6/+1	+4	+4	+4
13	+6/+1	+4	+4	+4
14	+7/+2	+4	+4	+4
15	+7/+2	+5	+5	+5
16	+8/+3	+5	+5	+5
17	+8/+3	+5	+5	+5
18	+9/+4	+6	+6	+6
19	+9/+4	+6	+6	+6
20	+10/+5	+6	+6	+6

4.5 Class Skills

Climb, Craft (any), Handle Animal, Jump, Listen, Profession (any), Ride, Spot, Swim, Use Rope

4.6 C# Implementation Notes

```
public class CommonerClass : ICharacterClass
{
    public string ClassName => "Commoner";
    public string Description => "An untrained laborer – the weakest class in the game.";
    public int HitDie => 4;
    public int BABAtLevel3 => 1;           // Poor: floor(3/2) = 1
    public int SkillPointsPerLevel => 2;
    public bool GoodFortitude => false;
    public bool GoodReflex => false;
    public bool GoodWill => false;
    public bool IsSpellcaster => false;
    // DefaultArmorBonus => 0 (no armor)
    // DefaultShieldBonus => 0
    // DefaultDamageDice => 4 (club or dagger)
}
```

5. Expert

5.1 Class Overview

The skilled professional — blacksmiths, scribes, merchants, navigators, and artisans. Their defining feature is choosing any 10 skills as class skills.

5.2 Core Statistics

Property	Value
Hit Die	d6
BAB Progression	Medium (+ $\frac{3}{4}$ level)
Good Saves	Reflex
Skill Points	6 + Int modifier per level
Weapon Proficiency	All simple weapons
Armor Proficiency	Light armor only
Spellcasting	None

5.3 Class Features

Level	Feature
1	Choose 10 class skills from any skill list

5.4 Level Progression Table

Level	BAB	Fort	Ref	Will
1	+0	+0	+2	+0
2	+1	+0	+3	+0
3	+2	+1	+3	+1
4	+3	+1	+4	+1
5	+3	+1	+4	+1
6	+4	+2	+5	+2
7	+5	+2	+5	+2
8	+6/+1	+2	+6	+2
9	+6/+1	+3	+6	+3
10	+7/+2	+3	+7	+3
11	+8/+3	+3	+7	+3
12	+9/+4	+4	+8	+4
13	+9/+4	+4	+8	+4
14	+10/+5	+4	+9	+4
15	+11/+6/+1	+5	+9	+5
16	+12/+7/+2	+5	+10	+5
17	+12/+7/+2	+5	+10	+5
18	+13/+8/+3	+6	+11	+6
19	+14/+9/+4	+6	+11	+6
20	+15/+10/+5	+6	+12	+6

5.5 Default Class Skills (DM-Configurable)

The Expert's 10 class skills are chosen at creation. Common presets:

Merchant: Appraise, Bluff, Diplomacy, Forgery, Gather Information, Knowledge (local), Listen, Profession (merchant), Sense Motive, Spot

Blacksmith: Appraise, Craft (armorsmithing), Craft (weaponsmithing), Craft (blacksmithing), Knowledge (architecture), Listen, Profession (blacksmith), Search, Spot, Use Rope

Sage: Decipher Script, Gather Information, Knowledge (arcana), Knowledge (history), Knowledge (nature), Knowledge (religion), Knowledge (the planes), Listen, Profession (scribe), Speak Language

5.6 C# Implementation Notes

```
public class ExpertClass : ICharacterClass
{
    public string ClassName => "Expert";
    public string Description => "A skilled professional with 10 chosen class skills.";
    public int HitDie => 6;
    public int BABAtLevel3 => 2;           // Medium
    public int SkillPointsPerLevel => 6;
    public bool GoodFortitude => false;
    public bool GoodReflex => true;
    public bool GoodWill => false;
    public bool IsSpellcaster => false;

    // The Expert's ClassSkills are dynamic – set at creation time
    private HashSet<string> _chosenSkills = new HashSet<string>();

    public HashSet<string> ClassSkills => _chosenSkills;

    /// <summary>
    /// Set the Expert's 10 chosen class skills. Must be called during creation.
    /// </summary>
    public void SetChosenSkills(IEnumerable<string> skills)
    {
        _chosenSkills = new HashSet<string>(skills);
    }
}
```

6. Warrior

6.1 Class Overview

A simplified martial class representing trained but unexceptional combatants — city guards, soldiers, caravan guards, and bandits. Full BAB like a Fighter but no bonus feats or class features.

6.2 Core Statistics

Property	Value
Hit Die	d8
BAB Progression	Good (+level)
Good Saves	Fortitude
Skill Points	2 + Int modifier per level
Weapon Proficiency	All simple and martial weapons
Armor Proficiency	All armor, all shields (including tower)
Spellcasting	None

6.3 Class Features

None. The Warrior has no class features.

6.4 Level Progression Table

Level	BAB	Fort	Ref	Will
1	+1	+2	+0	+0
2	+2	+3	+0	+0
3	+3	+3	+1	+1
4	+4	+4	+1	+1
5	+5	+4	+1	+1
6	+6/+1	+5	+2	+2
7	+7/+2	+5	+2	+2
8	+8/+3	+6	+2	+2
9	+9/+4	+6	+3	+3
10	+10/+5	+7	+3	+3
11	+11/+6/+1	+7	+3	+3
12	+12/+7/+2	+8	+4	+4
13	+13/+8/+3	+8	+4	+4
14	+14/+9/+4	+9	+4	+4
15	+15/+10/+5	+9	+5	+5
16	+16/+11/+6/+1	+10	+5	+5
17	+17/+12/+7/+2	+10	+5	+5
18	+18/+13/+8/+3	+11	+6	+6
19	+19/+14/+9/+4	+11	+6	+6
20	+20/+15/+10/+5	+12	+6	+6

6.5 Class Skills

Climb, Handle Animal, Intimidate, Jump, Ride, Swim

6.6 C# Implementation Notes

```
public class WarriorClass : ICharacterClass
{
    public string ClassName => "Warrior";
    public string Description => "A trained but unexceptional combatant – guard or soldier.";
    public int HitDie => 8;
    public int BABAtLevel3 => 3;           // Good: full BAB
    public int SkillPointsPerLevel => 2;
    public bool GoodFortitude => true;
    public bool GoodReflex => false;
    public bool GoodWill => false;
    public bool IsSpellcaster => false;
    // DefaultArmorBonus => 5 (chainmail)
    // DefaultShieldBonus => 2 (heavy shield)
    // DefaultDamageDice => 8 (longsword)
}
```

7. C# Implementation Architecture

7.1 Shared NPC Class Base (Optional Helper)

While all classes implement `ICharacterClass` directly, a shared helper reduces boilerplate:

```

/// <summary>
/// Optional base for NPC classes that provides common defaults.
/// Not required – each class can implement ICharacterClass directly.
/// </summary>
public abstract class NPCClassBase : ICharacterClass
{
    public abstract string ClassName { get; }
    public abstract string Description { get; }
    public abstract int HitDie { get; }
    public abstract int BABAtLevel3 { get; }
    public abstract int SkillPointsPerLevel { get; }
    public abstract bool GoodFortitude { get; }
    public abstract bool GoodReflex { get; }
    public abstract bool GoodWill { get; }
    public abstract HashSet<string> ClassSkills { get; }

    // NPC classes share these defaults
    public virtual int DefaultArmorBonus => 0;
    public virtual int DefaultShieldBonus => 0;
    public virtual int DefaultDamageDice => 4;
    public virtual bool IsSpellcaster => false;

    public virtual Color TitleColor => new Color(0.6f, 0.6f, 0.6f);
    public virtual Color ButtonColor => new Color(0.4f, 0.4f, 0.4f);
    public virtual string InfoText => $"Hit Die: d{HitDie} | NPC Class";

    public virtual void SetupStartingEquipment(InventoryComponent inv) { }
    public virtual void InitFeats(CharacterStats stats) { }

    /// <summary>
    /// Returns true if this is an NPC class (always true for subclasses).
    /// Used by CR calculator to determine nonassociated status.
    /// </summary>
    public bool IsNPCClass => true;
}

```

7.2 ClassRegistry Update

```
public static void Init()
{
    if (_initialized) return;
    _initialized = true;

    // Existing PHB classes
    Register(new FighterClass());
    Register(new RogueClass());
    Register(new MonkClass());
    Register(new BarbarianClass());
    Register(new WizardClass());
    Register(new ClericClass());
    Register(new SorcererClass());
    Register(new RangerClass());
    Register(new PaladinClass());
    Register(new BardClass());
    Register(new DruidClass());

    // NEW: NPC classes
    Register(new AdeptClass());
    Register(new AristocratClass());
    Register(new CommonerClass());
    Register(new ExpertClass());
    Register(new WarriorClass());

    // ... rest unchanged
}
```

7.3 IsNPCClass Detection

Add a helper method to `ClassRegistry` or a utility class:

```
/// <summary>
/// NPC class names for CR calculation (always nonassociated).
/// </summary>
public static readonly HashSet<string> NPCClassNames = new HashSet<string>(StringCom-
parer.OrdinalIgnoreCase)
{
    "Adept", "Aristocrat", "Commoner", "Expert", "Warrior"
};

public static bool IsNPCClass(string className)
{
    return NPCClassNames.Contains(className);
}
```

7.4 Adept Spellcasting Integration

The Adept uses the same divine preparation model as the Cleric. Key differences:

```

public class AdeptSpellList
{
    // Spells per day by level (index = spell level 0-5, value = array by class level)
    public static readonly int[,] SpellsPerDay = new int[6, 21]
    {
        // Level:      0  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20
        /* 0th */ { 0, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3 },
        /* 1st */ { 0, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3 },
        /* 2nd */ { 0, 0, 0, 0, 0, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3, 3, 3, 3, 3, 3, 3 },
        /* 3rd */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 2, 2, 2, 3, 3, 3, 3, 3, 3 },
        /* 4th */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 2, 2, 2, 3, 3 },
        /* 5th */ { 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 2 },
    };

    public static int GetSpellsPerDay(int classLevel, int spellLevel)
    {
        if (classLevel < 1 || classLevel > 20 || spellLevel < 0 || spellLevel > 5)
            return 0;
        return SpellsPerDay[spellLevel, classLevel];
    }

    // Spell IDs indexed by spell level
    public static readonly Dictionary<int, List<string>> SpellsByLevel = new Dictionary<int, List<string>>
    {
        [0] = new List<string> { "create_water", "cure_minor_wounds", "detect_magic",
            "ghost_sound", "guidance", "light", "mending", "purify_food_and_drink",
            "read_magic", "touch_of_fatigue" },
        [1] = new List<string> { "bless", "burning_hands", "cause_fear", "command",
            "comprehend_languages", "cure_light_wounds", "detect_chaos",
            "detect_evil",
            "detect_good", "detect_law", "endure_elements", "obscuring_mist",
            "protection_from_chaos", "protection_from_evil", "protection_from_good",
            "protection_from_law", "sleep" },
        [2] = new List<string> { "aid", "animal_trance", "bears_endurance",
            "bulls_strength", "cats_grace", "cure_moderate_wounds", "darkness",
            "delay_poison", "invisibility", "mirror_image", "resist_energy",
            "scorching_ray", "see_invisibility", "web" },
        [3] = new List<string> { "animate_dead", "bestow_curse", "contagion",
            "continual_flame", "cure_serious_wounds", "daylight", "deeper_darkness",
            "lightning_bolt", "neutralize_poison", "remove_curse", "remove_disease",
            "tongues" },
        [4] = new List<string> { "cure_critical_wounds", "minor_creation",
            "polymorph",
            "restoration", "stoneskin", "wall_of_fire" },
        [5] = new List<string> { "baleful_polymorph", "break_enchantment", "commune",
            "heal", "major_creation", "raise_dead", "true_seeing", "wall_of_stone" }
    };
}

```

7.5 NPC Class Comparison Summary

Property	Adept	Aristocrat	Commoner	Expert	Warrior
HitDie	6	8	4	6	8
BABAtLevel3	1 (Poor)	2 (Medium)	1 (Poor)	2 (Medium)	3 (Good)
SkillPointsPerLevel	2	4	2	6	2
GoodFortitude	✓	✗	✗	✗	✓
GoodReflex	✗	✗	✗	✓	✗
GoodWill	✓	✓	✗	✗	✗
Is-Spellcaster	✓	✗	✗	✗	✗
DefaultArmorBonus	0	5	0	2	5
DefaultDamageDice	6	8	4	6	8

End of NPC Class Definitions