

Spell Duplicate Analysis Report

Date: May 27, 2026
Project: D&D 3.5e Prototype (/home/ubuntu/dnd35prototype)
Scope: All spell definitions in Assets/Scripts/Magic/Spells/Databases/ and Assets/Scripts/Identifiers/SpellNames.cs

Summary

Metric	Count
Total SpellData entries registered	296
Total class/alias registrations	137
Total SpellNames constants	305
Duplicate display names (same Name , different SpellId)	4 spells → 9 entries
Domain-prefixed full duplicates	12 entries
Class-suffixed full duplicates	6 entries
Total entries consolidatable	~18 entries → ~6 canonical spells

Category 1: Domain-Prefixed Duplicates (domain_*)

These are Druid/specialty spells that Clerics access via domain spell lists. They exist as **separate full SpellData entries** rather than using the existing AvailableFor + AddAvailability() system.

True Duplicates (base spell EXISTS — identical mechanics, different SpellId)

Domain SpellId	Base SpellId	Spell Name	Domain Level	Base Level	Domain File	Base File
do-main_barkskin	barkskin	Barkskin	2	2	SpellData-base_B.cs	SpellData-base_B.cs
do-main_wind_wall	wind_wall	Wind Wall	2	3	SpellData-base_W.cs	SpellData-base_W.cs

Wind Wall has different spell levels (domain grants it at level 2, base Wizard/Druid version is level 3). This is correct per PHB — domain spells can grant lower-level access. The `AvailableFor` system already supports per-class levels.

Domain-Only Spells (NO base version exists)

These are primarily Druid spells that only appear in the codebase as `domain_*` entries, granted to Clerics via domains. They have **no base Druid/Ranger version** registered.

SpellId	Spell Name (inferred)	Level	File	External References
do-main_calm_animals	Calm Animals	1	SpellDatabase_C.cs	2
do-main_desecrate	Desecrate	2	SpellDatabase_D.cs	6
do-main_detect_secret_doors	Detect Secret Doors	1	SpellDatabase_D.cs	1
domain_entangle	Entangle	1	SpellDatabase_E.cs	4
do-main_heat_metal	Heat Metal	2	SpellDatabase_H.cs	2
do-main_hold_animal	Hold Animal	2	SpellDatabase_H.cs	2
do-main_longstrider	Longstrider	1	SpellDatabase_L.cs	1
do-main_magic_stone	Magic Stone	1	SpellDatabase_M.cs	7
do-main_produce_flame	Produce Flame	2	SpellDatabase_P.cs	2
do-main_soften_earth	Soften Earth and Stone	2	SpellDatabase_S.cs	3

Note: These are NOT true duplicates — they're the only registration of these spells. The `domain_` prefix is misleading because it implies these are domain-specific copies of existing spells. In reality, the base Druid versions were never registered. Removing the `domain_` prefix and registering proper base + domain availability would be the correct consolidation.

Category 2: Class-Suffixed Duplicates (*_wiz , *_clr , *_brd)

These are spells that exist as **separate full SpellData entries per class** because the spell level differs by class.

Blindness/Deafness (3 entries)

SpellId	Classes	Level	File
blind-ness_deafness_wiz	Wizard, Sorcerer	2	SpellDatabase_B.cs: 304
blind-ness_deafness_brd	Bard	2	SpellDatabase_B.cs: 326
blind-ness_deafness_clr	Cleric	3	SpellDatabase_B.cs: 348

Wiz/Sor and Bard are both level 2, but Cleric is level 3. Could be consolidated into 1-2 entries using `AvailableFor`.

Single-Class Suffixed (no base version)

SpellId	Spell Name	Level	File
detect_magic_wiz	Detect Magic	0	SpellDatabase_D.cs: 316
detect_poison_wiz	Detect Poison	0	SpellDatabase_D.cs: 335
resistance_wiz	Resistance	0	SpellDatabase_R.cs: 282

These have only the `_wiz` suffix — no base version exists. The `_wiz` suffix is unnecessary since `AvailableFor` already handles multi-class availability. The suffix just adds confusion.

Category 3: Alias System Usage

The codebase has a well-designed **alias system** (`RegisterClassSpellAlias`) with **137 aliases** that correctly map class-specific IDs to canonical spells. Examples:

```
RegisterClassSpellAlias("bears_endurance_clr", SpellNames.BEARS_ENDURANCE, "Cleric", 2);
RegisterClassSpellAlias("bears_endurance_drd", SpellNames.BEARS_ENDURANCE, "Druid", 2);
RegisterClassSpellAlias("barkskin_drd", SpellNames.BARKSKIN, "Druid", 2);
;
```

This system already solves the problem — but the 18 entries above were registered as **full SpellData entries** instead of using this alias pattern.

Recommendations

Priority 1: Rename Domain-Only Spells (Low Risk, High Clarity)

Remove `domain_` prefix from 10 spells that have no base version. These are canonical spells that happen to be granted via domains:

- `domain_calm_animals` → `calm_animals`
- `domain_desecrate` → `desecrate`
- `domain_entangle` → `entangle`
- etc.

Impact: 10 SpellNames constants + references in ~34 call sites + domain database entries.

Risk: Medium — requires updating all reference sites.

Priority 2: Consolidate True Duplicates Using Aliases (Medium Risk)

For `domain_barkskin` and `domain_wind_wall`, convert to aliases of the base spell:

```
// Instead of Register(new SpellData { SpellId = "domain_barkskin", ... })
RegisterClassSpellAlias("domain_barkskin", SpellNames.BARKSKIN, "Cleric", 2, "Plant");
```

Impact: Remove 2 full SpellData entries, add 2 alias lines.

Risk: Low — the alias system handles level differences per class.

Priority 3: Consolidate Blindness/Deafness (Medium Risk)

Merge 3 entries into 1 canonical entry with `AvailableFor`:

```
Register(new SpellData {
    SpellId = "blindness_deafness",
    AvailableFor = new List<SpellAvailability> {
        new SpellAvailability("Wizard", 2),
        new SpellAvailability("Sorcerer", 2),
        new SpellAvailability("Bard", 2),
        new SpellAvailability("Cleric", 3)
    }
});
```

Keep old IDs as aliases for backward compatibility.

Impact: -2 SpellData entries, needs BLINDNESS_DEAFNESS alias updates.

Risk: Medium — `BLINDNESS_DEAFNESS` constant currently points to `_wiz` variant.

Priority 4: Clean Up `_wiz` Suffixed Cantrips (Low Risk)

Rename `detect_magic_wiz` → `detect_magic`, `detect_poison_wiz` → `detect_poison`, `resistance_wiz` → `resistance`. Register old IDs as aliases.

Impact: 3 renames + aliases for backward compat.

Risk: Low — these are cantrips with limited external references.

Not Duplicates (Correct Separate Entries)

The following are **correctly** separate entries and should NOT be consolidated:

- **Summon Monster I/II/III/IV** — different spell levels, different summon tables
- **Summon Nature's Ally I/II/III/IV** — same reason
- **Cure/Inflict Light/Moderate/Serious/Critical Wounds** — different spell levels and dice
- **Test spells** (TEST_CONE_30, TEST_CONE_60, TEST_LINE_60) — development/testing tools

Total Consolidation Potential

Action	Entries Affected	Net SpellData Reduction
Rename 10 domain-only spells	10	0 (rename only)
Convert 2 domain duplicates to aliases	2	-2
Merge Blindness/Deafness	3 → 1	-2
Rename 3 <code>_wiz</code> cantrips	3	0 (rename only)
Total	18	-4 entries, 13 renames, 2 new aliases

The codebase is largely well-organized. The 137 existing aliases show the team understood the pattern. These 18 entries appear to be early registrations made before the alias system was fully established.