

D&D 3.5e Player's Handbook — Missing Classes Implementation Plan

Document Version: 1.0

Date: 2026-05-25

Project: /home/ubuntu/dnd35prototype

Scope: All 11 PHB core classes — audit + implementation plan for missing/incomplete classes

1. EXECUTIVE SUMMARY

Class Implementation Status

#	Class	Status	Completeness	Notes
1	Barbarian	 Partial	~65%	Class file exists; Rage, Uncanny Dodge, Trap Sense, Fast Movement coded in CharacterStats. Missing: multi-rage scaling, Improved Uncanny Dodge, Damage Reduction, Greater Rage, Indomitable Will, Tireless Rage, Mighty Rage
2	Bard	 Missing	0%	No class file. 52 spells tagged "Bard" in SpellDatabase. No bardic music, no spontaneous casting infrastructure
3	Cleric	 Complete	~90%	Full class file, domain system, Turn Undead UI + AI, prepared divine casting, spontaneous Cure/Inflict conversion. Minor gaps: domain granted powers not all implemented
4	Druid	 Missing	~10%	No class file. Spellcasting-Component has Druid slot code path. 30 spells tagged "Druid". No Wild Shape,

#	Class	Status	Completeness	Notes
				no Animal Companion, no nature abilities
5	Fighter	🟡 Partial	~55%	Class file exists with starting equipment. Bonus feat system NOT implemented (no feat selection every 2 levels). Weapon Specialization exists as a feat. Missing: systematic bonus feat grants
6	Monk	✅ Complete	~85%	Class file, Flurry of Blows, Unarmed Strike scaling, AC Bonus (Wis), Fast Movement, Evasion, Still Mind all in CharacterStats. Has CombatUI button + CombatFlowService integration. Missing: Ki Strike, Abundant Step, Quivering Palm, Perfect Self, Wholeness of Body
7	Paladin	❌ Missing	~5%	No class file. IsPaladin property exists in CharacterStats. Turn Undead UI checks IsPaladin && Level >= 4 . No Smite Evil, Lay on Hands,

#	Class	Status	Completeness	Notes
				Divine Grace, Special Mount
8	Ranger	✗ Missing	0%	No class file. 9 spells tagged "Ranger" in SpellDatabase. No Favored Enemy, Combat Style, Animal Companion, or Ranger spellcasting
9	Rogue	✓ Complete	~80%	Class file exists. Sneak Attack fully implemented (CombatUtils + CombatResult + flanking). Evasion works. Trapfinding referenced. Missing: Improved Uncanny Dodge, Improved Evasion, Special Abilities at 10/13/16/19
10	Sorcerer	✗ Missing	~5%	No class file. 131 spells tagged "Sorcerer" in SpellDatabase. GetPrimaryCastingModifier() returns CHA for Sorcerer. No spontaneous arcane casting infrastructure
11	Wizard	✓ Complete	~90%	Full class file, prepared arcane casting, Scribe Scroll feat,

#	Class	Status	Completeness	Notes
				Specialization schools, Familiar system (Wizard-Familiar + FamiliarSelectionUI), spellbook. Minor gaps: some bonus feat selection automation

Summary Counts

-  **Fully Implemented (80%+):** 4 classes (Cleric, Monk, Rogue, Wizard)
-  **Partially Implemented:** 2 classes (Barbarian, Fighter)
-  **Not Implemented:** 5 classes (Bard, Druid, Paladin, Ranger, Sorcerer)

Recommended Implementation Priority

1. **Sorcerer** — Simplest missing class; reuses Wizard spell list; needs only spontaneous casting
2. **Fighter (completion)** — Just needs bonus feat grant system
3. **Barbarian (completion)** — Needs scaling rage + DR
4. **Paladin** — Medium complexity; Turn Undead infrastructure exists
5. **Ranger** — Medium complexity; reuses some Druid infrastructure
6. **Druid** — High complexity; Wild Shape + Animal Companion
7. **Bard** — High complexity; Bardic Music + spontaneous casting

Overall Timeline Estimate

- **Phase 1 (Simple):** ~2-3 weeks — Sorcerer + Fighter/Barbarian completion
- **Phase 2 (Medium):** ~4-5 weeks — Paladin + Ranger
- **Phase 3 (Complex):** ~6-8 weeks — Druid + Bard

2. CURRENT STATE ANALYSIS

2.1 Architecture Overview

The class system is built on:

1. **ICharacterClass interface** — Contract for all classes defining:
 - `ClassName`, `Description`, `HitDie`, `BABAtLevel3`, `SkillPointsPerLevel`
 - Save progressions (`GoodFortitude`, `GoodReflex`, `GoodWill`)
 - `IsSpellcaster`, `ClassSkills` `HashSet`
 - `SetupStartingEquipment(InventoryComponent inv)`
 - `InitFeats(CharacterStats stats)` for automatic feats
 - `GetQuickStartCharacter()` static factory for character creation
2. **ClassRegistry** — Central static registry. Currently registers 6 classes via `Init()`.

3. **CharacterStats** — Houses all class feature properties/calculations:
 - `ClassLevels` (List) — supports multiclassing
 - `HasClass(string)`, `GetClassLevel(string)` — class queries
 - Class-specific properties: `IsMonk`, `IsRogue`, `IsBarbarian`, `IsWizard`, `IsCleric`, `IsPaladin`
 - Feature implementations: `HasEvasion`, `MonkACBonus`, `MaxRagesPerDay`, `TrapSenseBonus`, etc.
4. **ProgressionCalculator** — Shared BAB/save math using `BABProgression` enum (Good/Medium/Poor)
5. **SpellcastingComponent** — Manages spell slots, preparation, and casting:
 - Prepared slot system for Wizard/Cleric/Druid
 - No spontaneous casting system (Sorcerer/Bard) yet
 - Spell slot tables hardcoded per class
 - Domain slot support for Cleric
 - Specialist slot support for Wizard

2.2 Per-Class Detailed Assessment

✓ Cleric — ~90% Complete

What's Done:

- `ClericClass.cs` with full `IClassCharacterClass` implementation
- d8 HD, 3/4 BAB, good Fort/Will saves, 2 skill points
- Prepared divine casting with domain spell slots
- Domain system: `DomainData`, `DomainDatabase`, domain spell lists
- Turn Undead: `MaxTurnUndeadAttemptsPerDay` (3 + CHA mod), full UI panel (`TurnUndeadTargetSelectionPanel`), AI integration
- Spontaneous Cure/Inflict conversion: `SpontaneousCastingType` enum exists
- Quick start character with pre-configured spells

What's Missing:

- Some domain granted powers not mechanically implemented (just described)
- Spontaneous conversion not wired into `SpellcastingComponent` (UI exists, backend partially missing)

✓ Wizard — ~90% Complete

What's Done:

- `WizardClass.cs` with full `IClassCharacterClass` implementation
- d4 HD, 1/2 BAB, good Will save, 2 skill points
- Prepared arcane casting with spellbook system
- Specialization schools with prohibited schools and specialist slots
- Familiar system: `WizardFamiliar` data class, `FamiliarSelectionUI`, bonus table
- Scribe Scroll automatic feat, Ring of Wizardry support
- ~140+ spells available on Wizard list
- Quick start character with pre-configured spellbook

What's Missing:

- Bonus feat selection at 5/10/15/20 (metamagic or item creation feats) — partially manual
- Some familiar abilities beyond stat bonuses (Alertness, Share Spells, etc.)

✓ Monk — ~85% Complete

What's Done:

- `MonkClass.cs` with full `IClassCharacterClass` implementation
- d8 HD, 3/4 BAB, all good saves, 4 skill points

- Flurry of Blows: `GetFlurryOfBlowsBonuses()` in `CharacterStats`, `PerformFlurryOfBlows()` in `CombatFlowService`, `CombatUI` button
- Unarmed Strike: `MonkUnarmedDamageDie`, scaling damage, `GetUnarmedDamage()`, Improved Unarmed Strike automatic feat
- AC Bonus: `MonkACBonus` (Wis mod when unarmored)
- Fast Movement: `MonkFastMovementBonus` (10 ft at level 1+)
- Evasion: `HasEvasion` (level 2+), integrated into spell damage resolution
- Still Mind: `StillMindBonus` (+2 vs enchantments at level 3+)

What's Missing:

- Ki Strike (magic/lawful/adamantine at 4/10/16)
- Slow Fall scaling
- Purity of Body (immune to disease at level 5)
- Wholeness of Body (heal self at level 7)
- Improved Evasion (level 9)
- Diamond Body (immune to poison at level 11)
- Abundant Step (dimension door at level 12)
- Diamond Soul (SR at level 13)
- Quivering Palm (level 15)
- Timeless Body (level 17)
- Tongue of the Sun and Moon (level 17)
- Empty Body (etherealness at level 19)
- Perfect Self (DR 10/magic at level 20)

✓ Rogue — ~80% Complete

What's Done:

- `RogueClass.cs` with full `ICharacterClass` implementation
- d6 HD, 3/4 BAB, good Reflex save, 8 skill points
- Sneak Attack: `GetSneakAttackDice()`, `RollSneakAttackDamage()` in `CombatUtils`, fully integrated into `CombatResult` with flanking/flat-footed detection
- Evasion: `HasEvasion` (level 2+) in `CharacterStats`
- Trapfinding: referenced in class description

What's Missing:

- Trap Sense bonus (+1 per 3 levels vs traps)
- Uncanny Dodge (level 4: can't be caught flat-footed)
- Improved Uncanny Dodge (level 8: can't be flanked)
- Improved Evasion (level 10 special ability option, if selected)
- Special Abilities at levels 10, 13, 16, 19 (Crippling Strike, Defensive Roll, Feat, Improved Evasion, Opportunist, Skill Mastery, Slippery Mind)

● Barbarian — ~65% Complete

What's Done:

- `BarbarianClass.cs` with full `ICharacterClass` implementation
- d12 HD, full BAB, good Fort save, 4 skill points
- Rage: `IsRaging`, `RagesUsedToday`, `MaxRagesPerDay` (hardcoded to 1), `StartRage()` / `EndRage()` in `CharacterStats`
- Rage effects: STR/CON +4, Will +2, AC -2, HP gain, fatigue on end
- Fast Movement: `BarbarianFastMovementBonus` (+10 ft in medium or lighter armor)
- Uncanny Dodge: `HasUncannyDodge` (level 2+)
- Trap Sense: `TrapSenseBonus` (scaling +1 per 3 levels from level 3)

- CombatUI: Rage button exists
- Armor of Rage item behavior exists (detects `IsRaging`)

What's Missing:

- Rage scaling: should be 1/day at level 1, +1/day at 4/8/12/16/20 (currently hardcoded to 1)
- Greater Rage (level 11): STR/CON +6, Will +3
- Indomitable Will (level 14): +4 vs enchantments while raging
- Tireless Rage (level 17): no fatigue after rage
- Mighty Rage (level 20): STR/CON +8, Will +4
- Improved Uncanny Dodge (level 5): can't be flanked
- Damage Reduction: 1/— at level 7, scaling +1 per 3 levels (2/— at 10, 3/— at 13, 4/— at 16, 5/— at 19)
- Illiteracy class feature (flavor — Barbarians can't read by default)

🟡 Fighter — ~55% Complete

What's Done:

- `FighterClass.cs` with full `ICharacterClass` implementation
- d10 HD, full BAB, good Fort save, 2 skill points
- Starting equipment configured
- Weapon Focus, Weapon Specialization, Greater Weapon Focus feats exist in `FeatDefinitions`
- Combat feats (Power Attack, Cleave, Great Cleave, etc.) all implemented

What's Missing:

- **Bonus Feat System:** Fighter should select a bonus combat feat at level 1 and every even level (2, 4, 6, 8, 10, 12, 14, 16, 18, 20). This is the Fighter's signature mechanic and is NOT automated.
- Bonus feat selection UI integrated with level-up
- Greater Weapon Specialization (level 12+ prerequisite)
- Weapon Mastery (if using optional rules)

✖ Sorcerer — ~5% Implemented

Existing Infrastructure:

- 131 spells tagged "Sorcerer" in `SpellDatabase`
- `GetPrimaryCastingModifier()` returns CHA for "Sorcerer"
- `SpellcastingKind` returns Arcane for "Sorcerer"

Not Implemented:

- No `SorcererClass.cs` file
- No spontaneous arcane casting system
- No spells known table
- No class features (familiar, bonus feats at 5/10/15/20)

✖ Paladin — ~5% Implemented

Existing Infrastructure:

- `IsPaladin` property in `CharacterStats`
- Turn Undead UI checks `IsPaladin && Level >= 4`
- 16 spells tagged "Paladin" in `SpellDatabase`
- `GetPrimaryCastingModifier()` returns WIS for "Paladin"

Not Implemented:

- No `PaladinClass.cs` file
- No Smite Evil, Lay on Hands, Divine Grace, Aura of Courage, Remove Disease
- No Paladin spellcasting (prepared divine, starts at level 4)

- No Special Mount
- No Code of Conduct / ex-Paladin mechanics

✗ Ranger — 0% Implemented

Existing Infrastructure:

- 9 spells tagged "Ranger" in SpellDatabase
- `GetPrimaryCastingModifier()` returns WIS for "Ranger"

Not Implemented:

- No `RangerClass.cs` file
- No Favored Enemy system
- No Combat Style (Archery vs Two-Weapon Fighting)
- No Ranger spellcasting (prepared divine, starts at level 4)
- No Animal Companion (delayed progression)
- No Track, Wild Empathy, Endurance, Woodland Stride, Swift Tracker, Camouflage, Hide in Plain Sight

✗ Druid — ~10% Implemented

Existing Infrastructure:

- SpellcastingComponent has Druid slot code path (`InitDruidSpellSlots`)
- 30 spells tagged "Druid" in SpellDatabase
- `GetPrimaryCastingModifier()` returns WIS for "Druid"

Not Implemented:

- No `DruidClass.cs` file
- No Wild Shape system
- No Animal Companion system
- No Nature Sense, Wild Empathy, Woodland Stride, Trackless Step, Resist Nature's Lure, Venom Immunity, A Thousand Faces
- No spontaneous Summon Nature's Ally conversion

✗ Bard — 0% Implemented

Existing Infrastructure:

- 52 spells tagged "Bard" in SpellDatabase
- `GetPrimaryCastingModifier()` returns CHA for "Bard"

Not Implemented:

- No `BardClass.cs` file
- No spontaneous arcane casting
- No Bardic Music system (Inspire Courage, Fascinate, Suggestion, etc.)
- No Bardic Knowledge
- No Countersong
- No class features

3. MISSING CLASSES — DETAILED PLANS

3.1 SORCERER

Class Overview

- **Role:** Primary arcane striker/controller — spontaneous casting with limited spells known but unlimited flexibility
- **Playstyle:** “Fewer tools, more uses” — knows fewer spells than a Wizard but casts any known spell without preparation
- **Iconic Abilities:** Spontaneous arcane casting, Familiar
- **Complexity Rating:** ★★ (2/5) — simplest missing class; same spell list as Wizard
- **Key Difference from Wizard:** No spellbook, no specialization, fewer spells known, more spells per day, CHA-based

Core Mechanics

Stat	Value
Hit Die	d4
BAB	Poor (1/2 per level)
Good Saves	Will only
Skill Points	2 + INT mod per level
Proficiencies	Simple weapons; no armor/shield
Casting Stat	Charisma
Casting Type	Spontaneous Arcane

Class Skills

Bluff, Concentration, Craft, Knowledge (Arcana), Profession, Spellcraft

Level Progression (1-20)

Level	BAB	Fort	Ref	Will	Special	Spells Known (0/1/2/3/ 4/5/6/7/ 8/9)	Spells Per Day (0/1/2/3/ 4/5/6/7/ 8/9)
1	+0	+0	+0	+2	Summon Familiar	4/2/—/—/ —/—/—/ —/—/—	5/3/—/—/ —/—/—/ —/—/—
2	+1	+0	+0	+3	—	5/2/—/—/ —/—/—/ —/—/—	6/4/—/—/ —/—/—/ —/—/—
3	+1	+1	+1	+3	—	5/3/—/—/ —/—/—/ —/—/—	6/5/—/—/ —/—/—/ —/—/—
4	+2	+1	+1	+4	—	6/3/1/—/ —/—/—/ —/—/—	6/6/3/—/ —/—/—/ —/—/—
5	+2	+1	+1	+4	—	6/4/2/—/ —/—/—/ —/—/—	6/6/4/—/ —/—/—/ —/—/—
6	+3	+2	+2	+5	—	7/4/2/1/ —/—/—/ —/—/—	6/6/5/3/ —/—/—/ —/—/—
7	+3	+2	+2	+5	—	7/5/3/2/ —/—/—/ —/—/—	6/6/6/4/ —/—/—/ —/—/—
8	+4	+2	+2	+6	—	8/5/3/2/1 /—/—/—/ —/—	6/6/6/5/3 /—/—/—/ —/—
9	+4	+3	+3	+6	—	8/5/4/3/2 /—/—/—/ —/—	6/6/6/6/4 /—/—/—/ —/—
10	+5	+3	+3	+7	—	9/5/4/3/2 /1/—/—/ —/—	6/6/6/6/5 /3/—/—/ —/—
11	+5	+3	+3	+7	—		

Level	BAB	Fort	Ref	Will	Special	Spells Known (0/1/2/3/ 4/5/6/7/ 8/9)	Spells Per Day (0/1/2/3/ 4/5/6/7/ 8/9)
						9/5/5/4/3 /2/—/—/ —/—	6/6/6/6/6 /4/—/—/ —/—
12	+6/+1	+4	+4	+8	—	9/5/5/4/3 /2/1/—/ —/—	6/6/6/6/6 /5/3/—/ —/—
13	+6/+1	+4	+4	+8	—	9/5/5/4/4 /3/2/—/ —/—	6/6/6/6/6 /6/4/—/ —/—
14	+7/+2	+4	+4	+9	—	9/5/5/4/4 /3/2/1/—/ —	6/6/6/6/6 /6/5/3/—/ —
15	+7/+2	+5	+5	+9	—	9/5/5/4/4 /4/3/2/—/ —	6/6/6/6/6 /6/6/4/—/ —
16	+8/+3	+5	+5	+10	—	9/5/5/4/4 /4/3/2/1/ —	6/6/6/6/6 /6/6/5/3/ —
17	+8/+3	+5	+5	+10	—	9/5/5/4/4 /4/3/3/2/ —	6/6/6/6/6 /6/6/6/4/ —
18	+9/+4	+6	+6	+11	—	9/5/5/4/4 / 4/3/3/2/1	6/6/6/6/6 / 6/6/6/5/3
19	+9/+4	+6	+6	+11	—	9/5/5/4/4 / 4/3/3/3/2	6/6/6/6/6 / 6/6/6/6/4
20	+10/+5	+6	+6	+12	—	9/5/5/4/4 / 4/3/3/3/3	6/6/6/6/6 / 6/6/6/6/6

Class Features

Summon Familiar (Level 1)

- Identical to Wizard familiar (reuse existing `WizardFamiliar` + `FamiliarSelectionUI`)
- Uses Sorcerer level instead of Wizard level for familiar abilities

Spontaneous Arcane Casting

- Knows a fixed number of spells per level (see Spells Known table)
- Can cast any known spell using an available spell slot of that level
- No spellbook, no preparation — just pick a known spell and spend a slot
- Bonus spells per day from high CHA (same formula as bonus prepared slots)

Unique Systems Required

SpontaneousCastingSystem

This is the **single most important new system** for Sorcerer (and later Bard). It replaces the prepared slot model.

```

/// <summary>
/// Manages spontaneous casting for Sorcerer and Bard.
/// Instead of preparing specific spells into slots, the caster
/// knows a fixed set of spells and can cast any of them by
/// spending a slot of the appropriate level.
/// </summary>
public class SpontaneousCastingData
{
    /// <summary>Spells known by level. Index = spell level (0-9).</summary>
    public List<string>[] SpellsKnownByLevel = new List<string>[10];

    /// <summary>Max spells known per level (from class table).</summary>
    public int[] MaxSpellsKnownByLevel = new int[10];

    /// <summary>Spell slots remaining per level (0-9).</summary>
    public int[] SlotsRemaining = new int[10];

    /// <summary>Max spell slots per level (base + CHA bonus).</summary>
    public int[] SlotsMax = new int[10];

    /// <summary>Can this caster cast a specific spell right now?</summary>
    public bool CanCast(string spellId, int spellLevel)
    {
        if (spellLevel < 0 || spellLevel > 9) return false;
        if (SlotsRemaining[spellLevel] <= 0) return false;
        if (SpellsKnownByLevel[spellLevel] == null) return false;
        return SpellsKnownByLevel[spellLevel].Contains(spellId);
    }

    /// <summary>Spend a slot to cast a spell.</summary>
    public bool SpendSlot(int spellLevel)
    {
        if (spellLevel == 0) return true; // Cantrips unlimited (3.5e variant)
        if (SlotsRemaining[spellLevel] <= 0) return false;
        SlotsRemaining[spellLevel]--;
        return true;
    }
}

```

Sorcerer Spells Per Day Table (static data)

```
// Indexed by [classLevel - 1][spellLevel]
private static readonly int[,] SorcererSlotsPerDay = new int[20, 10]
{
    // Lvl  0  1  2  3  4  5  6  7  8  9
    /* 1*/ {5, 3, 0, 0, 0, 0, 0, 0, 0, 0},
    /* 2*/ {6, 4, 0, 0, 0, 0, 0, 0, 0, 0},
    /* 3*/ {6, 5, 0, 0, 0, 0, 0, 0, 0, 0},
    /* 4*/ {6, 6, 3, 0, 0, 0, 0, 0, 0, 0},
    /* 5*/ {6, 6, 4, 0, 0, 0, 0, 0, 0, 0},
    /* 6*/ {6, 6, 5, 3, 0, 0, 0, 0, 0, 0},
    /* 7*/ {6, 6, 6, 4, 0, 0, 0, 0, 0, 0},
    /* 8*/ {6, 6, 6, 5, 3, 0, 0, 0, 0, 0},
    /* 9*/ {6, 6, 6, 6, 4, 0, 0, 0, 0, 0},
    /* 10*/ {6, 6, 6, 6, 5, 3, 0, 0, 0, 0},
    /* 11*/ {6, 6, 6, 6, 6, 4, 0, 0, 0, 0},
    /* 12*/ {6, 6, 6, 6, 6, 5, 3, 0, 0, 0},
    /* 13*/ {6, 6, 6, 6, 6, 6, 4, 0, 0, 0},
    /* 14*/ {6, 6, 6, 6, 6, 6, 5, 3, 0, 0},
    /* 15*/ {6, 6, 6, 6, 6, 6, 6, 4, 0, 0},
    /* 16*/ {6, 6, 6, 6, 6, 6, 6, 5, 3, 0},
    /* 17*/ {6, 6, 6, 6, 6, 6, 6, 6, 4, 0},
    /* 18*/ {6, 6, 6, 6, 6, 6, 6, 6, 5, 3},
    /* 19*/ {6, 6, 6, 6, 6, 6, 6, 6, 6, 4},
    /* 20*/ {6, 6, 6, 6, 6, 6, 6, 6, 6, 6}
};

// Indexed by [classLevel - 1][spellLevel]
private static readonly int[,] SorcererSpellsKnown = new int[20, 10]
{
    // Lvl  0  1  2  3  4  5  6  7  8  9
    /* 1*/ {4, 2, 0, 0, 0, 0, 0, 0, 0, 0},
    /* 2*/ {5, 2, 0, 0, 0, 0, 0, 0, 0, 0},
    /* 3*/ {5, 3, 0, 0, 0, 0, 0, 0, 0, 0},
    /* 4*/ {6, 3, 1, 0, 0, 0, 0, 0, 0, 0},
    /* 5*/ {6, 4, 2, 0, 0, 0, 0, 0, 0, 0},
    /* 6*/ {7, 4, 2, 1, 0, 0, 0, 0, 0, 0},
    /* 7*/ {7, 5, 3, 2, 0, 0, 0, 0, 0, 0},
    /* 8*/ {8, 5, 3, 2, 1, 0, 0, 0, 0, 0},
    /* 9*/ {8, 5, 4, 3, 2, 0, 0, 0, 0, 0},
    /* 10*/ {9, 5, 4, 3, 2, 1, 0, 0, 0, 0},
    /* 11*/ {9, 5, 5, 4, 3, 2, 0, 0, 0, 0},
    /* 12*/ {9, 5, 5, 4, 3, 2, 1, 0, 0, 0},
    /* 13*/ {9, 5, 5, 4, 4, 3, 2, 0, 0, 0},
    /* 14*/ {9, 5, 5, 4, 4, 3, 2, 1, 0, 0},
    /* 15*/ {9, 5, 5, 4, 4, 4, 3, 2, 0, 0},
    /* 16*/ {9, 5, 5, 4, 4, 4, 3, 2, 1, 0},
    /* 17*/ {9, 5, 5, 4, 4, 4, 3, 3, 2, 0},
    /* 18*/ {9, 5, 5, 4, 4, 4, 3, 3, 2, 1},
    /* 19*/ {9, 5, 5, 4, 4, 4, 3, 3, 3, 2},
    /* 20*/ {9, 5, 5, 4, 4, 4, 3, 3, 3, 3}
};
```


Data Structures

```
public class SorcererClass : ICharacterClass
{
    public string ClassName => "Sorcerer";
    public string Description => "Sorcerers cast arcane spells through innate power
rather than study. " +
        "They know fewer spells than wizards but can cast any known spell spontan-
eously.";
    public int HitDie => 4;
    public int BABAtLevel3 => 1; // Poor
    public int SkillPointsPerLevel => 2;
    public bool GoodFortitude => false;
    public bool GoodReflex => false;
    public bool GoodWill => true;
    public bool IsSpellcaster => true;
    // Reuse Wizard spell list (Sor/Wiz list)
    // Familiar reuses WizardFamiliar system
}
```

UI Components Needed

- **Spells Known selection UI** — at level-up when new spells are gained, player picks from Sorcerer/Wizard spell list
- **Spontaneous casting panel** — replaces prepared spell slots in Spell Preparation UI; shows known spells grouped by level with remaining slot count
- Familiar selection: reuse existing FamiliarSelectionUI

Integration Points

- SpellcastingComponent — add IsSpontaneousCaster flag and SpontaneousCastingData field
- SpellPreparationUI — branch on IsSpontaneousCaster to show “Spells Known” view vs “Spell Slots” view
- SpellCaster / GameManager_Spells — when casting, spend a slot (any of that level) instead of consuming a specific prepared slot
- ClassRegistry — register SorcererClass
- CharacterCreationUI — add Sorcerer option with spell selection

3.2 PALADIN

Class Overview

- **Role:** Front-line divine warrior — melee combatant with limited healing and anti-evil powers
- **Playstyle:** Defensive tank with smite burst damage and party auras
- **Iconic Abilities:** Smite Evil, Lay on Hands, Divine Grace, Special Mount
- **Complexity Rating:** ★★★ (3/5) — moderate; Turn Undead infrastructure exists

Core Mechanics

Stat	Value
Hit Die	d10
BAB	Good (1 per level)
Good Saves	Fortitude, Will (note: Reflex is poor but gets CHA bonus from Divine Grace)
Skill Points	2 + INT mod per level
Proficiencies	All simple and martial weapons, all armor, shields
Casting Stat	Wisdom (starts at level 4)
Casting Type	Prepared Divine (limited list, like Ranger)

Class Skills

Concentration, Craft, Diplomacy, Handle Animal, Heal, Knowledge (Nobility and Royalty), Knowledge (Religion), Profession, Ride, Sense Motive

Level Progression (1-20)

Level	BAB	Fort	Ref	Will	Special	Spells/ Day (1/2/3/4)
1	+1	+2	+0	+0	Aura of Good, Detect Evil, Smite Evil 1/day	—/—/—/—
2	+2	+3	+0	+0	Divine Grace, Lay on Hands	—/—/—/—
3	+3	+3	+1	+1	Aura of Courage, Divine Health	—/—/—/—
4	+4	+4	+1	+1	Turn Undead	0/—/—/—
5	+5	+4	+1	+1	Smite Evil 2/day, Special Mount	0/—/—/—
6	+6/+1	+5	+2	+2	Remove Disease 1/week	1/—/—/—
7	+7/+2	+5	+2	+2	—	1/—/—/—
8	+8/+3	+6	+2	+2	—	1/0/—/—
9	+9/+4	+6	+3	+3	Remove Disease 2/week	1/0/—/—
10	+10/+5	+7	+3	+3	Smite Evil 3/day	1/1/—/—
11	+11/+6/+1	+7	+3	+3	—	1/1/0/—
12	+12/+7/+2	+8	+4	+4	Remove Disease 3/week	1/1/1/—
13		+8	+4	+4	—	1/1/1/—

Level	BAB	Fort	Ref	Will	Special	Spells/ Day (1/2/3/4)
	+13/+8/+3					
14	+14/+9/+4	+9	+4	+4	—	2/1/1/0
15	+15/+10/+5	+9	+5	+5	Remove Disease 4/ week, Smite Evil 4/day	2/1/1/1
16	+16/+11/+6/+1	+10	+5	+5	—	2/2/1/1
17	+17/+12/+7/+2	+10	+5	+5	—	2/2/2/1
18	+18/+13/+8/+3	+11	+6	+6	Remove Disease 5/ week	3/2/2/1
19	+19/+14/+9/+4	+11	+6	+6	—	3/3/3/2
20	+20/+15/+10/+5	+12	+6	+6	Smite Evil 5/day	3/3/3/3

Class Features

Aura of Good (Level 1)

- Detectable by Detect Good spell. Strength equals Paladin level.
- Implementation: Tag on character (`aura:good:strong`). Low priority — mostly flavor.

Detect Evil (Level 1)

- At will, as the spell. Standard action.
- Implementation: Add as a class ability button. Uses existing spell targeting framework to scan for evil creatures in a cone. Can highlight evil-aligned creatures in the UI.

Smite Evil (Level 1)

- Uses per day: 1 at level 1, +1 at 5/10/15/20
- On attack: add CHA bonus to attack roll, add Paladin level to damage
- Only works vs evil creatures; if target isn't evil, smite is wasted
- Formula: Attack bonus = CHA modifier; Damage bonus = Paladin level (max 20)

```

public class SmiteEvilData
{
    public int UsesPerDay;    // 1 + (level - 1) / 5
    public int UsesRemaining;
    public int AttackBonus;  // CHA modifier
    public int DamageBonus;  // Paladin level

    public static int GetUsesPerDay(int paladinLevel)
    {
        if (paladinLevel < 1) return 0;
        return 1 + (paladinLevel - 1) / 5; // 1 at 1, 2 at 5, 3 at 10, 4 at 15, 5 at
20
    }
}

```

Divine Grace (Level 2)

- Add CHA modifier as bonus to all saving throws
- Implementation: In `CharacterStats` save calculation, if `IsPaladin && GetClassLevel("Paladin") >= 2`, add `CharismaModifier` to all saves.
- This is a very powerful feature — CHA 20 gives +5 to all saves.

Lay on Hands (Level 2)

- Heal pool: Paladin level × CHA modifier HP per day
- Can heal self or allies (touch range), or deal damage to undead
- Formula: `HealingPool = PaladinLevel * CharismaModifier` (minimum 0)

```

public class LayOnHandsData
{
    public int MaxHealingPool;    // PaladinLevel * CHA mod
    public int HealingRemaining;

    public void Reset(int paladinLevel, int chaModifier)
    {
        MaxHealingPool = Mathf.Max(0, paladinLevel * chaModifier);
        HealingRemaining = MaxHealingPool;
    }
}

```

Aura of Courage (Level 3)

- Paladin is immune to fear
- All allies within 10 feet gain +4 morale bonus on saving throws against fear effects
- Implementation: `ImmuneToFear` flag on Paladin; aura effect on nearby allies during fear saves.

Divine Health (Level 3)

- Immune to all diseases (including magical like Mummy Rot)
- Implementation: `ImmuneToDiseases` flag in `CharacterStats`

Turn Undead (Level 4)

- As a Cleric of (Paladin level - 3)
- Implementation: Already exists — Turn Undead system is fully built with UI and AI. Just set effective turning level = `PaladinLevel - 3`.

Spellcasting (Level 4)

- Prepared divine casting, spell levels 1-4 only
- Caster level = Paladin level - 3 (minimum 1)

- Uses WIS for bonus spells and save DCs
- Spell list is small (~16 spells already tagged in SpellDatabase)

```
// Paladin Spells Per Day [classLevel - 1][spellLevel (1-4)]
// Levels 1-3 have no spellcasting
private static readonly int[,] PaladinSlotsPerDay = new int[20, 4]
{
    // Lvl 1 2 3 4
    /* 1*/ {0, 0, 0, 0},
    /* 2*/ {0, 0, 0, 0},
    /* 3*/ {0, 0, 0, 0},
    /* 4*/ {0, 0, 0, 0},
    /* 5*/ {0, 0, 0, 0},
    /* 6*/ {1, 0, 0, 0},
    /* 7*/ {1, 0, 0, 0},
    /* 8*/ {1, 0, 0, 0},
    /* 9*/ {1, 0, 0, 0},
    /* 10*/ {1, 1, 0, 0},
    /* 11*/ {1, 1, 0, 0},
    /* 12*/ {1, 1, 1, 0},
    /* 13*/ {1, 1, 1, 0},
    /* 14*/ {2, 1, 1, 0},
    /* 15*/ {2, 1, 1, 1},
    /* 16*/ {2, 2, 1, 1},
    /* 17*/ {2, 2, 2, 1},
    /* 18*/ {3, 2, 2, 1},
    /* 19*/ {3, 3, 3, 2},
    /* 20*/ {3, 3, 3, 3}
};
```

Special Mount (Level 5)

- Summoned as a full-round action; lasts indefinitely
- Heavy warhorse with enhanced stats based on Paladin level
- Implementation: Create as a summoned creature using existing summoning framework. Stats scale with Paladin level.

Remove Disease (Level 6)

- Sp ability, uses per week: 1 at 6, +1 per 3 levels (2 at 9, 3 at 12, etc.)
- As the spell remove disease
- Formula: `UsesPerWeek = (PaladinLevel - 3) / 3` (minimum 1 at level 6)

Code of Conduct

- Must be Lawful Good; loses all class features if alignment changes
- Implementation: Alignment flag check. If violated, set `ExPaladin = true` and disable all Paladin abilities.
- Can be restored via atonement spell.

UI Components Needed

- Smite Evil button in combat action bar (like Rage button for Barbarian)
- Lay on Hands usage panel (target selection, amount to heal)
- Detect Evil toggle/button
- Turn Undead: reuse existing `TurnUndeadTargetSelectionPanel` with effective level = Paladin level - 3
- Special Mount summon button (pre-combat or in-combat)
- Spell preparation UI: reuse Cleric-style slot system with Paladin spell list

Integration Points

- **CharacterStats** — add `SmiteEvilUsesRemaining`, `LayOnHandsRemaining`, `DivineGraceSaveBonus`, `AuraOfCourageActive`
- **Combat system** — Smite Evil modifies attack/damage on evil targets
- **Save calculation** — Divine Grace adds CHA to all saves
- **Turn Undead** — use effective level `PaladinLevel - 3`
- **Spell system** — small prepared divine caster starting at level 4

3.3 RANGER

Class Overview

- **Role:** Versatile scout/striker — excels against specific enemies with dual-wield or archery combat style
- **Playstyle:** Adaptable combatant with tracking, wilderness survival, and limited divine casting
- **Iconic Abilities:** Favored Enemy, Combat Style, Animal Companion
- **Complexity Rating:** ★★★★★ (3/5) — Favored Enemy and Combat Style systems are moderate

Core Mechanics

Stat	Value
Hit Die	d8
BAB	Good (1 per level)
Good Saves	Fortitude, Reflex
Skill Points	6 + INT mod per level
Proficiencies	All simple and martial weapons, light armor, shields (except tower shield)
Casting Stat	Wisdom (starts at level 4)
Casting Type	Prepared Divine (limited list)

Class Skills

Climb, Concentration, Craft, Handle Animal, Heal, Hide, Jump, Knowledge (Dungeoneering), Knowledge (Geography), Knowledge (Nature), Listen, Move Silently, Profession, Ride, Search, Spot, Survival, Swim, Use Rope

Level Progression (1-20)

Level	BAB	Fort	Ref	Will	Special	Spells/ Day (1/2/3/4)
1	+1	+2	+2	+0	1st Favored Enemy, Track, Wild Empathy	—/—/—/—
2	+2	+3	+3	+0	Combat Style	—/—/—/—
3	+3	+3	+3	+1	Endurance	—/—/—/—
4	+4	+4	+4	+1	Animal Companion	0/—/—/—
5	+5	+4	+4	+1	2nd Favored Enemy	0/—/—/—
6	+6/+1	+5	+5	+2	Improved Combat Style	1/—/—/—
7	+7/+2	+5	+5	+2	Woodland Stride	1/—/—/—
8	+8/+3	+6	+6	+2	Swift Tracker	1/0/—/—
9	+9/+4	+6	+6	+3	Evasion	1/0/—/—
10	+10/+5	+7	+7	+3	3rd Favored Enemy	1/1/—/—
11	+11/+6/+1	+7	+7	+3	Combat Style Mastery	1/1/0/—
12	+12/+7/+2	+8	+8	+4	—	1/1/1/—
13	+13/+8/+3	+8	+8	+4	Camouflage	1/1/1/—
14		+9	+9	+4	—	2/1/1/0

Level	BAB	Fort	Ref	Will	Special	Spells/ Day (1/2/3/4)
	+14/+9/+4					
15	+15/+10/+5	+9	+9	+5	4th Favored Enemy	2/1/1/1
16	+16/+11/+6/+1	+10	+10	+5	—	2/2/1/1
17	+17/+12/+7/+2	+10	+10	+5	Hide in Plain Sight	2/2/2/1
18	+18/+13/+8/+3	+11	+11	+6	—	3/2/2/1
19	+19/+14/+9/+4	+11	+11	+6	—	3/3/3/2
20	+20/+15/+10/+5	+12	+12	+6	5th Favored Enemy	3/3/3/3

Class Features

Favored Enemy (Level 1, 5, 10, 15, 20)

- Choose a creature type from: Aberration, Animal, Construct, Dragon, Elemental, Fey, Giant, Humanoid (subtype), Magical Beast, Monstrous Humanoid, Ooze, Outsider (subtype), Plant, Undead, Vermin
- +2 bonus to Bluff, Listen, Sense Motive, Spot, Survival checks AND weapon damage rolls against that type
- At each new favored enemy selection, increase one existing favored enemy bonus by +2
- Implementation: Track list of (CreatureType, bonus) pairs. Check target's type during attack and skill rolls.

```

public class FavoredEnemyData
{
    public List<FavoredEnemyEntry> Entries = new List<FavoredEnemyEntry>();

    public int GetBonusAgainst(CreatureTypeId type)
    {
        foreach (var entry in Entries)
            if (entry.CreatureType == type) return entry.Bonus;
        return 0;
    }
}

public class FavoredEnemyEntry
{
    public CreatureTypeId CreatureType;
    public string SubType;      // For Humanoid/Outsider subtypes
    public int Bonus;           // Starts at +2, increases by +2
}

```

Track (Level 1)

- Bonus feat: Track. Allows Survival checks to follow tracks.
- Implementation: Automatically grant Track feat via `InitFeats()`. Already exists in `FeatDefinitions`.

Wild Empathy (Level 1)

- Diplomacy check to influence animal attitude. Roll = d20 + Ranger level + CHA mod.
- Implementation: Flavor/utility — low priority for combat prototype.

Combat Style (Level 2, 6, 11)

- Choose Archery OR Two-Weapon Fighting at level 2.
- **Archery Path:**
 - Level 2: Rapid Shot (bonus feat, even without prerequisites)
 - Level 6: Manyshot
 - Level 11: Improved Precise Shot
- **Two-Weapon Fighting Path:**
 - Level 2: Two-Weapon Fighting (bonus feat, even without prerequisites)
 - Level 6: Improved Two-Weapon Fighting
 - Level 11: Greater Two-Weapon Fighting
- Only usable in light or no armor.

```

public enum RangerCombatStyle
{
    Archery,
    TwoWeaponFighting
}

public class RangerCombatStyleData
{
    public RangerCombatStyle Style;
    public int EffectiveLevel; // 2, 6, or 11+

    public List<string> GetGrantedFeats()
    {
        var feats = new List<string>();
        if (Style == RangerCombatStyle.Archery)
        {
            if (EffectiveLevel >= 2) feats.Add("Rapid Shot");
            if (EffectiveLevel >= 6) feats.Add("Manyshot");
            if (EffectiveLevel >= 11) feats.Add("Improved Precise Shot");
        }
        else
        {
            if (EffectiveLevel >= 2) feats.Add("Two-Weapon Fighting");
            if (EffectiveLevel >= 6) feats.Add("Improved Two-Weapon Fighting");
            if (EffectiveLevel >= 11) feats.Add("Greater Two-Weapon Fighting");
        }
        return feats;
    }
}

```

Endurance (Level 3) — Bonus feat. Grants +4 to various endurance checks. Already in `FeatDefinitions`.

Animal Companion (Level 4)

- As Druid, but effective Druid level = Ranger level - 3
- Uses shared Animal Companion system (see §4.1)

Woodland Stride (Level 7) — Move through undergrowth without penalty. Mostly flavor for grid combat.

Swift Tracker (Level 8) — Move at normal speed while tracking. Utility/exploration feature.

Evasion (Level 9) — Same as Monk/Rogue. Already implemented in `CharacterStats.HasEvasion` — just add Ranger check.

Camouflage (Level 13) — Use Hide skill in any natural terrain without cover.

Hide in Plain Sight (Level 17) — Can use Hide even while being observed, in any natural terrain.

Ranger Spellcasting (Level 4)

- Prepared divine casting, spell levels 1-4 only
- Same slot table as Paladin
- Caster level = Ranger level / 2 (minimum 1)
- Uses WIS for bonus spells

UI Components Needed

- Favored Enemy selection UI at character creation and level-up

- Combat Style selection at level 2
- Favored Enemy bonus display in combat tooltips
- Animal Companion management (shared with Druid — see §4.1)

Integration Points

- `CharacterStats` — `FavoredEnemies` list, `RangerCombatStyle`, `HasEvasion` (add Ranger level 9+ check)
- Combat system — Apply favored enemy bonuses to attack/damage when target creature type matches
- `CreatureTypeId` enum already exists with all D&D creature types
- Spell system — Paladin-style prepared casting with Ranger spell list

3.4 BARBARIAN (Completion)

What's Already Done

- Class file, starting equipment, quickstart character
- Rage (start/end, STR/CON +4, Will +2, AC -2, HP, fatigue)
- Fast Movement (+10 ft), Uncanny Dodge (level 2+), Trap Sense (scaling)
- CombatUI Rage button, Armor of Rage item interaction

What Needs to Be Added

Rage Scaling (currently hardcoded to 1/day)

```
// CURRENT (CharacterStats.cs line ~661):
public int MaxRagesPerDay => IsBarbarian ? 1 : 0;

// CORRECT:
public int MaxRagesPerDay
{
    get
    {
        if (!IsBarbarian) return 0;
        int lvl = GetClassLevel("Barbarian");
        if (lvl < 1) return 0;
        return 1 + (lvl - 1) / 4; // 1 at 1, 2 at 4, 3 at 8, 4 at 12, 5 at 16, 6 at 20
    }
}
```

Improved Uncanny Dodge (Level 5)

- Can't be flanked unless flanker's rogue level exceeds Barbarian level by 4+
- Implementation: In flanking detection code, check `target.Stats.HasImprovedUncannyDodge` and attacker's rogue level.

```

public bool HasImprovedUncannyDodge =>
    (IsBarbarian && GetClassLevel("Barbarian") >= 5) ||
    (IsRogue && GetClassLevel("Rogue") >= 8);

public int ImprovedUncannyDodgeEffectiveLevel
{
    get
    {
        int best = 0;
        if (IsBarbarian) best = Mathf.Max(best, GetClassLevel("Barbarian"));
        if (IsRogue) best = Mathf.Max(best, GetClassLevel("Rogue"));
        return best;
    }
}

```

Damage Reduction (Level 7)

- DR 1/— at level 7, 2/— at 10, 3/— at 13, 4/— at 16, 5/— at 19
- Formula: $DR = (\text{BarbarianLevel} - 4) / 3$ (minimum 0, starts at 7)
- Implementation: Add to `DamageReductions` list in `CharacterStats` during level-up or recalculation.

```

public int BarbarianDamageReduction
{
    get
    {
        int lvl = GetClassLevel("Barbarian");
        if (lvl < 7) return 0;
        return 1 + (lvl - 7) / 3; // 1 at 7, 2 at 10, 3 at 13, 4 at 16, 5 at 19
    }
}

```

Greater Rage (Level 11)

- STR/CON bonus increases to +6, Will bonus to +3
- Implementation: Modify `StartRage()` to check level and apply appropriate bonuses.

Indomitable Will (Level 14)

- While raging: +4 bonus on Will saves against enchantments
- Implementation: In Will save calculation, add bonus when `IsRaging && GetClassLevel("Barbarian") >= 14`.

Tireless Rage (Level 17)

- No longer fatigued after rage ends
- Implementation: In `EndRage()`, skip fatigue application if level 17+.

Mighty Rage (Level 20)

- STR/CON bonus increases to +8, Will bonus to +4
- Implementation: Further scaling in `StartRage()`.

```

public void StartRage()
{
    int lvl = GetClassLevel("Barbarian");
    int strConBonus = lvl >= 20 ? 8 : (lvl >= 11 ? 6 : 4);
    int willBonus = lvl >= 20 ? 4 : (lvl >= 11 ? 3 : 2);
    // Apply bonuses...
}

```

3.5 FIGHTER (Completion)

What's Already Done

- Class file, starting equipment, quickstart character
- d10 HD, full BAB, good Fort save
- All combat feats exist in FeatDefinitions

What Needs to Be Added

Bonus Feat System

- Fighter gains a bonus combat feat at level 1 and every even level (2, 4, 6, 8, 10, 12, 14, 16, 18, 20)
- Total: 11 bonus feats by level 20 (plus normal feats at 1, 3, 6, 9, 12, 15, 18)
- Must be from the Fighter Bonus Feat list (combat feats)

```
public static int GetBonusFeatCount(int fighterLevel)
{
    if (fighterLevel < 1) return 0;
    return 1 + fighterLevel / 2; // 1 at 1, 2 at 2, 3 at 4, ... 11 at 20
}
```

Fighter Bonus Feat List (PHB p.38):

Combat Expertise, Improved Disarm, Improved Feint, Improved Trip, Whirlwind Attack, Dodge, Mobility, Spring Attack, Combat Reflexes, Improved Critical, Improved Initiative, Improved Shield Bash, Power Attack, Cleave, Great Cleave, Improved Bull Rush, Improved Overrun, Improved Sunder, Point Blank Shot, Far Shot, Precise Shot, Rapid Shot, Manyshot, Shot on the Run, Improved Precise Shot, Quick Draw, Rapid Reload, Two-Weapon Fighting, Two-Weapon Defense, Improved Two-Weapon Fighting, Greater Two-Weapon Fighting, Weapon Finesse, Weapon Focus, Weapon Specialization, Greater Weapon Focus, Greater Weapon Specialization, Blind-Fight, Mounted Combat, Mounted Archery, Ride-By Attack, Spirited Charge, Trample

Greater Weapon Specialization (Level 12+)

- Prerequisite: Fighter level 12, Weapon Specialization, Greater Weapon Focus with that weapon
- Additional +2 damage (total +4 with Weapon Specialization)

UI Components Needed

- Bonus feat selection UI during level-up (show only eligible Fighter bonus feats)
- Feat prerequisite validation

3.6 DRUID

Class Overview

- **Role:** Versatile divine caster — shapeshifter, summoner, controller with animal companion
- **Playstyle:** Nature magic + melee via Wild Shape; excellent battlefield control
- **Iconic Abilities:** Wild Shape, Animal Companion, 9th-level divine casting
- **Complexity Rating:** ★★★★★ (5/5) — highest complexity; Wild Shape alone is a major system

Core Mechanics

Stat	Value
Hit Die	d8
BAB	Medium (3/4 per level)
Good Saves	Fortitude, Will
Skill Points	4 + INT mod per level
Proficiencies	Club, dagger, dart, quarterstaff, scimitar, sickle, shortspear, sling, spear; light/medium armor (non-metal), shields (non-metal)
Casting Stat	Wisdom
Casting Type	Prepared Divine (full 9-level progression)

Class Skills

Concentration, Craft, Diplomacy, Handle Animal, Heal, Knowledge (Nature), Listen, Profession, Ride, Spellcraft, Spot, Survival, Swim

Level Progression (1-20)

Level	BAB	Fort	Ref	Will	Special
1	+0	+2	+0	+2	Animal Companion, Nature Sense, Wild Empathy
2	+1	+3	+0	+3	Woodland Stride
3	+2	+3	+1	+3	Trackless Step
4	+3	+4	+1	+4	Resist Nature's Lure
5	+3	+4	+1	+4	Wild Shape 1/ day (Small/ Medium animal)
6	+4	+5	+2	+5	Wild Shape 2/ day
7	+5	+5	+2	+5	Wild Shape 3/ day (Large animal)
8	+6/+1	+6	+2	+6	Wild Shape (Large)
9	+6/+1	+6	+3	+6	Venom Immunity
10	+7/+2	+7	+3	+7	Wild Shape 4/ day
11	+8/+3	+7	+3	+7	Wild Shape (Tiny)
12	+9/+4	+8	+4	+8	Wild Shape (Plant — Large)
13	+9/+4	+8	+4	+8	A Thousand Faces
14	+10/+5	+9	+4	+9	

Level	BAB	Fort	Ref	Will	Special
					Wild Shape 5/ day
15	+11/+6/+1	+9	+5	+9	Timeless Body, Wild Shape (Huge)
16	+12/+7/+2	+10	+5	+10	Wild Shape (Huge ele- mental)
17	+12/+7/+2	+10	+5	+10	—
18	+13/+8/+3	+11	+6	+11	Wild Shape 6/ day (Huge elemental)
19	+14/+9/+4	+11	+6	+11	—
20	+15/+10/+5	+12	+6	+12	Wild Shape (Huge ele- mental, at will)

Druid Spells Per Day

Level	0	1	2	3	4	5	6	7	8	9
1	3	1	—	—	—	—	—	—	—	—
2	4	2	—	—	—	—	—	—	—	—
3	4	2	1	—	—	—	—	—	—	—
4	5	3	2	—	—	—	—	—	—	—
5	5	3	2	1	—	—	—	—	—	—
6	5	3	3	2	—	—	—	—	—	—
7	6	4	3	2	1	—	—	—	—	—
8	6	4	3	3	2	—	—	—	—	—
9	6	4	4	3	2	1	—	—	—	—
10	6	4	4	3	3	2	—	—	—	—
11	6	5	4	4	3	2	1	—	—	—
12	6	5	4	4	3	3	2	—	—	—
13	6	5	5	4	4	3	2	1	—	—
14	6	5	5	4	4	3	3	2	—	—
15	6	5	5	5	4	4	3	2	1	—
16	6	5	5	5	4	4	3	3	2	—
17	6	5	5	5	5	4	4	3	2	1
18	6	5	5	5	5	4	4	3	3	2
19	6	5	5	5	5	5	4	4	3	3
20	6	5	5	5	5	5	4	4	4	4

Unique Systems Required

Wild Shape System (MAJOR — estimated 2-3 weeks alone)

Wild Shape is effectively polymorph into animal forms with specific rules:

- Duration: 1 hour per Druid level
- Uses per day: 1 at 5, +1 per 2 levels thereafter

- Size range: Small/Medium at 5, Large at 8, Tiny at 11, Huge at 15
- Plant forms at 12+, Elemental forms at 16+

```
public class WildShapeSystem
{
    public int UsesPerDay;
    public int UsesRemaining;
    public bool IsShifted;
    public WildShapeForm CurrentForm;
    public int DurationRounds; // 10 * DruidLevel rounds (1 hour/level)
    public int RoundsRemaining;

    public List<WildShapeForm> AvailableForms;

    public void Shift(WildShapeForm form, CharacterStats stats)
    {
        // Store original stats
        // Apply form's physical ability scores (STR, DEX, CON)
        // Apply natural armor, natural attacks, movement modes
        // Keep mental scores (INT, WIS, CHA), class features, HP, saves
        // Gain form's extraordinary abilities (Scent, Low-Light Vision, etc.)
        // Lose ability to cast spells (unless Natural Spell feat)
    }

    public void Revert(CharacterStats stats)
    {
        // Restore original physical stats
        // Remove natural attacks/armor
    }
}

public class WildShapeForm
{
    public string FormName; // "Wolf", "Bear", "Eagle"
    public CreatureSizeCategory Size;
    public int StrengthScore;
    public int DexterityScore;
    public int ConstitutionScore;
    public int NaturalArmor;
    public int BaseSpeed; // In feet
    public List<NaturalAttack> Attacks;
    public List<string> SpecialAbilities; // Scent, Trip, etc.
    public WildShapeFormType FormType; // Animal, Plant, Elemental
}
```

Animal Companion System (see §4.1 — shared with Ranger)

Spontaneous Summon Nature's Ally

- Druid can “lose” a prepared spell to spontaneously cast summon nature's ally of the same level
- Similar to Cleric's spontaneous Cure/Inflict conversion
- Implementation: In `SpontaneousCastingType`, add Druid option that maps each spell level to the corresponding summon nature's ally spell ID.

UI Components Needed

- Wild Shape selection panel (list available forms, show stats preview)
- Wild Shape status indicator (current form, duration remaining)
- Animal Companion management panel (see §4.1)
- Natural attack display (when in wild shape form)

- Spell preparation UI: reuse Cleric-style with Druid spell list + spontaneous SNA conversion

3.7 BARD

Class Overview

- **Role:** Jack-of-all-trades — spontaneous arcane caster, party buffer, skill monkey
- **Playstyle:** Support and utility; Bardic Music enhances the whole party
- **Iconic Abilities:** Bardic Music, spontaneous casting (6-level max), Bardic Knowledge
- **Complexity Rating:** ★★★★★ (4/5) — Bardic Music is a complex system with many abilities

Core Mechanics

Stat	Value
Hit Die	d6
BAB	Medium (3/4 per level)
Good Saves	Reflex, Will
Skill Points	6 + INT mod per level
Proficiencies	Simple weapons, longsword, rapier, sap, short sword, shortbow, whip; light armor, shields (except tower shield)
Casting Stat	Charisma
Casting Type	Spontaneous Arcane (max 6th-level spells)

Class Skills

Appraise, Balance, Bluff, Climb, Concentration, Craft, Decipher Script, Diplomacy, Disguise, Escape Artist, Gather Information, Hide, Jump, Knowledge (all), Listen, Move Silently, Perform, Profession, Sense Motive, Sleight of Hand, Speak Language, Spellcraft, Swim, Tumble, Use Magic Device

Level Progression (1-20)

Level	BAB	Fort	Ref	Will	Special	Spells Known (0/1/2/3/ 4/5/6)	Spells/ Day (0/1/2/3/ 4/5/6)
1	+0	+0	+2	+2	Bardic Music, Bardic Knowledge, Countersong, Fascinate, Inspire Courage +1	4/—/—/ —/—/—/ —	2/—/—/ —/—/—/ —
2	+1	+0	+3	+3	—	5/2 ¹ /—/ —/—/—/ —	3/0/—/—/ —/—/—
3	+2	+1	+3	+3	Inspire Competence	6/3/—/—/ —/—/—	3/1/—/—/ —/—/—
4	+3	+1	+4	+4	—	6/3/2 ¹ /—/ —/—/—	3/2/0/—/ —/—/—
5	+3	+1	+4	+4	—	6/4/3/—/ —/—/—	3/3/1/—/ —/—/—
6	+4	+2	+5	+5	Suggestion	6/4/3/—/ —/—/—	3/3/2/—/ —/—/—
7	+5	+2	+5	+5	—	6/4/4/2 ¹ / —/—/—	3/3/2/0/ —/—/—
8	+6/+1	+2	+6	+6	Inspire Courage +2	6/4/4/3/ —/—/—	3/3/3/1/ —/—/—
9	+6/+1	+3	+6	+6	Inspire Greatness	6/4/4/3/ —/—/—	3/3/3/2/ —/—/—
10	+7/+2	+3	+7	+7	—	6/4/4/4/2 ¹ /—/—	3/3/3/2/0 /—/—

Level	BAB	Fort	Ref	Will	Special	Spells Known (0/1/2/3/ 4/5/6)	Spells/ Day (0/1/2/3/ 4/5/6)
11	+8/+3	+3	+7	+7	—	6/4/4/4/3 /—/—	3/3/3/3/1 /—/—
12	+9/+4	+4	+8	+8	Song of Freedom	6/4/4/4/3 /—/—	3/3/3/3/2 /—/—
13	+9/+4	+4	+8	+8	—	6/4/4/4/4 /2 ¹ /—	3/3/3/3/2 /0/—
14	+10/+5	+4	+9	+9	Inspire Courage +3	6/4/4/4/4 /3/—	4/3/3/3/3 /1/—
15	+11/+6/ +1	+5	+9	+9	Inspire Heroics	6/4/4/4/4 /3/—	4/4/3/3/3 /2/—
16	+12/+7/ +2	+5	+10	+10	—	6/5/4/4/4 /4/2 ¹	4/4/4/3/3 /2/0
17	+12/+7/ +2	+5	+10	+10	—	6/5/5/4/4 /4/3	4/4/4/4/3 /3/1
18	+13/+8/ +3	+6	+11	+11	Mass Sugges- tion	6/5/5/5/4 /4/3	4/4/4/4/4 /3/2
19	+14/+9/ +4	+6	+11	+11	—	6/5/5/5/5 /4/4	4/4/4/4/4 /4/3
20	+15/+10 /+5	+6	+12	+12	Inspire Courage +4	6/5/5/5/5 /5/4	4/4/4/4/4 /4/4

¹ = Gained at this level

Unique Systems Required

Bardic Music System (MAJOR)

Bardic Music is activated as a standard action and maintained as a free action each round. Uses per day = Bard level.

```

public class BardicMusicSystem
{
    public int UsesPerDay;           // = Bard level
    public int UsesRemaining;
    public bool IsPerforming;
    public BardicMusicType ActivePerformance;
    public int InspireCourageBonus; // +1 at 1, +2 at 8, +3 at 14, +4 at 20

    public enum BardicMusicType
    {
        None,
        Countersong,           // Level 1: Allies use Bard's Perform check vs sonic/
language saves
        Fascinate,             // Level 1: Creatures within 90ft are fascinated (Will
save)
        InspireCourage,        // Level 1: Allies get morale bonus to attack/damage and
saves vs fear/charm
        InspireCompetence,     // Level 3: One ally gets +2 competence bonus on skill
checks
        Suggestion,            // Level 6: As suggestion spell on fascinated creature
        InspireGreatness,      // Level 9: 1+ allies get bonus HD, attack, Fort save
        SongOfFreedom,         // Level 12: break enchantment effect
        InspireHeroics,        // Level 15: +4 dodge AC and +4 morale on saves to one ally
        MassSuggestion         // Level 18: suggestion on all fascinated creatures
    }
}

```

Key Bardic Music Abilities:

Inspire Courage (Level 1):

- All allies within 30 feet gain:
- Morale bonus on saves vs charm and fear: +1 (levels 1-7), +2 (8-13), +3 (14-19), +4 (20)
- Competence bonus on attack and weapon damage: same progression
- Maintained as free action; requires Bard to continue performing

Inspire Greatness (Level 9):

- Target: 1 ally at level 9, +1 ally per 3 levels thereafter
- Grants: +2 bonus HD (d10), +2 competence bonus on attack, +1 competence bonus on Fort saves
- Extra HP from bonus HD are temporary HP

Countersong (Level 1):

- Within 30 feet, allies can use Bard's Perform check in place of saving throws against sonic or language-dependent magical attacks for 10 rounds

Bardic Knowledge

- Check: d20 + Bard level + INT modifier
- Like a lore check — can identify magic items, recall historical facts, etc.
- Implementation: Passive ability; could be used in item identification or lore system.

Bard Spells Per Day Table

```
private static readonly int[,] BardSlotsPerDay = new int[20, 7]
{
    //      0  1  2  3  4  5  6
    /* 1*/ {2, 0, 0, 0, 0, 0, 0},
    /* 2*/ {3, 0, 0, 0, 0, 0, 0},
    /* 3*/ {3, 1, 0, 0, 0, 0, 0},
    /* 4*/ {3, 2, 0, 0, 0, 0, 0},
    /* 5*/ {3, 3, 1, 0, 0, 0, 0},
    /* 6*/ {3, 3, 2, 0, 0, 0, 0},
    /* 7*/ {3, 3, 2, 0, 0, 0, 0},
    /* 8*/ {3, 3, 3, 1, 0, 0, 0},
    /* 9*/ {3, 3, 3, 2, 0, 0, 0},
    /* 10*/ {3, 3, 3, 2, 0, 0, 0},
    /* 11*/ {3, 3, 3, 3, 1, 0, 0},
    /* 12*/ {3, 3, 3, 3, 2, 0, 0},
    /* 13*/ {3, 3, 3, 3, 2, 0, 0},
    /* 14*/ {4, 3, 3, 3, 3, 1, 0},
    /* 15*/ {4, 4, 3, 3, 3, 2, 0},
    /* 16*/ {4, 4, 4, 3, 3, 2, 0},
    /* 17*/ {4, 4, 4, 4, 3, 3, 1},
    /* 18*/ {4, 4, 4, 4, 4, 3, 2},
    /* 19*/ {4, 4, 4, 4, 4, 4, 3},
    /* 20*/ {4, 4, 4, 4, 4, 4, 4}
};

private static readonly int[,] BardSpellsKnown = new int[20, 7]
{
    //      0  1  2  3  4  5  6
    /* 1*/ {4, 0, 0, 0, 0, 0, 0},
    /* 2*/ {5, 2, 0, 0, 0, 0, 0},
    /* 3*/ {6, 3, 0, 0, 0, 0, 0},
    /* 4*/ {6, 3, 2, 0, 0, 0, 0},
    /* 5*/ {6, 4, 3, 0, 0, 0, 0},
    /* 6*/ {6, 4, 3, 0, 0, 0, 0},
    /* 7*/ {6, 4, 4, 2, 0, 0, 0},
    /* 8*/ {6, 4, 4, 3, 0, 0, 0},
    /* 9*/ {6, 4, 4, 3, 0, 0, 0},
    /* 10*/ {6, 4, 4, 4, 2, 0, 0},
    /* 11*/ {6, 4, 4, 4, 3, 0, 0},
    /* 12*/ {6, 4, 4, 4, 3, 0, 0},
    /* 13*/ {6, 4, 4, 4, 4, 2, 0},
    /* 14*/ {6, 4, 4, 4, 4, 3, 0},
    /* 15*/ {6, 4, 4, 4, 4, 3, 0},
    /* 16*/ {6, 5, 4, 4, 4, 4, 2},
    /* 17*/ {6, 5, 5, 4, 4, 4, 3},
    /* 18*/ {6, 5, 5, 5, 4, 4, 3},
    /* 19*/ {6, 5, 5, 5, 5, 4, 4},
    /* 20*/ {6, 5, 5, 5, 5, 5, 4}
};
```

UI Components Needed

- Bardic Music activation panel (pick which song to perform)
- Bardic Music status indicator (active performance, rounds remaining, uses left)
- Inspire Courage party-wide buff indicator
- Spontaneous casting panel (shared with Sorcerer)
- Spells Known selection at level-up (shared with Sorcerer)

3.8 ROGUE (Completion)

What Needs to Be Added

Trap Sense (Level 3)

- +1 bonus to Reflex saves and AC against traps, per 3 Rogue levels
- Formula: `TrapSenseBonus = RogueLevel / 3` (max +6 at level 18)

Uncanny Dodge (Level 4)

- Can't be caught flat-footed; retains DEX bonus to AC even when attacked by invisible creature
- Implementation: In flat-footed checks, if `HasUncannyDodge`, character always keeps DEX to AC.

Improved Uncanny Dodge (Level 8)

- Can't be flanked (same as Barbarian implementation above)
- Implementation: Shared code with Barbarian version.

Special Abilities (Levels 10, 13, 16, 19)

- Player selects one from list at each of these levels:
- **Crippling Strike:** Sneak attack deals 2 STR damage in addition to normal damage
- **Defensive Roll:** Once per day, make Reflex save (DC = damage) to take half damage from an attack that would otherwise reduce HP to 0 or below
- **Improved Evasion:** On failed Reflex save, take half damage (on success, no damage)
- **Opportunist:** Once per round, AoO against foe that was just struck by another character
- **Skill Mastery:** Choose several skills; always take 10 on those skills
- **Slippery Mind:** If failed Will save against enchantment, get another save 1 round later
- **Feat:** Take any feat the Rogue qualifies for

```
public enum RogueSpecialAbility
{
    CripplingStrike,
    DefensiveRoll,
    ImprovedEvasion,
    Opportunist,
    SkillMastery,
    SlipperyMind,
    BonusFeat
}
```

3.9 MONK (Completion)

What Needs to Be Added (High-Level Features)

Ki Strike (Levels 4, 10, 16)

- Level 4: Unarmed attacks count as magic for bypassing DR
- Level 10: Also count as lawful
- Level 16: Also count as adamantine
- Implementation: Tag unarmed attacks with `DamageBypassTag.Magic` at 4, `Lawful` at 10, `Adamantine` at 16.

Slow Fall (Level 4+)

- Reduce falling damage: 20 ft at 4, 30 at 6, 40 at 8, 50 at 10, 60 at 12, 70 at 14, 80 at 16, 90 at 18,

any at 20

- Implementation: Low priority for combat prototype.

Purity of Body (Level 5) — Immune to all diseases. Set `ImmuneToDiseases` flag.

Wholeness of Body (Level 7) — Heal self for Monk level × 2 HP per day. Standard action.

Improved Evasion (Level 9) — On failed save, take half damage. On success, no damage.

Diamond Body (Level 11) — Immune to all poisons. Set `ImmuneToPoison` flag.

Abundant Step (Level 12) — 1/day, as dimension door with CL = half Monk level.

Diamond Soul (Level 13) — SR = Monk level + 10.

Quivering Palm (Level 15) — 1/week. If unarmed strike hits, target must make Fort save (DC 10 + half Monk level + WIS mod) or die. Usable only on living creatures with discernible anatomy.

Empty Body (Level 19) — Become ethereal for 1 round per Monk level per day.

Perfect Self (Level 20) — DR 10/magic, treated as outsider.

4. SHARED SYSTEMS

4.1 Animal Companion System (Druid + Ranger)

Both Druid and Ranger gain animal companions, but at different effective levels:

- **Druid:** Effective level = Druid level
- **Ranger:** Effective level = Ranger level - 3

```
public class AnimalCompanionSystem
{
    public string CompanionType;           // "Wolf", "Bear", "Eagle", etc.
    public int EffectiveDruidLevel;
    public AnimalCompanionStats Stats;
    public bool IsActive;

    // Companion improves with master's level:
    // Bonus HD, Natural Armor, STR/DEX, Bonus Tricks, Special Abilities
}

public class AnimalCompanionStats
{
    public int BonusHD;                     // +0 at 1-2, +2 at 3-5, +4 at 6-8, etc.
    public int NaturalArmorAdj;             // +0, +2, +4, +6, etc.
    public int StrDexAdj;                   // +0, +1, +2, +3, etc.
    public int BonusTricks;                 // +1, +2, +3, etc.
    public List<string> SpecialAbilities;    // Link, Share Spells, Evasion, Devotion,
    Multiattack, Improved Evasion
}
```

Companion Progression Table:

Effective Level	Bonus HD	Natural Armor	STR/DEX	Bonus Tricks	Special
1-2	+0	+0	+0	+1	Link, Share Spells
3-5	+2	+2	+1	+2	Evasion
6-8	+4	+4	+2	+3	Devotion
9-11	+6	+6	+3	+4	Multiattack
12-14	+8	+8	+4	+5	—
15-17	+10	+10	+5	+6	Improved Evasion
18-20	+12	+12	+6	+7	—

Available Companions (1st level): Badger, Camel, Dire Rat, Dog, Eagle, Hawk, Horse (light/heavy), Owl, Pony, Snake (Small/Medium viper), Wolf

Higher-Level Companions (available at higher effective levels): Bear, Crocodile, Dire Badger, Dire Bat, Dire Weasel, Leopard, Lizard (Monitor), Shark, Snake (Large viper/constrictor), Wolverine

UI: Companion management panel showing stats, tricks, and commands.

4.2 Spontaneous Casting System (Sorcerer + Bard)

Shared system for both spontaneous casters. Key difference from prepared casting:

- No spell preparation step
- Fixed spells known (cannot change daily)
- Any known spell can be cast using a slot of that level
- Bonus slots from ability score (CHA)

See §3.1 for full `SpontaneousCastingData` class.

Integration with existing `SpellcastingComponent` :

```
// Add to SpellcastingComponent:
public bool IsSpontaneousCaster => className == "Sorcerer" || className == "Bard";
public SpontaneousCastingData SpontaneousData; // Only used if IsSpontaneousCaster

// In casting resolution:
if (IsSpontaneousCaster)
{
    // Check: is spell in SpellsKnownByLevel[spellLevel]?
    // Spend: SlotsRemaining[spellLevel]--
}
else
{
    // Existing prepared slot system
}
```

4.3 Turn Undead (Cleric + Paladin)

Already fully implemented for Cleric. For Paladin:

- Same mechanics, but effective turning level = Paladin level - 3
- Uses per day: 3 + CHA modifier (same formula as Cleric)

Integration:

```
// In CharacterStats.MaxTurnUndeadAttemptsPerDay:
public int MaxTurnUndeadAttemptsPerDay
{
    get
    {
        if (IsCleric) return 3 + Mathf.Max(0, CharismaModifier);
        if (IsPaladin && GetClassLevel("Paladin") >= 4) return 3 + Mathf.Max(0, CharismaModifier);
        return 0;
    }
}

// Effective turning level:
public int EffectiveTurningLevel
{
    get
    {
        if (IsCleric) return GetClassLevel("Cleric");
        if (IsPaladin) return Mathf.Max(1, GetClassLevel("Paladin") - 3);
        return 0;
    }
}
```

4.4 Bonus Feat Selection UI

Multiple classes need bonus feat selection at level-up:

- **Fighter:** Every even level (combat feats only)
- **Wizard:** Every 5 levels (metamagic or item creation feats only)
- **Ranger:** At levels 2/6/11 (specific feats based on combat style)

Shared Component:

```
public class BonusFeatSelectionUI
{
    /// <summary>Show feat selection filtered by allowed feats for the class.</summary>
    public void Show(CharacterStats stats, List<string> allowedFeats, Action<string> onSelected)
    {
        // Display eligible feats (from allowed list, meeting prerequisites)
        // Player selects one
        // Grant feat via onSelected callback
    }
}
```

4.5 Half-Caster Spell Slot System (Paladin + Ranger)

Both Paladin and Ranger:

- Start casting at level 4
- Only spell levels 1-4

- Prepared divine casting
- Small spell lists (~16-20 spells each)

Shared slot table structure (same table shape, different values):

```
// Add to SpellcastingComponent:
private void InitHalfCasterSpellSlots(string className, int classLevel)
{
    // Use Paladin or Ranger table based on className
    // Same logic as InitClericSpellSlots but:
    //   - Only 4 spell levels (1-4)
    //   - No domain slots
    //   - WIS bonus slots
    //   - Start at class level 4
}
```

5. IMPLEMENTATION ROADMAP

Phase 1 — Simple Classes & Completions (Weeks 1-3)

Week	Task	Effort	Dependencies
1	Sorcerer class file + spontaneous casting data model	3 days	None
1	SpontaneousCastingData in SpellcastingComponent	2 days	Sorcerer class
2	Sorcerer spell selection UI at level-up + creation	3 days	SpontaneousCastingData
2	Sorcerer integration: casting resolution, spell prep UI branch	2 days	All above
2	Fighter bonus feat system + UI	2 days	None
3	Barbarian completion: rage scaling, Greater/Mighty Rage, DR, Improved Uncanny Dodge	3 days	None
3	Rogue completion: Uncanny Dodge, Improved Uncanny Dodge, Special Abilities	2 days	None

Deliverables:

- Sorcerer fully playable (spontaneous casting, familiar, spells known selection)
- Fighter bonus feat system working
- Barbarian rage properly scales to level 20
- Rogue has all core defensive features

Phase 2 — Medium Complexity (Weeks 4-8)

Week	Task	Effort	Dependencies
4	Paladin class file + base stats	1 day	None
4	Smite Evil system + combat integration	2 days	Paladin class
4	Lay on Hands + Divine Grace + Aura of Courage	2 days	Paladin class
5	Paladin Turn Undead integration (use existing system)	1 day	Paladin class
5	Half-caster spell system (Paladin/Ranger shared)	3 days	SpellcastingComponent
5	Paladin spellcasting integration	1 day	Half-caster system
6	Ranger class file + base stats	1 day	None
6	Favored Enemy system + combat integration	3 days	Ranger class
6	Combat Style system (Archery/TWF feat grants)	2 days	Ranger class
7	Ranger spellcasting (reuse half-caster system)	1 day	Half-caster system
7	Animal Companion system (shared Druid/Ranger)	4 days	None
8	Monk completion: Ki Strike, Diamond Body/Soul, Quivering Palm	3 days	None
8		2 days	Paladin class

Week	Task	Effort	Dependencies
	Paladin Special Mount (use summoning framework)		

Deliverables:

- Paladin fully playable (Smite, LoH, Grace, spells, Turn Undead)
- Ranger fully playable (Favored Enemy, Combat Style, companion, spells)
- Animal Companion system shared between Druid and Ranger
- Monk has all features through level 20

Phase 3 — Complex Classes (Weeks 9-16)

Week	Task	Effort	Dependencies
9-10	Wild Shape system (forms database, stat swapping, natural attacks)	8 days	None
10	Wild Shape UI (form selection, status display)	2 days	Wild Shape system
11	Druid class file + nature abilities	2 days	None
11	Druid spellcasting (reuse Cleric slot system, different spell list)	2 days	SpellcastingComponent
11	Druid spontaneous SNA conversion	1 day	Druid spellcasting
12	Druid integration (Wild Shape + companion + casting)	3 days	All above
13	Bard class file + base stats	1 day	SpontaneousCastingData (from Phase 1)
13-14	Bardic Music system (all 9 performance types)	8 days	Bard class
14	Bard spellcasting (reuse Sorcerer spontaneous system, Bard spell list)	2 days	SpontaneousCastingData
15	Bardic Music UI (activation panel, buff indicators)	3 days	Bardic Music system
15-16	Bard integration + polish	4 days	All above

Deliverables:

- Druid fully playable (Wild Shape, companion, full casting)
- Bard fully playable (Bardic Music, spontaneous casting)

6. TESTING STRATEGY

Per-Class Test Framework

For each class, create a test file at `Assets/Scripts/Tests/Classes/{ClassName}Tests.cs` :

Level 1 Tests

- Verify HD, BAB, saves at level 1
- Verify starting proficiencies
- Verify class skill list
- Verify starting class features are active
- Verify starting equipment

Level 10 Tests (Mid-Game)

- Verify BAB/save progression is correct
- Verify all class features up to level 10 are present and functional
- Verify spellcasting (if applicable) has correct slots
- Combat scenario: verify class features affect damage/defense

Level 20 Tests (Capstone)

- Verify all class features through level 20
- Verify capstone abilities work
- Verify no regression in lower-level features

Multiclass Tests

- Fighter 5/Wizard 5: verify BAB stacking, separate spell progression
- Rogue 3/Fighter 3: verify sneak attack + bonus feats both work
- Paladin 4/Sorcerer 1: verify Turn Undead, separate casting progressions

Specific Feature Tests

Sorcerer:

- `TestSorcererKnowsCorrectNumberOfSpells()` — verify spells known table
- `TestSorcererSlotsPerDay()` — verify slot table
- `TestSpontaneousCasting()` — can cast any known spell, slot consumed
- `TestCannotCastUnknownSpell()` — verify known spell requirement
- `TestBonusSlotsFromCHA()` — high CHA grants extra slots

Paladin:

- `TestSmiteEvilDamage()` — verify CHA to attack, level to damage
- `TestSmiteEvilUsesPerDay()` — verify scaling 1/5/10/15/20
- `TestSmiteEvilVsNonEvil()` — wasted smite does no bonus damage
- `TestDivineGraceSaveBonus()` — CHA mod added to all saves
- `TestLayOnHandsHealing()` — $\text{PaladinLevel} \times \text{CHA HP per day}$
- `TestPaladinTurnUndeadLevel()` — $\text{effective level} = \text{Paladin level} - 3$

Ranger:

- `TestFavoredEnemyBonus()` — +2 attack/damage vs chosen type
- `TestFavoredEnemyStacking()` — at level 5, one existing bonus increases by +2
- `TestCombatStyleArchery()` — Rapid Shot granted without prereqs
- `TestCombatStyleTWF()` — Two-Weapon Fighting granted without prereqs
- `TestRangerEvasion()` — Evasion at level 9

Barbarian (Completion):

- `TestRageScaling()` — 1/day at 1, 2/day at 4, etc.
- `TestGreaterRage()` — +6 STR/CON at level 11
- `TestBarbarianDR()` — 1/— at 7, 2/— at 10, etc.
- `TestTirelessRage()` — no fatigue at level 17

Druid:

- `TestWildShapeTransform()` — stat replacement, attack changes
- `TestWildShapeRevert()` — stats restored correctly
- `TestWildShapeUsesPerDay()` — scaling from level 5
- `TestAnimalCompanionProgression()` — bonus HD/armor/etc.
- `TestSpontaneousSNA()` — convert prepared spell to summon

Bard:

- `TestInspireCourageBonus()` — verify +1/+2/+3/+4 progression
 - `TestBardicMusicUsesPerDay()` — uses = Bard level
 - `TestCountersong()` — allies use Perform check vs sonic saves
 - `TestBardSpontaneousCasting()` — same as Sorcerer but Bard spell list
-

7. PRIORITY MATRIX

Class	Popularity	Complexity	Dependencies	Gameplay Variety	Priority Score
Sorcerer	High	Low	None (some Wizard infra)	Medium (another arcane caster)	1 (Highest)
Fighter (fix)	Very High	Very Low	None	Low (already partially works)	2
Barbarian (fix)	High	Low	None	Low (already works at low level)	3
Rogue (fix)	High	Low	None	Low (core features work)	4
Paladin	High	Medium	Turn Undead (exists)	High (divine warrior archetype)	5
Ranger	Medium	Medium	Animal Companion shared system	High (exploration/combat hybrid)	6
Monk (fix)	Medium	Low	None	Low (core features work)	7
Druid	Medium	Very High	Wild Shape, Animal Companion, Casting	Very High (unique playstyle)	8
Bard	Medium	High	Spontaneous Casting (from Sorcerer), Bardic Music	Very High (unique support role)	9

Rationale

1. **Sorcerer first** because it forces creation of the spontaneous casting system that Bard also needs, while being the simplest class to implement (reuses Wizard spell list, no complex features).

2. **Fighter/Barbarian/Rogue/Monk completions** are small, isolated changes that round out existing classes.
 3. **Paladin** adds a new archetype (divine warrior) with mostly straightforward mechanics and existing Turn Undead support.
 4. **Ranger** introduces Favored Enemy and Combat Style which are unique mechanics, plus shares Animal Companion with Druid.
 5. **Druid and Bard** are saved for last because they require the most complex new systems (Wild Shape, Bardic Music).
-

8. INTEGRATION CHECKLIST

Files That Need Changes For Each New Class

File	Sorcerer	Paladin	Ranger	Druid	Bard
Classes/ {Name} Class.cs	NEW	NEW	NEW	NEW	NEW
Classes/ ClassReg- istry.cs					
Character/ Character- Stats.cs					
Magic/ Spellcast- ingCompon- ent.cs	 (spontan- eous)	 (half- caster)	 (half- caster)	 (slot tables)	 (spontan- eous)
UI/Charac- terCre- ationUI.cs					
UI/SpellPre- para- tionUI.cs	 (spontan- eous view)				
UI/Panels/ ActionBut- tonPanel.cs	—	 (Smite)	—	 (Wild Shape)	 (Bardic Music)
Services/ Combat- FlowSer- vice.cs	—	 (Smite)	 (Favored Enemy)	 (Wild Shape at- tacks)	 (Inspire Courage)
Services/ AIService.cs					
Core/Scene- Bootstrap.cs	—	—	—	—	—

New Files Per Phase

Phase 1:

- Classes/SorcererClass.cs

- Magic/SpontaneousCastingData.cs
- UI/SpellsKnownSelectionUI.cs
- Tests/Classes/SorcererTests.cs

Phase 2:

- Classes/PaladinClass.cs
- Classes/RangerClass.cs
- Character/SmiteEvilData.cs
- Character/LayOnHandsData.cs
- Character/FavoredEnemyData.cs
- Character/RangerCombatStyleData.cs
- Character/AnimalCompanionSystem.cs
- Character/AnimalCompanionStats.cs
- UI/AnimalCompanionUI.cs
- Tests/Classes/PaladinTests.cs
- Tests/Classes/RangerTests.cs

Phase 3:

- Classes/DruidClass.cs
 - Classes/BardClass.cs
 - Character/WildShapeSystem.cs
 - Character/WildShapeForm.cs
 - Character/BardicMusicSystem.cs
 - UI/WildShapeSelectionUI.cs
 - UI/BardicMusicPanel.cs
 - Tests/Classes/DruidTests.cs
 - Tests/Classes/BardTests.cs
-

9. RESOURCE REQUIREMENTS

Art/Visual Assets

Class	Visual Needs
Sorcerer	Class icon, arcane casting VFX (can share Wizard effects)
Paladin	Class icon, Smite Evil VFX (divine strike glow), Lay on Hands VFX (healing hands), Special Mount model
Ranger	Class icon, Favored Enemy indicator icon, Animal Companion models (wolf, bear, hawk, etc.)
Druid	Class icon, Wild Shape transformation VFX, animal form sprites/models for each shiftable form, companion models (shared with Ranger)
Bard	Class icon, Bardic Music VFX (musical notes/aura), Inspire Courage party-wide buff indicator, Performance animation

Audio

Class	Audio Needs
Paladin	Smite Evil sound effect, Lay on Hands healing sound
Druid	Wild Shape transformation sound, nature spell ambient sounds
Bard	Bardic Music performance tracks (lute/flute/singing loops), Countersong sound

10. APPENDIX — D&D 3.5e REFERENCE FORMULAS

BAB Progression

- **Good (Fighter, Barbarian, Ranger, Paladin):** Level 1 = +1
- **Medium (Cleric, Druid, Monk, Rogue, Bard):** Level 1 = +0, Level 4 = +3
- **Poor (Wizard, Sorcerer):** Level 1 = +0, Level 4 = +2

Save Progression

- **Good:** +2 at level 1, increases by +1 every 2 levels → $2 + \text{Level}/2$

- **Poor:** +0 at level 1, increases by +1 every 3 levels → $\text{Level}/3$

Bonus Spells from Ability Score

A caster with ability modifier M gets:

- +1 bonus spell at level L if $M \geq L$ (for spell levels 1-9)
- Never grants access to a new spell level

Multiclass Spellcasting

- Each casting class tracks spell slots independently
- Caster level = class level in that casting class (not character level)
- Bonus spells based on the relevant ability score for each class

XP Table (for multiclass penalty reference)

Level	XP Required	XP for Next
1	0	1,000
2	1,000	3,000
3	3,000	6,000
4	6,000	10,000
5	10,000	15,000
...	...	...
20	190,000	—

End of Implementation Plan