Basic division

```
<div class="row">
 <div class="col-sm-4">.col-sm-4</div>
 <div class="col-sm-4">.col-sm-4</div>
 <div class="col-sm-4">.col-sm-4</div>
</div>

<div class="row">
 <div class="col-sm-4">.col-sm-4</div>
 <div class="col-sm-8">.col-sm-8</div>
</div>
```



For Jumbotron: to Highlight a box of content

For Text:

<small> To create a lighter text
<mark> To highlight block of text
<blockquote> and <blockquote-reverse> To create a block of paragraph (Statement or Quote style)
<kbd> to display keyboard icon
Other Text classes: .text-muted, .text-primary, .text-success, .text-info, .text-warning, and .text-danger
For Background of Text: bg-primary, .bg-success, bg-info, bg-warning, and .bg-danger

.lead
.small
.text-left
.text-center
.text-right
.text-justify
.text-nowrap
.text-lowercase
.text-uppercase
.text-capitalize
.initialism
.list-unstyled Removes the default list-style and left margin on list items (works on both <ul> and <ol>). This class only applies to immediate children list items (to remove the default list-style from any nested lists, apply this class to any nested lists as well)
.list-inline Places all list items on a single line

.dl-horizontal Lines up the terms (<dt>) and descriptions (<dd>) in <dl> elements side-by-side. Starts off like default <dl>s, but when the browser window expands, it will line up side-by-side
.pre-scrollable

For Table:

<table class="table table-striped table-border table-hover table-bordered table-condensed table-responsive">

Image:

<img src="cinqueterre.jpg" class="img-thumbnail img-circle img-rounded img-responsive" alt="Cinque Terre" width="304" height="236">

Video In a Iframe:

```
<div class="embed-responsive embed-responsive-16by9">
    <iframe class="embed-responsive-item"
src="https://www.youtube.com/embed/XGSy3_Czz8k"></iframe>
  </div>
```

Alert Messages:

Alerts are created with the .alert class, followed by one of the four contextual classes .alert-success, .alert-info, .alert-warning or .alert-danger

```
<div class="alert alert-success">
  <strong>Success!</strong> Indicates a successful or positive action.
</div>
```

To close the alert message, add class="close" and data-dismiss="alert" to a link or a button element:

```
<div class="alert alert-success">
  <a href="#" class="close" data-dismiss="alert" aria-label="close">&times;</a>
  <strong>Success!</strong> Indicates a successful or positive action.
</div>
```

Button Styles:

.btn-default
.btn-primary
.btn-success
.btn-info
.btn-warning
.btn-danger
.btn-link

```
<button type="button" class="btn btn-default">Default</button>

  <a href="#" class="btn btn-info" role="button">Link Button</a>
  <button type="button" class="btn btn-info">Button</button>
  <input type="button" class="btn btn-info" value="Input Button">
  <input type="submit" class="btn btn-info" value="Submit Button">
```

Button size:

.btn-lg
.btn-md
.btn-sm
.btn-xs

```
<button type="button" class="btn btn-primary btn-md">Medium</button>
```

To create Block Level Button:

```
<button type="button" class="btn btn-primary btn-sm btn-block">Button 1</button>
```

Active/Disabled Buttons:

```
<button type="button" class="btn btn-primary active">Active Primary</button>
<button type="button" class="btn btn-primary disabled">Disabled Primary</button>
```

Button Groups:

Use a element with class .btn-group to create a button group:

```
<div class="btn-group btn-group-lg">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <button type="button" class="btn btn-primary">Sony</button>
</div>
```

Button Groups Size:

.btn-group-lg
.btn-group-xs

Vertical Button Groups:

.btn-group-vertical

```
 <div class="btn-group-vertical">
    <button type="button" class="btn btn-primary">Apple</button>
    <button type="button" class="btn btn-primary">Samsung</button>
    <button type="button" class="btn btn-primary">Sony</button>
  </div>
```

Justified Button Groups:

```
<div class="btn-group btn-group-justified">
  <a href="#" class="btn btn-primary">Apple</a>
  <a href="#" class="btn btn-primary">Samsung</a>
  <a href="#" class="btn btn-primary">Sony</a>
</div>

<div class="btn-group btn-group-justified">
    <div class="btn-group">
      <button type="button" class="btn btn-primary">Apple</button>
    </div>
    <div class="btn-group">
      <button type="button" class="btn btn-primary">Samsung</button>
    </div>
    <div class="btn-group">
      <button type="button" class="btn btn-primary">Sony</button>
    </div>
  </div>
```

Nesting Button Groups & Dropdown Menus:

```
  <div class="btn-group">
    <button type="button" class="btn btn-primary">Apple</button>
    <button type="button" class="btn btn-primary">Samsung</button>
    <div class="btn-group">
      <button type="button" class="btn btn-primary dropdown-toggle" data-toggle="dropdown">
      Sony <span class="caret"></span></button>
      <ul class="dropdown-menu" role="menu">
        <li><a href="#">Tablet</a></li>
        <li><a href="#">Smartphone</a></li>
      </ul>
    </div>
  </div>
```

Split Buttons: Splits a button with a dropdown menu or dropdown list

```
<div class="container">
  <h2>Split Buttons</h2>
  <div class="btn-group">
    <button type="button" class="btn btn-primary">Sony</button>
    <button type="button" class="btn btn-primary dropdown-toggle" data-toggle="dropdown">
      <span class="caret"></span>
    </button>
    <ul class="dropdown-menu" role="menu">
      <li><a href="#">Tablet</a></li>
      <li><a href="#">Smartphone</a></li>
    </ul>
  </div>
</div>
```

Icons for button: Glyphicon Syntax:

```
<div class="container">
  <h2>Glyphicon Examples</h2>
  <p>Envelope icon: <span class="glyphicon glyphicon-envelope"></span></p>
  <p>Envelope icon as a link:
    <a href="#"><span class="glyphicon glyphicon-envelope"></span></a>
  </p>
  <p>Search icon: <span class="glyphicon glyphicon-search"></span></p>
  <p>Search icon on a button:
    <button type="button" class="btn btn-default">
      <span class="glyphicon glyphicon-search"></span> Search
    </button>
  </p>
  <p>Search icon on a styled button:
    <button type="button" class="btn btn-info">
      <span class="glyphicon glyphicon-search"></span> Search
    </button>
  </p>
  <p>Print icon: <span class="glyphicon glyphicon-print"></span></p>
  <p>Print icon on a styled link button:
    <a href="#" class="btn btn-success btn-lg">
      <span class="glyphicon glyphicon-print"></span> Print
    </a>
  </p>
</div>
```

All set of Glyphicon, Halflings, Social, Filetypes visit: http://glyphicons.com/

Glyph	Description	Example
	glyphicon glyphicon-asterisk	Try it
	glyphicon glyphicon-plus	Try it
	glyphicon glyphicon-minus	Try it
	glyphicon glyphicon-euro	Try it
	glyphicon glyphicon-cloud	Try it
	glyphicon glyphicon-envelope	Try it
	glyphicon glyphicon-pencil	Try it
	glyphicon glyphicon-glass	Try it
	glyphicon glyphicon-music	Try it
	glyphicon glyphicon-search	Try it
	glyphicon glyphicon-heart	Try it
	glyphicon glyphicon-star	Try it
	glyphicon glyphicon-star-empty	Try it
	glyphicon glyphicon-user	Try it
	glyphicon glyphicon-film	Try it
	glyphicon glyphicon-th-large	Try it
	glyphicon glyphicon-th	Try it
	glyphicon glyphicon-th-list	Try it
	glyphicon glyphicon-ok	Try it
	glyphicon glyphicon-remove	Try it
	glyphicon glyphicon-zoom-in	Try it
	glyphicon glyphicon-zoom-out	Try it
	glyphicon glyphicon-off	Try it
	glyphicon glyphicon-signal	Try it
	glyphicon glyphicon-cog	Try it
	glyphicon glyphicon-trash	Try it
	glyphicon glyphicon-home	Try it
	glyphicon glyphicon-file	Try it
	glyphicon glyphicon-time	Try it
	glyphicon glyphicon-road	Try it
	glyphicon glyphicon-download-alt	Try it

	glyphicon glyphicon-upload	Try it
	glyphicon glyphicon-inbox	Try it
	glyphicon glyphicon-play-circle	Try it
	glyphicon glyphicon-repeat	Try it
	glyphicon glyphicon-refresh	Try it
	glyphicon glyphicon-list-alt	Try it
	glyphicon glyphicon-lock	Try it
	glyphicon glyphicon-flag	Try it
	glyphicon glyphicon-headphones	Try it
	glyphicon glyphicon-volume-off	Try it
	glyphicon glyphicon-volume-down	Try it
	glyphicon glyphicon-volume-up	Try it
	glyphicon glyphicon-qrcode	Try it
	glyphicon glyphicon-barcode	Try it
	glyphicon glyphicon-tag	Try it
	glyphicon glyphicon-tags	Try it
	glyphicon glyphicon-book	Try it
	glyphicon glyphicon-bookmark	Try it
	glyphicon glyphicon-print	Try it
	glyphicon glyphicon-camera	Try it
	glyphicon glyphicon-font	Try it
	glyphicon glyphicon-bold	Try it
	glyphicon glyphicon-italic	Try it
	glyphicon glyphicon-text-height	Try it
	glyphicon glyphicon-text-width	Try it
	glyphicon glyphicon-align-left	Try it
	glyphicon glyphicon-align-center	Try it
	glyphicon glyphicon-align-right	Try it
	glyphicon glyphicon-align-justify	Try it
	glyphicon glyphicon-list	Try it
	glyphicon glyphicon-indent-left	Try it
	glyphicon glyphicon-indent-right	Try it

	glyphicon glyphicon-facetime-video	Try it
	glyphicon glyphicon-picture	Try it
	glyphicon glyphicon-map-marker	Try it
	glyphicon glyphicon-adjust	Try it
	glyphicon glyphicon-tint	Try it
	glyphicon glyphicon-edit	Try it
	glyphicon glyphicon-share	Try it
	glyphicon glyphicon-check	Try it
	glyphicon glyphicon-move	Try it
	glyphicon glyphicon-step-backward	Try it
	glyphicon glyphicon-fast-backward	Try it
	glyphicon glyphicon-backward	Try it
	glyphicon glyphicon-play	Try it
	glyphicon glyphicon-pause	Try it
	glyphicon glyphicon-stop	Try it
	glyphicon glyphicon-forward	Try it
	glyphicon glyphicon-fast-forward	Try it
	glyphicon glyphicon-step-forward	Try it
	glyphicon glyphicon-eject	Try it
	glyphicon glyphicon-chevron-left	Try it
	glyphicon glyphicon-chevron-right	Try it
	glyphicon glyphicon-plus-sign	Try it
	glyphicon glyphicon-minus-sign	Try it
	glyphicon glyphicon-remove-sign	Try it
	glyphicon glyphicon-ok-sign	Try it
	glyphicon glyphicon-question-sign	Try it
	glyphicon glyphicon-info-sign	Try it
	glyphicon glyphicon-screenshot	Try it

	glyphicon glyphicon-remove-circle	Try it
	glyphicon glyphicon-ok-circle	Try it
	glyphicon glyphicon-ban-circle	Try it
	glyphicon glyphicon-arrow-left	Try it
	glyphicon glyphicon-arrow-right	Try it
	glyphicon glyphicon-arrow-up	Try it
	glyphicon glyphicon-arrow-down	Try it
	glyphicon glyphicon-share-alt	Try it
	glyphicon glyphicon-resize-full	Try it
	glyphicon glyphicon-resize-small	Try it
	glyphicon glyphicon-exclamation-sign	Try it
	glyphicon glyphicon-gift	Try it
	glyphicon glyphicon-leaf	Try it
	glyphicon glyphicon-fire	Try it
	glyphicon glyphicon-eye-open	Try it
	glyphicon glyphicon-eye-close	Try it

	glyphicon glyphicon-warning-sign	Try it
	glyphicon glyphicon-plane	Try it
	glyphicon glyphicon-calendar	Try it
	glyphicon glyphicon-random	Try it
	glyphicon glyphicon-comment	Try it
	glyphicon glyphicon-magnet	Try it
	glyphicon glyphicon-chevron-up	Try it
	glyphicon glyphicon-chevron-down	Try it
	glyphicon glyphicon-retweet	Try it
	glyphicon glyphicon-shopping-cart	Try it
	glyphicon glyphicon-folder-close	Try it
	glyphicon glyphicon-folder-open	Try it
	glyphicon glyphicon-resize-vertical	Try it
	glyphicon glyphicon-resize-horizontal	Try it
	glyphicon glyphicon-hdd	Try it
	glyphicon glyphicon-bullhorn	Try it
	glyphicon glyphicon-bell	Try it
	glyphicon glyphicon-certificate	Try it
	glyphicon glyphicon-thumbs-up	Try it

	glyphicon glyphicon-thumbs-down	Try it
	glyphicon glyphicon-hand-right	Try it
	glyphicon glyphicon-hand-left	Try it
	glyphicon glyphicon-hand-up	Try it
	glyphicon glyphicon-hand-down	Try it
	glyphicon glyphicon-circle-arrow-right	Try it
	glyphicon glyphicon-circle-arrow-left	Try it
	glyphicon glyphicon-circle-arrow-up	Try it
	glyphicon glyphicon-circle-arrow-down	Try it
	glyphicon glyphicon-globe	Try it
	glyphicon glyphicon-wrench	Try it
	glyphicon glyphicon-tasks	Try it
	glyphicon glyphicon-filter	Try it
	glyphicon glyphicon-briefcase	Try it
	glyphicon glyphicon-fullscreen	Try it

	glyphicon glyphicon-dashboard	Try it
	glyphicon glyphicon-paperclip	Try it
	glyphicon glyphicon-heart-empty	Try it
	glyphicon glyphicon-link	Try it
	glyphicon glyphicon-phone	Try it
	glyphicon glyphicon-pushpin	Try it
	glyphicon glyphicon-usd	Try it
	glyphicon glyphicon-gbp	Try it
	glyphicon glyphicon-sort	Try it
	glyphicon glyphicon-sort-by-alphabet	Try it
	glyphicon glyphicon-sort-by-alphabet-alt	Try it
	glyphicon glyphicon-sort-by-order	Try it
	glyphicon glyphicon-sort-by-order-alt	Try it
	glyphicon glyphicon-sort-by-attributes	Try it
	glyphicon glyphicon-sort-by-attributes-alt	Try it
	glyphicon glyphicon-unchecked	Try it
	glyphicon glyphicon-expand	Try it
	glyphicon glyphicon-collapse-down	Try it
	glyphicon glyphicon-collapse-up	Try it
	glyphicon glyphicon-log-in	Try it
	glyphicon glyphicon-flash	Try it
	glyphicon glyphicon-log-out	Try it
	glyphicon glyphicon-new-window	Try it
	glyphicon glyphicon-record	Try it
	glyphicon glyphicon-save	Try it
	glyphicon glyphicon-open	Try it
	glyphicon glyphicon-saved	Try it
	glyphicon glyphicon-import	Try it
	glyphicon glyphicon-export	Try it
	glyphicon glyphicon-send	Try it
	glyphicon glyphicon-floppy-disk	Try it
	glyphicon glyphicon-floppy-saved	Try it

	glyphicon glyphicon-floppy-remove	Try it
	glyphicon glyphicon-floppy-save	Try it
	glyphicon glyphicon-floppy-open	Try it
	glyphicon glyphicon-credit-card	Try it
	glyphicon glyphicon-transfer	Try it
	glyphicon glyphicon-cutlery	Try it
	glyphicon glyphicon-header	Try it
	glyphicon glyphicon-compressed	Try it
	glyphicon glyphicon-earphone	Try it
	glyphicon glyphicon-phone-alt	Try it
	glyphicon glyphicon-tower	Try it
	glyphicon glyphicon-stats	Try it
	glyphicon glyphicon-sd-video	Try it
	glyphicon glyphicon-hd-video	Try it
	glyphicon glyphicon-subtitles	Try it
	glyphicon glyphicon-sound-stereo	Try it
	glyphicon glyphicon-sound-dolby	Try it
	glyphicon glyphicon-sound-5-1	Try it
	glyphicon glyphicon-sound-6-1	Try it

	glyphicon glyphicon-sound-7-1	Try it
	glyphicon glyphicon-copyright-mark	Try it
	glyphicon glyphicon-registration-mark	Try it
	glyphicon glyphicon-cloud-download	Try it
	glyphicon glyphicon-cloud-upload	Try it
	glyphicon glyphicon-tree-conifer	Try it
	glyphicon glyphicon-tree-deciduous	Try it
	glyphicon glyphicon-cd	Try it
	glyphicon glyphicon-save-file	Try it
	glyphicon glyphicon-open-file	Try it
	glyphicon glyphicon-level-up	Try it
	glyphicon glyphicon-copy	Try it
	glyphicon glyphicon-paste	Try it
	glyphicon glyphicon-alert	Try it
	glyphicon glyphicon-equalizer	Try it
	glyphicon glyphicon-king	Try it
	glyphicon glyphicon-queen	Try it
	glyphicon glyphicon-pawn	Try it
	glyphicon glyphicon-bishop	Try it
	glyphicon glyphicon-knight	Try it

	glyphicon glyphicon-baby-formula	Try it
	glyphicon glyphicon-tent	Try it
	glyphicon glyphicon-blackboard	Try it
	glyphicon glyphicon-bed	Try it
	glyphicon glyphicon-apple	Try it
	glyphicon glyphicon-erase	Try it
	glyphicon glyphicon-hourglass	Try it
	glyphicon glyphicon-lamp	Try it
	glyphicon glyphicon-duplicate	Try it
	glyphicon glyphicon-piggy-bank	Try it
	glyphicon glyphicon-scissors	Try it
	glyphicon glyphicon-bitcoin	Try it
	glyphicon glyphicon-yen	Try it
	glyphicon glyphicon-ruble	Try it
	glyphicon glyphicon-scale	Try it
	glyphicon glyphicon-ice-lolly	Try it
	glyphicon glyphicon-ice-lolly-tasted	Try it
	glyphicon glyphicon-education	Try it
	glyphicon glyphicon-option-horizontal	Try it
	glyphicon glyphicon-option-vertical	Try it

	glyphicon glyphicon-menu-hamburger	Try it
	glyphicon glyphicon-modal-window	Try it
	glyphicon glyphicon-oil	Try it
	glyphicon glyphicon-grain	Try it
	glyphicon glyphicon-sunglasses	Try it
	glyphicon glyphicon-text-size	Try it
	glyphicon glyphicon-text-color	Try it
	glyphicon glyphicon-text-background	Try it
	glyphicon glyphicon-object-align-top	Try it
	glyphicon glyphicon-object-align-bottom	Try it
	glyphicon glyphicon-object-align-horizontal	Try it
	glyphicon glyphicon-object-align-left	Try it
	glyphicon glyphicon-object-align-vertical	Try it
	glyphicon glyphicon-object-align-right	Try it
	glyphicon glyphicon-triangle-right	Try it
	glyphicon glyphicon-triangle-left	Try it
	glyphicon glyphicon-triangle-bottom	Try it
	glyphicon glyphicon-triangle-top	Try it
	glyphicon glyphicon-superscript	Try it
	glyphicon glyphicon-subscript	Try it
	glyphicon glyphicon-triangle-right	Try it
	glyphicon glyphicon-triangle-left	Try it
	glyphicon glyphicon-triangle-bottom	Try it
	glyphicon glyphicon-triangle-top	Try it
	glyphicon glyphicon-superscript	Try it
	glyphicon glyphicon-subscript	Try it
	glyphicon glyphicon-menu-left	Try it
	glyphicon glyphicon-menu-right	Try it
	glyphicon glyphicon-menu-down	Try it
	glyphicon glyphicon-menu-up	Try it

Labels:

```
 <span class="label label-default">Default Label</span>
  <span class="label label-primary">Primary Label</span>
  <span class="label label-success">Success Label</span>
  <span class="label label-info">Info Label</span>
  <span class="label label-warning">Warning Label</span>
  <span class="label label-danger">Danger Label</span>
```

Bootstrap Progress Bars:

```
<div class="container">
  <h2>Basic Progress Bar</h2>
  <div class="progress">
    <div class="progress-bar" role="progressbar" aria-valuenow="70" aria-valuemin="0" aria-
valuemax="100" style="width:70%">
      <span class="sr-only">70% Complete</span>
    </div>
  </div>
</div>
```

```
<div class="progress">
  <div class="progress-bar" role="progressbar" aria-valuenow="70"
  aria-valuemin="0" aria-valuemax="100" style="width:70%">
    70%
  </div>
</div>
```

Colored Progress Bars

Contextual classes are used to provide "meaning through colors".
The contextual classes that can be used with progress bars are:
.progress-bar-success
.progress-bar-info
.progress-bar-warning
.progress-bar-danger

Striped Progress Bars

```
<div class="progress">
  <div class="progress-bar progress-bar-success progress-bar-striped" role="progressbar"
  aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:40%">
    40% Complete (success)
```

```
  </div>
</div>
```

Animated Progress Bar

```
<div class="progress">
  <div class="progress-bar progress-bar-striped active" role="progressbar"
  aria-valuenow="40" aria-valuemin="0" aria-valuemax="100" style="width:40%">
    40%
  </div>
</div>
```



Breadcrumbs

The .breadcrumb class indicates the current page's location within a navigational hierarchy

```
<ul class="breadcrumb">
  <li><a href="#">Home</a></li>
  <li><a href="#">Private</a></li>
  <li><a href="#">Pictures</a></li>
  <li class="active">Vacation</li>
</ul>
```

Pagination:

```
<ul class="pagination pagination-lg">
  <li><a href="#">1</a></li>
  <li class="active"><a href="#">2</a></li>
  <li><a href="#">3</a></li>
  <li><a href="#">4</a></li>
  <li><a href="#">5</a></li>
</ul>
```

Disabled class to disable a li

```
<li class="disabled"><a href="#">4</a></li>
```

Pager: It is used in pagination to navigate to next or previous page

```
<ul class="pager">
  <li class="previous"><a href="#">Previous</a></li>
  <li class="next"><a href="#">Next</a></li>
</ul>
```

Panels:

```
<div class="panel panel-primary">
      <div class="panel-heading">Panel with panel-primary class</div>
      <div class="panel-body">Panel Content</div>
    </div>

    <div class="panel panel-success">
      <div class="panel-heading">Panel with panel-success class</div>
      <div class="panel-body">Panel Content</div>
    </div>
    </div>
```

DropDown:

```
  <div class="dropdown">
    <button class="btn btn-default dropdown-toggle" type="button" data-toggle="dropdown">Tutorials
    <span class="caret"></span></button>
    <ul class="dropdown-menu">
      <li><a href="#">HTML</a></li>
      <li><a href="#">CSS</a></li>
      <li><a href="#">JavaScript</a></li>
      <li class="divider"></li>
      <li><a href="#">About Us</a></li>
    </ul>
  </div>
```

Drop Up:

```
<div class="dropup">
```

Collapse: this will collapse text when the button is clicked

```
<button data-toggle="collapse" data-target="#demo">Collapsible</button>
<div id="demo" class="collapse">
Lorem ipsum dolor text....
</div>
```

Special type of collapse and enlarge:

```
<div class="container">
  <h2>Accordion Example</h2>
  <p><strong>Note:</strong> The <strong>data-parent</strong> attribute makes sure that all collapsible
elements under the specified parent will be closed when one of the collapsible item is shown.</p>
  <div class="panel-group" id="accordion">
    <div class="panel panel-default">
      <div class="panel-heading">
        <h4 class="panel-title">
          <a data-toggle="collapse" data-parent="#accordion" href="#collapse1">Collapsible Group 1</a>
        </h4>
      </div>
      <div id="collapse1" class="panel-collapse collapse in">
        <div class="panel-body">Lorem ipsum dolor sit amet, consectetur adipisicing elit,
        sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
        quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</div>
      </div>
    </div>
    <div class="panel panel-default">
      <div class="panel-heading">
        <h4 class="panel-title">
          <a data-toggle="collapse" data-parent="#accordion" href="#collapse2">Collapsible Group 2</a>
        </h4>
      </div>
      <div id="collapse2" class="panel-collapse collapse">
        <div class="panel-body">Lorem ipsum dolor sit amet, consectetur adipisicing elit,
        sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
        quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</div>
      </div>
    </div>
    <div class="panel panel-default">
      <div class="panel-heading">
        <h4 class="panel-title">
          <a data-toggle="collapse" data-parent="#accordion" href="#collapse3">Collapsible Group 3</a>
        </h4>
      </div>
      <div id="collapse3" class="panel-collapse collapse">
        <div class="panel-body">Lorem ipsum dolor sit amet, consectetur adipisicing elit,
        sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam,
        quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</div>
      </div>
    </div>
  </div>
</div>
```

Tabs And menus:

```
<div class="container">
  <h3>Tabs With Dropdown Menu</h3>
  <ul class="nav nav-tabs">
    <li class="active"><a href="#">Home</a></li>
    <li class="dropdown">
      <a class="dropdown-toggle" data-toggle="dropdown" href="#">Menu 1 <span
class="caret"></span></a>
      <ul class="dropdown-menu">
        <li><a href="#">Submenu 1-1</a></li>
        <li><a href="#">Submenu 1-2</a></li>
        <li><a href="#">Submenu 1-3</a></li>
      </ul>
    </li>
    <li><a href="#">Menu 2</a></li>
    <li><a href="#">Menu 3</a></li>
  </ul>
</div>
```

Navigation Bars

```
<nav class="navbar navbar-inverse navbar-fixed-top" ">
  <div class="container-fluid">
    <div class="navbar-header">
      <a class="navbar-brand" href="#">WebSiteName</a>
    </div>
    <ul class="nav navbar-nav">
      <li class="active"><a href="#">Home</a></li>
      <li><a href="#">Page 1</a></li>
      <li><a href="#">Page 2</a></li>
      <li><a href="#">Page 3</a></li>
    </ul>
<ul class="nav navbar-nav navbar-right">
      <li><a href="#"><span class="glyphicon glyphicon-user"></span> Sign Up</a></li>
      <li><a href="#"><span class="glyphicon glyphicon-log-in"></span> Login</a></li>
    </ul>
  </div>
</nav>


<div class="container">
  <h3>Inverted Navbar</h3>
  <p>An inverted navbar is black instead of gray.</p>
</div>
```

Menu For Mobiles and other screen compatible:

```
<nav class="navbar navbar-inverse">
  <div class="container-fluid">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#">WebSiteName</a>
    </div>
    <div class="collapse navbar-collapse" id="myNavbar">
      <ul class="nav navbar-nav">
        <li class="active"><a href="#">Home</a></li>
        <li><a href="#">Page 1</a></li>
        <li><a href="#">Page 2</a></li>
        <li><a href="#">Page 3</a></li>
      </ul>
      <ul class="nav navbar-nav navbar-right">
        <li><a href="#"><span class="glyphicon glyphicon-user"></span> Sign Up</a></li>
        <li><a href="#"><span class="glyphicon glyphicon-log-in"></span> Login</a></li>
      </ul>
    </div>
  </div>
</nav>
```

Forms for responsive web pages:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>

<div class="container">
  <h2>Vertical (basic) form</h2>
  <form>
    <div class="form-group">
      <label for="email">Email:</label>
      <input type="email" class="form-control" id="email" placeholder="Enter email">
    </div>
    <div class="form-group">
      <label for="pwd">Password:</label>
```

```
    <input type="password" class="form-control" id="pwd" placeholder="Enter password">
   </div>
   <div class="checkbox">
    <label><input type="checkbox"> Remember me</label>
   </div>
   <button type="submit" class="btn btn-default">Submit</button>
  </form>
</div>
</body>
</html>
```

```
<form class="form-horizontal">
  <div class="form-group">
    <label class="control-label col-sm-2" for="email">Email:</label>
    <div class="col-sm-10">
      <input type="email" class="form-control" id="email" placeholder="Enter email">
    </div>
  </div>
  <div class="form-group">
    <label class="control-label col-sm-2" for="pwd">Password:</label>
    <div class="col-sm-10">
      <input type="password" class="form-control" id="pwd" placeholder="Enter password">
    </div>
  </div>
  <div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
      <div class="checkbox">
        <label><input type="checkbox"> Remember me</label>
      </div>
    </div>
  </div>
  <div class="form-group">
    <div class="col-sm-offset-2 col-sm-10">
      <button type="submit" class="btn btn-default">Submit</button>
    </div>
  </div>
</form>
```

Bootstrap Checkboxes:

```
<div class="checkbox">
<label><input type="checkbox" value="">Option 1</label>
</div>
<div class="checkbox disabled">
  <label><input type="checkbox" value="" disabled>Option 3</label>
</div>
```

For Checkbox Inline:

```
<label class="checkbox-inline"><input type="checkbox" value="">Option 1</label>
```

Same applies for radio button

Bootstrap Select List

```
<div class="container">
  <h2>Form control: select</h2>
  <p>The form below contains two dropdown menus (select lists):</p>
  <form>
    <div class="form-group">
      <label for="sel1">Select list (select one):</label>
      <select class="form-control" id="sel1">
        <option>1</option>
        <option>2</option>
        <option>3</option>
        <option>4</option>
      </select>
      <br>
      <label for="sel2">Mutiple select list (hold shift to select more than one):</label>
      <select multiple class="form-control" id="sel2">
        <option>1</option>
        <option>2</option>
        <option>3</option>
        <option>4</option>
        <option>5</option>
      </select>
    </div>
  </form>
</div>
```

Text Boxes With Glyphicon

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>

<div class="container">
  <h2>Horizontal form: control states</h2>
  <form class="form-horizontal">
    <div class="form-group">
      <label class="col-sm-2 control-label">Focused</label>
      <div class="col-sm-10">
        <input class="form-control" id="focusedInput" type="text" value="Click to focus...">
      </div>
```

```
    </div>
    <div class="form-group">
      <label for="inputPassword" class="col-sm-2 control-label">Disabled</label>
      <div class="col-sm-10">
        <input class="form-control" id="disabledInput" type="text" placeholder="Disabled input here..."
disabled>
      </div>
    </div>
    <fieldset disabled>
      <div class="form-group">
        <label for="disabledTextInput" class="col-sm-2 control-label">Disabled input and select list
(Fieldset disabled)</label>
        <div class="col-sm-10">
          <input type="text" id="disabledTextInput" class="form-control" placeholder="Disabled input">
        </div>
      </div>
      <div class="form-group">
        <label for="disabledSelect" class="col-sm-2 control-label"></label>
        <div class="col-sm-10">
          <select id="disabledSelect" class="form-control">
            <option>Disabled select</option>
          </select>
        </div>
      </div>
    </fieldset>
    <div class="form-group has-success has-feedback">
      <label class="col-sm-2 control-label" for="inputSuccess">Input with success and glyphicon</label>
      <div class="col-sm-10">
        <input type="text" class="form-control" id="inputSuccess">
        <span class="glyphicon glyphicon-ok form-control-feedback"></span>
      </div>
    </div>
    <div class="form-group has-warning has-feedback">
      <label class="col-sm-2 control-label" for="inputWarning">Input with warning and glyphicon</label>
      <div class="col-sm-10">
        <input type="text" class="form-control" id="inputWarning">
        <span class="glyphicon glyphicon-warning-sign form-control-feedback"></span>
      </div>
    </div>
    <div class="form-group has-error has-feedback">
      <label class="col-sm-2 control-label" for="inputError">Input with error and glyphicon</label>
      <div class="col-sm-10">
        <input type="text" class="form-control" id="inputError">
        <span class="glyphicon glyphicon-remove form-control-feedback"></span>
      </div>
    </div>
  </form>
</div>

</body>
</html>
```



Media:

```
<!-- Media top -->
<div class="media">
  <div class="media-left media-top">
    <img src="img_avatar1.png" class="media-object" style="width:60px">
  </div>
  <div class="media-body">
    <h4 class="media-heading">Media Top</h4>
    <p>Lorem ipsum...</p>
  </div>
</div>

<!-- Media middle -->
<div class="media">
  <div class="media-left media-middle">
    <img src="img_avatar1.png" class="media-object" style="width:60px">
  </div>
  <div class="media-body">
    <h4 class="media-heading">Media Middle</h4>
    <p>Lorem ipsum...</p>
  </div>
</div>

<!-- Media bottom -->
<div class="media">
  <div class="media-left media-bottom">
    <img src="img_avatar1.png" class="media-object" style="width:60px">
```

```
  </div>
  <div class="media-body">
    <h4 class="media-heading">Media Bottom</h4>
    <p>Lorem ipsum...</p>
  </div>
</div>


<div class="container">
  <h2>Nested Media Objects</h2>
  <p>Media objects can also be nested (a media object inside a media object):</p><br>
  <div class="media">
    <div class="media-left">
      <img src="img_avatar1.png" class="media-object" style="width:45px">
    </div>
    <div class="media-body">
      <h4 class="media-heading">John Doe <small><i>Posted on February 19, 2016</i></small></h4>
      <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua.</p>

      <!-- Nested media object -->
      <div class="media">
        <div class="media-left">
          <img src="img_avatar2.png" class="media-object" style="width:45px">
        </div>
        <div class="media-body">
          <h4 class="media-heading">John Doe <small><i>Posted on February 19, 2016</i></small></h4>
          <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua.</p>

          <!-- Nested media object -->
          <div class="media">
            <div class="media-left">
              <img src="img_avatar3.png" class="media-object" style="width:45px">
            </div>
            <div class="media-body">
              <h4 class="media-heading">John Doe <small><i>Posted on February 19,
2016</i></small></h4>
              <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua.</p>
            </div>
          </div>

        </div>
      </div>

    </div>
  </div>
</div>
```

Carousel

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <style>
  .carousel-inner > .item > img,
  .carousel-inner > .item > a > img {
      width: 70%;
      margin: auto;
  }
  </style>
</head>
<body>

<div class="container">
  <br>
  <div id="myCarousel" class="carousel slide" data-ride="carousel">
    <!-- Indicators -->
    <ol class="carousel-indicators">
      <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
      <li data-target="#myCarousel" data-slide-to="1"></li>
      <li data-target="#myCarousel" data-slide-to="2"></li>
      <li data-target="#myCarousel" data-slide-to="3"></li>
    </ol>

    <!-- Wrapper for slides -->
    <div class="carousel-inner" role="listbox">
      <div class="item active">
        <img src="img_chania.jpg" alt="Chania" width="460" height="345">
      </div>

      <div class="item">
        <img src="img_chania2.jpg" alt="Chania" width="460" height="345">
```

```
    </div>

    <div class="item">
      <img src="img_flower.jpg" alt="Flower" width="460" height="345">
    </div>

    <div class="item">
      <img src="img_flower2.jpg" alt="Flower" width="460" height="345">
    </div>
  </div>

  <!-- Left and right controls -->
  <a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
  </a>
  <a class="right carousel-control" href="#myCarousel" role="button" data-slide="next">
    <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
  </a>
 </div>
</div>

</body>
</html>
```

Open a Modal pop up:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>

<div class="container">
  <h2>Modal Example</h2>
  <!-- Trigger the modal with a button -->
  <button type="button" class="btn btn-info btn-lg" data-toggle="modal" data-target="#myModal">Open
Modal</button>

  <!-- Modal -->
  <div class="modal fade" id="myModal" role="dialog">
    <div class="modal-dialog">

      <!-- Modal content-->
      <div class="modal-content">
        <div class="modal-header">
          <button type="button" class="close" data-dismiss="modal">&times;</button>
          <h4 class="modal-title">Modal Header</h4>
        </div>
        <div class="modal-body">
          <p>Some text in the modal.</p>
        </div>
        <div class="modal-footer">
          <button type="button" class="btn btn-default" data-dismiss="modal">Close</button>
        </div>
      </div>

    </div>
  </div>

</div>

</body>
</html>
```

Scaling:

```
<div class="modal-dialog modal-sm">
<div class="modal-dialog modal-lg">
```

ToolTip:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>

<div class="container">
  <h3>Tooltip Example</h3>
  <p>The data-placement attribute specifies the tooltip position.</p>
  <ul class="list-inline">
    <li><a href="#" data-toggle="tooltip" data-placement="top" title="Hooray!">Top</a></li>
    <li><a href="#" data-toggle="tooltip" data-placement="bottom" title="Hooray!">Bottom</a></li>
    <li><a href="#" data-toggle="tooltip" data-placement="left" title="Hooray!">Left</a></li>
    <li><a href="#" data-toggle="tooltip" data-placement="right" title="Hooray!">Right</a></li>
  </ul>
</div>

<script>
$(document).ready(function(){
    $('[data-toggle="tooltip"]').tooltip();
});
</script>

</body>
</html>
```

POPOVER:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>
```

```
<div class="container">
  <h3>Popover Example</h3>
  <a href="#" data-toggle="popover" title="Popover Header" data-content="Some content inside the popover">Toggle popover</a>
</div>

<script>
$(document).ready(function(){
    $('[data-toggle="popover"]').popover();
});
</script>

</body>
</html>
```



```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
</head>
<body>

<div class="container">
  <h3>Popover Example</h3>
  <a href="#" title="Header" data-toggle="popover" data-content="Some content">Click Me</a><br>
  <a href="#" title="Header" data-toggle="popover" data-trigger="hover" data-content="Some content">Hover over me</a>
</div>

<script>
$(document).ready(function(){
    $('[data-toggle="popover"]').popover();
});
</script>

</body>
</html>
```

Auto Navigator:

```
<!DOCTYPE html>
<html>
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <style>
  body {
     position: relative;
  }
  #section1 {padding-top:50px;height:500px;color: #fff; background-color: #1E88E5;}
  #section2 {padding-top:50px;height:500px;color: #fff; background-color: #673ab7;}
  #section3 {padding-top:50px;height:500px;color: #fff; background-color: #ff9800;}
  #section41 {padding-top:50px;height:500px;color: #fff; background-color: #00bcd4;}
  #section42 {padding-top:50px;height:500px;color: #fff; background-color: #009688;}
  </style>
</head>
<body data-spy="scroll" data-target=".navbar" data-offset="50">

<nav class="navbar navbar-inverse navbar-fixed-top">
  <div class="container-fluid">
    <div class="navbar-header">
       <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
         <span class="icon-bar"></span>
         <span class="icon-bar"></span>
         <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#">WebSiteName</a>
    </div>
    <div>
      <div class="collapse navbar-collapse" id="myNavbar">
        <ul class="nav navbar-nav">
          <li><a href="#section1">Section 1</a></li>
          <li><a href="#section2">Section 2</a></li>
          <li><a href="#section3">Section 3</a></li>
          <li class="dropdown"><a class="dropdown-toggle" data-toggle="dropdown" href="#">Section 4
<span class="caret"></span></a>
```

```
          <ul class="dropdown-menu">
            <li><a href="#section41">Section 4-1</a></li>
            <li><a href="#section42">Section 4-2</a></li>
          </ul>
        </li>
      </ul>
    </div>
  </div>
 </div>
</nav>

<div id="section1" class="container-fluid">
 <h1>Section 1</h1>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
</div>
<div id="section2" class="container-fluid">
 <h1>Section 2</h1>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
</div>
<div id="section3" class="container-fluid">
 <h1>Section 3</h1>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
</div>
<div id="section41" class="container-fluid">
 <h1>Section 4 Submenu 1</h1>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
</div>
<div id="section42" class="container-fluid">
 <h1>Section 4 Submenu 2</h1>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
 <p>Try to scroll this section and look at the navigation bar while scrolling! Try to scroll this section and look at the navigation bar while scrolling!</p>
</div>

</body>
</html>
```



Affix Navigation:

```
<!DOCTYPE html>
<html>
<head>
  <title>Bootstrap Example</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <style>
  /* Note: Try to remove the following lines to see the effect of CSS positioning */
  .affix {
      top: 0;
      width: 100%;
  }

  .affix + .container-fluid {
      padding-top: 70px;
  }
  </style>
</head>
<body>

<div class="container-fluid" style="background-color:#F44336;color:#fff;height:200px;">
  <h1>Bootstrap Affix Example</h1>
  <h3>Fixed (sticky) navbar on scroll</h3>
  <p>Scroll this page to see how the navbar behaves with data-spy="affix".</p>
  <p>The navbar is attached to the top of the page after you have scrolled a specified amount of
pixels.</p>
</div>

<nav class="navbar navbar-inverse" data-spy="affix" data-offset-top="197">
  <ul class="nav navbar-nav">
    <li class="active"><a href="#">Basic Topnav</a></li>
    <li><a href="#">Page 1</a></li>
    <li><a href="#">Page 2</a></li>
    <li><a href="#">Page 3</a></li>
  </ul>
</nav>

<div class="container-fluid" style="height:1000px">
```

```
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
  <h1>Some text to enable scrolling</h1>
</div>

</body>
</html>
```



WebPage :

```
<!DOCTYPE html>
<html lang="en">
<head>
  <!-- Theme Made By www.w3schools.com - No Copyright -->
  <title>Bootstrap Theme Simply Me</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <style>
  body {
      font: 20px Montserrat, sans-serif;
      line-height: 1.8;
      color: #f5f6f7;
  }
  p {font-size: 16px;}
  .margin {margin-bottom: 45px;}
  .bg-1 {
      background-color: #1abc9c; /* Green */
      color: #ffffff;
  }
  .bg-2 {
      background-color: #474e5d; /* Dark Blue */
```

```
    color: #ffffff;
  }
  .bg-3 {
    background-color: #ffffff; /* White */
    color: #555555;
  }
  .bg-4 {
    background-color: #2f2f2f; /* Black Gray */
    color: #fff;
  }
  .container-fluid {
    padding-top: 70px;
    padding-bottom: 70px;
  }
  .navbar {
    padding-top: 15px;
    padding-bottom: 15px;
    border: 0;
    border-radius: 0;
    margin-bottom: 0;
    font-size: 12px;
    letter-spacing: 5px;
  }
  .navbar-nav  li a:hover {
    color: #1abc9c !important;
  }
  </style>
</head>
<body>

<!-- Navbar -->
<nav class="navbar navbar-default">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
      </button>
      <a class="navbar-brand" href="#">Me</a>
    </div>
    <div class="collapse navbar-collapse" id="myNavbar">
      <ul class="nav navbar-nav navbar-right">
        <li><a href="#">WHO</a></li>
        <li><a href="#">WHAT</a></li>
        <li><a href="#">WHERE</a></li>
      </ul>
    </div>
  </div>
</nav>
```

```
<!-- First Container -->
<div class="container-fluid bg-1 text-center">
  <h3 class="margin">Who Am I?</h3>
  <img src="bird.jpg" class="img-responsive img-circle margin" style="display:inline" alt="Bird"
width="350" height="350">
  <h3>I'm an adventurer</h3>
</div>

<!-- Second Container -->
<div class="container-fluid bg-2 text-center">
  <h3 class="margin">What Am I?</h3>
  <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore
et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut
aliquip ex ea commodo consequat. </p>
  <a href="#" class="btn btn-default btn-lg">
    <span class="glyphicon glyphicon-search"></span> Search
  </a>
</div>

<!-- Third Container (Grid) -->
<div class="container-fluid bg-3 text-center">
  <h3 class="margin">Where To Find Me?</h3><br>
  <div class="row">
    <div class="col-sm-4">
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua.</p>
      <img src="birds1.jpg" class="img-responsive margin" style="width:100%" alt="Image">
    </div>
    <div class="col-sm-4">
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua.</p>
      <img src="birds2.jpg" class="img-responsive margin" style="width:100%" alt="Image">
    </div>
    <div class="col-sm-4">
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut
labore et dolore magna aliqua.</p>
      <img src="birds3.jpg" class="img-responsive margin" style="width:100%" alt="Image">
    </div>
  </div>
</div>

<!-- Footer -->
<footer class="container-fluid bg-4 text-center">
  <p>Bootstrap Theme Made By <a href="http://www.w3schools.com">www.w3schools.com</a></p>
</footer>

</body>
</html>
```

Me

WHO WHAT WHERE

Who Am I?

What Am I?

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

Search

Where To Find Me?

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



Bootstrap Theme Made By www.w3schools.com

Website company:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <!-- Theme Made By www.w3schools.com - No Copyright -->
  <title>Bootstrap Theme Company Page</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
  <link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet" type="text/css">
  <link href="https://fonts.googleapis.com/css?family=Lato" rel="stylesheet" type="text/css">
  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.1/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
  <style>
  body {
      font: 400 15px Lato, sans-serif;
      line-height: 1.8;
      color: #818181;
  }
  h2 {
      font-size: 24px;
      text-transform: uppercase;
      color: #303030;
      font-weight: 600;
      margin-bottom: 30px;
  }
  h4 {
      font-size: 19px;
      line-height: 1.375em;
      color: #303030;
      font-weight: 400;
      margin-bottom: 30px;
  }
  .jumbotron {
      background-color: #f4511e;
      color: #fff;
      padding: 100px 25px;
      font-family: Montserrat, sans-serif;
  }
  .container-fluid {
      padding: 60px 50px;
  }
  .bg-grey {
      background-color: #f6f6f6;
  }
  .logo-small {
      color: #f4511e;
      font-size: 50px;
  }
```

```
.logo {
    color: #f4511e;
    font-size: 200px;
}
.thumbnail {
    padding: 0 0 15px 0;
    border: none;
    border-radius: 0;
}
.thumbnail img {
    width: 100%;
    height: 100%;
    margin-bottom: 10px;
}
.carousel-control.right, .carousel-control.left {
    background-image: none;
    color: #f4511e;
}
.carousel-indicators li {
    border-color: #f4511e;
}
.carousel-indicators li.active {
    background-color: #f4511e;
}
.item h4 {
    font-size: 19px;
    line-height: 1.375em;
    font-weight: 400;
    font-style: italic;
    margin: 70px 0;
}
.item span {
    font-style: normal;
}
.panel {
    border: 1px solid #f4511e;
    border-radius:0 !important;
    transition: box-shadow 0.5s;
}
.panel:hover {
    box-shadow: 5px 0px 40px rgba(0,0,0, .2);
}
.panel-footer .btn:hover {
    border: 1px solid #f4511e;
    background-color: #fff !important;
    color: #f4511e;
}
.panel-heading {
    color: #fff !important;
    background-color: #f4511e !important;
    padding: 25px;
```

```
    border-bottom: 1px solid transparent;
    border-top-left-radius: 0px;
    border-top-right-radius: 0px;
    border-bottom-left-radius: 0px;
    border-bottom-right-radius: 0px;
}
.panel-footer {
    background-color: white !important;
}
.panel-footer h3 {
    font-size: 32px;
}
.panel-footer h4 {
    color: #aaa;
    font-size: 14px;
}
.panel-footer .btn {
    margin: 15px 0;
    background-color: #f4511e;
    color: #fff;
}
.navbar {
    margin-bottom: 0;
    background-color: #f4511e;
    z-index: 9999;
    border: 0;
    font-size: 12px !important;
    line-height: 1.42857143 !important;
    letter-spacing: 4px;
    border-radius: 0;
    font-family: Montserrat, sans-serif;
}
.navbar li a, .navbar .navbar-brand {
    color: #fff !important;
}
.navbar-nav li a:hover, .navbar-nav li.active a {
    color: #f4511e !important;
    background-color: #fff !important;
}
.navbar-default .navbar-toggle {
    border-color: transparent;
    color: #fff !important;
}
footer .glyphicon {
    font-size: 20px;
    margin-bottom: 20px;
    color: #f4511e;
}
.slideanim {visibility:hidden;}
.slide {
    animation-name: slide;
```

```
    -webkit-animation-name: slide;
    animation-duration: 1s;
    -webkit-animation-duration: 1s;
    visibility: visible;
  }
  @keyframes slide {
   0% {
    opacity: 0;
    transform: translateY(70%);
   }
   100% {
    opacity: 1;
    transform: translateY(0%);
   }
  }
  @-webkit-keyframes slide {
   0% {
    opacity: 0;
    -webkit-transform: translateY(70%);
   }
   100% {
    opacity: 1;
    -webkit-transform: translateY(0%);
   }
  }
  @media screen and (max-width: 768px) {
   .col-sm-4 {
    text-align: center;
    margin: 25px 0;
   }
   .btn-lg {
     width: 100%;
     margin-bottom: 35px;
   }
  }
  @media screen and (max-width: 480px) {
   .logo {
     font-size: 150px;
   }
  }
  </style>
</head>
<body id="myPage" data-spy="scroll" data-target=".navbar" data-offset="60">

<nav class="navbar navbar-default navbar-fixed-top">
  <div class="container">
    <div class="navbar-header">
      <button type="button" class="navbar-toggle" data-toggle="collapse" data-target="#myNavbar">
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
        <span class="icon-bar"></span>
```

```
      </button>
      <a class="navbar-brand" href="#myPage">Logo</a>
    </div>
    <div class="collapse navbar-collapse" id="myNavbar">
      <ul class="nav navbar-nav navbar-right">
        <li><a href="#about">ABOUT</a></li>
        <li><a href="#services">SERVICES</a></li>
        <li><a href="#portfolio">PORTFOLIO</a></li>
        <li><a href="#pricing">PRICING</a></li>
        <li><a href="#contact">CONTACT</a></li>
      </ul>
    </div>
  </div>
</nav>

<div class="jumbotron text-center">
  <h1>Company</h1>
  <p>We specialize in blablabla</p>
  <form class="form-inline">
    <input type="email" class="form-control" size="50" placeholder="Email Address" required>
    <button type="button" class="btn btn-danger">Subscribe</button>
  </form>
</div>

<!-- Container (About Section) -->
<div id="about" class="container-fluid">
  <div class="row">
    <div class="col-sm-8">
      <h2>About Company Page</h2><br>
      <h4>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</h4><br>
      <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</p>
      <br><button class="btn btn-default btn-lg">Get in Touch</button>
    </div>
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-signal logo"></span>
    </div>
  </div>
</div>

<div class="container-fluid bg-grey">
  <div class="row">
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-globe logo slideanim"></span>
    </div>
```

```
    <div class="col-sm-8">
      <h2>Our Values</h2><br>
      <h4><strong>MISSION:</strong> Our mission lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</h4><br>
      <p><strong>VISION:</strong> Our vision Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.
      Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.</p>
    </div>
  </div>
</div>

<!-- Container (Services Section) -->
<div id="services" class="container-fluid text-center">
  <h2>SERVICES</h2>
  <h4>What we offer</h4>
  <br>
  <div class="row slideanim">
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-off logo-small"></span>
      <h4>POWER</h4>
      <p>Lorem ipsum dolor sit amet..</p>
    </div>
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-heart logo-small"></span>
      <h4>LOVE</h4>
      <p>Lorem ipsum dolor sit amet..</p>
    </div>
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-lock logo-small"></span>
      <h4>JOB DONE</h4>
      <p>Lorem ipsum dolor sit amet..</p>
    </div>
  </div>
  <br><br>
  <div class="row slideanim">
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-leaf logo-small"></span>
      <h4>GREEN</h4>
      <p>Lorem ipsum dolor sit amet..</p>
    </div>
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-certificate logo-small"></span>
      <h4>CERTIFIED</h4>
      <p>Lorem ipsum dolor sit amet..</p>
    </div>
    <div class="col-sm-4">
      <span class="glyphicon glyphicon-wrench logo-small"></span>
```

```
      <h4 style="color:#303030;">HARD WORK</h4>
      <p>Lorem ipsum dolor sit amet..</p>
    </div>
  </div>
</div>

<!-- Container (Portfolio Section) -->
<div id="portfolio" class="container-fluid text-center bg-grey">
  <h2>Portfolio</h2><br>
  <h4>What we have created</h4>
  <div class="row text-center slideanim">
    <div class="col-sm-4">
      <div class="thumbnail">
        <img src="paris.jpg" alt="Paris" width="400" height="300">
        <p><strong>Paris</strong></p>
        <p>Yes, we built Paris</p>
      </div>
    </div>
    <div class="col-sm-4">
      <div class="thumbnail">
        <img src="newyork.jpg" alt="New York" width="400" height="300">
        <p><strong>New York</strong></p>
        <p>We built New York</p>
      </div>
    </div>
    <div class="col-sm-4">
      <div class="thumbnail">
        <img src="sanfran.jpg" alt="San Francisco" width="400" height="300">
        <p><strong>San Francisco</strong></p>
        <p>Yes, San Fran is ours</p>
      </div>
    </div>
  </div><br>

  <h2>What our customers say</h2>
  <div id="myCarousel" class="carousel slide text-center" data-ride="carousel">
    <!-- Indicators -->
    <ol class="carousel-indicators">
      <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
      <li data-target="#myCarousel" data-slide-to="1"></li>
      <li data-target="#myCarousel" data-slide-to="2"></li>
    </ol>

    <!-- Wrapper for slides -->
    <div class="carousel-inner" role="listbox">
      <div class="item active">
        <h4>"This company is the best. I am so happy with the result!"<br><span style="font-
style:normal;">Michael Roe, Vice President, Comment Box</span></h4>
      </div>
      <div class="item">
```

```
      <h4>"One word... WOW!!"<br><span style="font-style:normal;">John Doe, Salesman, Rep Inc</span></h4>
    </div>
    <div class="item">
      <h4>"Could I... BE any more happy with this company?"<br><span style="font-style:normal;">Chandler Bing, Actor, FriendsAlot</span></h4>
    </div>
  </div>

  <!-- Left and right controls -->
  <a class="left carousel-control" href="#myCarousel" role="button" data-slide="prev">
    <span class="glyphicon glyphicon-chevron-left" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
  </a>
  <a class="right carousel-control" href="#myCarousel" role="button" data-slide="next">
    <span class="glyphicon glyphicon-chevron-right" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
  </a>
 </div>
</div>

<!-- Container (Pricing Section) -->
<div id="pricing" class="container-fluid">
 <div class="text-center">
  <h2>Pricing</h2>
  <h4>Choose a payment plan that works for you</h4>
 </div>
 <div class="row slideanim">
  <div class="col-sm-4 col-xs-12">
   <div class="panel panel-default text-center">
    <div class="panel-heading">
     <h1>Basic</h1>
    </div>
    <div class="panel-body">
     <p><strong>20</strong> Lorem</p>
     <p><strong>15</strong> Ipsum</p>
     <p><strong>5</strong> Dolor</p>
     <p><strong>2</strong> Sit</p>
     <p><strong>Endless</strong> Amet</p>
    </div>
    <div class="panel-footer">
     <h3>$19</h3>
     <h4>per month</h4>
     <button class="btn btn-lg">Sign Up</button>
    </div>
   </div>
  </div>
  <div class="col-sm-4 col-xs-12">
   <div class="panel panel-default text-center">
    <div class="panel-heading">
     <h1>Pro</h1>
```

```
      </div>
      <div class="panel-body">
        <p><strong>50</strong> Lorem</p>
        <p><strong>25</strong> Ipsum</p>
        <p><strong>10</strong> Dolor</p>
        <p><strong>5</strong> Sit</p>
        <p><strong>Endless</strong> Amet</p>
      </div>
      <div class="panel-footer">
        <h3>$29</h3>
        <h4>per month</h4>
        <button class="btn btn-lg">Sign Up</button>
      </div>
    </div>
  </div>
  <div class="col-sm-4 col-xs-12">
    <div class="panel panel-default text-center">
      <div class="panel-heading">
        <h1>Premium</h1>
      </div>
      <div class="panel-body">
        <p><strong>100</strong> Lorem</p>
        <p><strong>50</strong> Ipsum</p>
        <p><strong>25</strong> Dolor</p>
        <p><strong>10</strong> Sit</p>
        <p><strong>Endless</strong> Amet</p>
      </div>
      <div class="panel-footer">
        <h3>$49</h3>
        <h4>per month</h4>
        <button class="btn btn-lg">Sign Up</button>
      </div>
    </div>
  </div>
 </div>
</div>

<!-- Container (Contact Section) -->
<div id="contact" class="container-fluid bg-grey">
 <h2 class="text-center">CONTACT</h2>
 <div class="row">
  <div class="col-sm-5">
   <p>Contact us and we'll get back to you within 24 hours.</p>
   <p><span class="glyphicon glyphicon-map-marker"></span> Chicago, US</p>
   <p><span class="glyphicon glyphicon-phone"></span> +00 1515151515</p>
   <p><span class="glyphicon glyphicon-envelope"></span> myemail@something.com</p>
  </div>
  <div class="col-sm-7 slideanim">
   <div class="row">
    <div class="col-sm-6 form-group">
     <input class="form-control" id="name" name="name" placeholder="Name" type="text" required>
```

```
      </div>
      <div class="col-sm-6 form-group">
        <input class="form-control" id="email" name="email" placeholder="Email" type="email"
required>
      </div>
    </div>
    <textarea class="form-control" id="comments" name="comments" placeholder="Comment"
rows="5"></textarea><br>
    <div class="row">
      <div class="col-sm-12 form-group">
        <button class="btn btn-default pull-right" type="submit">Send</button>
      </div>
    </div>
  </div>
 </div>
</div>

<div id="googleMap" style="height:400px;width:100%;"></div>

<!-- Add Google Maps -->
<script src="https://maps.googleapis.com/maps/api/js"></script>
<script>
var myCenter = new google.maps.LatLng(41.878114, -87.629798);

function initialize() {
var mapProp = {
 center:myCenter,
 zoom:12,
 scrollwheel:false,
 draggable:false,
 mapTypeId:google.maps.MapTypeId.ROADMAP
 };

var map = new google.maps.Map(document.getElementById("googleMap"),mapProp);

var marker = new google.maps.Marker({
 position:myCenter,
 });

marker.setMap(map);
}

google.maps.event.addDomListener(window, 'load', initialize);
</script>

<footer class="container-fluid text-center">
 <a href="#myPage" title="To Top">
  <span class="glyphicon glyphicon-chevron-up"></span>
 </a>
 <p>Bootstrap Theme Made By <a href="http://www.w3schools.com" title="Visit
w3schools">www.w3schools.com</a></p>
```

```
</footer>

<script>
$(document).ready(function(){
  // Add smooth scrolling to all links in navbar + footer link
  $(".navbar a, footer a[href='#myPage']").on('click', function(event) {
    // Make sure this.hash has a value before overriding default behavior
    if (this.hash !== "") {
      // Prevent default anchor click behavior
      event.preventDefault();

      // Store hash
      var hash = this.hash;

      // Using jQuery's animate() method to add smooth page scroll
      // The optional number (900) specifies the number of milliseconds it takes to scroll to the specified
area
      $('html, body').animate({
        scrollTop: $(hash).offset().top
      }, 900, function(){

        // Add hash (#) to URL when done scrolling (default click behavior)
        window.location.hash = hash;
      });
    } // End if
  });

  $(window).scroll(function() {
    $(".slideanim").each(function(){
      var pos = $(this).offset().top;

      var winTop = $(window).scrollTop();
        if (pos < winTop + 600) {
          $(this).addClass("slide");
        }
    });
  });
})
</script>

</body>
</html>
```

Logo

ABOUT SERVICES PORTFOLIO PRICING CONTACT

Company

We specialize in blablabla

Email Address Subscribe

ABOUT COMPANY PAGE

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco

Logo

ABOUT SERVICES PORTFOLIO PRICING CONTACT

Get in Touch

OUR VALUES

MISSION: Our mission lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

VISION: Our vision Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



Link to the above site: http://www.w3schools.com/bootstrap/bootstrap_theme_company.asp
http://www.w3schools.com/bootstrap/bootstrap_theme_band.asp
http://www.w3schools.com/bootstrap/