

Log4j2 XML, YAML, Properties & JSON Configuration Cheat Sheet (with Splunk Integration and Full Options)

✨ Root Tag (XML)

```
<Configuration  
    status="WARN"  
    name="MyAppLogging"  
    monitorInterval="30"  
    packages="com.example.plugins"  
    shutdownHook="disable"  
    verbose="false"  
    xmlns="http://logging.apache.org/log4j/2.0/config">
```

✨ Root Tag (YAML)

```
Configuration:  
  status: WARN  
  name: MyAppLogging  
  monitorInterval: 30  
  packages: com.example.plugins  
  shutdownHook: disable  
  verbose: false
```

✨ Root Tag (Properties)

```
status = WARN  
name = MyAppLogging  
monitorInterval = 30  
packages = com.example.plugins  
shutdownHook = disable  
verbose = false
```

✨ Root Tag (JSON)

```
{  
  "Configuration": {  
    "status": "WARN",  
    "name": "MyAppLogging",  
    "monitorInterval": 30,
```

```

    "packages": "com.example.plugins",
    "shutdownHook": "disable",
    "verbose": false
}
}

```

(Existing sections remain unchanged...)

Properties Format (.properties)

```

property.log-path = logs/app.log
property.splunk-url = https://splunk-hec:8088
property.splunk-token = xxxxxx

```

JSON Equivalent (Same as FullConfig Above)

```

{
  "Configuration": {
    "status": "INFO",
    "monitorInterval": 30,
    "name": "FullConfig",
    "Properties": {
      "Property": [
        {"name": "log-path", "value": "logs/app.log"},
        {"name": "splunk-url", "value": "https://splunk-hec:8088"},
        {"name": "splunk-token", "value": "xxxxxx"}
      ]
    },
    "Appenders": {
      "Console": {
        "name": "Console",
        "PatternLayout": {
          "pattern": "%d [%t] %-5level %logger{36} - %msg%n"
        }
      },
      "SplunkHttp": {
        "name": "Splunk",
        "url": "${splunk-url}",
        "token": "${splunk-token}",
        "JsonLayout": {
          "eventEol": true,
          "compact": true,
          "locationInfo": true,
          "properties": true
        }
      }
    }
  }
}

```

```
        }
    }
},
"Loggers": {
    "Root": {
        "level": "debug",
        "AppenderRef": [
            {"ref": "Console"},  

            {"ref": "Splunk"}
        ]
    }
}
}
```

Let me know if you'd like this exported to files or integrated into a Spring Boot project!