

CSCI 4/5576: Project Proposal

The Random Logistic Map

Amy Le (5576)
Long Tat (4576)
Emily Bertelson (4576)
Kristina Entzel (4576)

September 29, 2014

1 Introduction

The purpose of this project is to characterize the Random Logistic Map. In particular, we will be studying the stability of the map, which includes locating fixed points and generating bifurcation diagrams. As the map has an element of randomness to it, many simulations (a large N) would be required for statistical analysis. This project is a subset of a larger work in progress and requires optimization.

2 Description and Background

2.1 Deterministic Logistic Map

The Logistic map is a popularly studied topic in nonlinear dynamics. The Logistic function is described as follows:

$$\hat{f}(x) = rx(1 - x) \tag{1}$$

where r is a parameter that takes on values in $[0,4]$. To get the Logistic Map, one simply discretizes the function by replacing $\hat{f}(x)$ with x_{n+1} and x with x_n :

$$x_{n+1} = rx_n(1 - x_n)$$




Figure 1: The deterministic Logistic Map.

Fixed points are located where the line $y = x$ intersects with the Logistic Map. As the parameter r is increased or decreased over the interval $[0,4]$, the map undergoes period doubling. Around $r = 3.6$, the map begins to display chaotic behavior.

2.2 Random Logistic Map

The Random Logistic function is a special case of the Logistic function, which is not as popularly studied. In the random case, r becomes a value dependent on x . Essentially, the Random Logistic Map introduces the notion of spatial randomness to the deterministic function (1). The Random Logistic function and map are as follows:

$$\begin{aligned} f(x) &= R(x)x(1-x) \\ x_{n+1} &= R(x_n)x_n(1-x_n) \end{aligned} \tag{2}$$

$R(x)$ consists of a Fourier series whose coefficients are independent (but not identical) random variables drawn from a uniform distribution.




Figure 2: One instance of a random logistic map.




Figure 3: The colors of the bifurcation diagram coincide with the period order in the legend (top left corner).

An initial serial implementation has been developed for this project and mildly tested in MATLAB. Our project would consist of converting the existing code to C++ and implementing parallelization through OpenMP. Other possible improvements include IO optimization and memory optimization.

3 Analysis:

Here goes a description of analysis methods we will use to prove the success of your implementation. This includes things such as scaling, performance metrics, ect