

Introduction to Git -- Fall 2024

# Lecture 1: Why use version control?



UMEÅ  
UNIVERSITET



HPC2N



UPPSALA  
UNIVERSITET



Slides: <https://hackmd.io/@git-fall-2024/L1-motivation/>

# What is version control?

In software engineering, version control (also known as revision control, source control, or source code management) is a class of systems responsible for **managing changes** to computer programs, documents, large web sites, or other collections of information.

— Wikipedia

# **Version control systems (VCS)**

**... systems responsible for managing changes ...**

# Why use version control?


# In an ideal world, things develop linearly:

- 

- 


- 

- 



In an ideal world, things develop linearly:

- Every new version is an improvement upon the previous version.




In an ideal world, things develop linearly:

- Every new version is an improvement upon the previous version.
  - No need to backtrack.

- 


- 






In an ideal world, things develop linearly:

- Every new version is an improvement upon the previous version.
  - No need to backtrack.
- Everyone knows what everyone else is doing
- 




In an ideal world, things develop linearly:

- Every new version is an improvement upon the previous version.
  - No need to backtrack.
- Everyone knows what everyone else is doing
- In the end, things are simply finished.




# In the real world, things develop non-linearly:

- - a complete catastrophe and
  - a major breakthrough.
- 
- Sometimes we are simply fixing earlier mistakes...




In the real world, things develop non-linearly:

- A new version can be anything between
  - a complete catastrophe and
  - a major breakthrough.
- 
- Sometimes we are simply fixing earlier mistakes...




In the real world, things develop non-linearly:

- A new version can be anything between
  - a complete catastrophe and
  - a major breakthrough.
- People do not know what others are doing
- Sometimes we are simply fixing earlier mistakes...




In the real world, things develop non-linearly:

- A new version can be anything between
  - a complete catastrophe and
  - a major breakthrough.
- People do not know what others are doing
- Sometimes we are simply fixing earlier mistakes...



# Going back to an earlier version

Sometimes, it is easier to simply backtrack to an *earlier version...*



# Where is this *earlier version*?

- 
- my\_file.txt, my\_file.txt.old, ...
- - 2020-08-12/
  - 2020-08-13/
  - ...
-



# Where is this *earlier version*?

- CTRL + Z
- my\_file.txt, my\_file.txt.old, ...
- - 2020-08-12/
  - 2020-08-13/
  - ...
-

# Where is this *earlier version*?

- CTRL + Z
- my\_file.txt, my\_file.txt.old, ...
- - 2020-08-12/
  - 2020-08-13/
  - ...
-

# Where is this *earlier version*?

- CTRL + Z
- my\_file.txt, my\_file.txt.old, ...
- My project/
  - 2020-08-12/
  - 2020-08-13/
  - ...
-

## Where is this *earlier version*?

- CTRL + Z
- my\_file.txt, my\_file.txt.old, ...
- My project/
  - 2020-08-12/
  - 2020-08-13/
  - ...
- Daily home directory backup

# Challenges and obstacles

- -
- -
- -

*Overall, difficult to manage!*

# Challenges and obstacles

- Prone to mistakes



*Overall, difficult to manage!*

# Challenges and obstacles

- Prone to mistakes
  - CTRL + Z has limits, overwritten/deleted files, human/hardware error
- -
- -

*Overall, difficult to manage!*

# Challenges and obstacles

- Prone to mistakes
  - CTRL + Z has limits, overwritten/deleted files, human/hardware error
- How much to save?
  -
- -

*Overall, difficult to manage!*



# Challenges and obstacles

- Prone to mistakes
  - CTRL + Z has limits, overwritten/deleted files, human/hardware error
- How much to save?
  - Individual files? Everything? How much space is required?
- -

*Overall, difficult to manage!*

# Challenges and obstacles

- Prone to mistakes
  - CTRL + Z has limits, overwritten/deleted files, human/hardware error
- How much to save?
  - Individual files? Everything? How much space is required?
- How to organize versions?
  -

*Overall, difficult to manage!*

# Challenges and obstacles

- Prone to mistakes
  - CTRL + Z has limits, overwritten/deleted files, human/hardware error
- How much to save?
  - Individual files? Everything? How much space is required?
- How to organize versions?
  - What is the difference between different versions?


*Overall, difficult to manage!*

# Challenges and obstacles

- Prone to mistakes
  - CTRL + Z has limits, overwritten/deleted files, human/hardware error
- How much to save?
  - Individual files? Everything? How much space is required?
- How to organize versions?
  - What is the difference between different versions?

*Overall, difficult to manage!*

# What about the granularity?



*This compounds the problems!*

# How does VCS solve this?

- 

- 

- 

- 

- 

- 

-

# How does VCS solve this?

- Stores the history using snapshots (commits)



# How does VCS solve this?

- Stores the history using snapshots (commits)
  - Each snapshot represents the project at a given point in time

- 

- 

- 

- 

-



# How does VCS solve this?

- Stores the history using snapshots (commits)
  - Each snapshot represents the project at a given point in time
- Manages snapshots and associated metadata
  -
- 
- 
-

# How does VCS solve this?

- Stores the history using snapshots (commits)
  - Each snapshot represents the project at a given point in time
- Manages snapshots and associated metadata
  - Naming (tags), comments, dates, authors, etc
- 
- 
-

# How does VCS solve this?

- Stores the history using snapshots (commits)
  - Each snapshot represents the project at a given point in time
- Manages snapshots and associated metadata
  - Naming (tags), comments, dates, authors, etc
- Easy to move between different snapshots
- 
-

# How does VCS solve this?

- Stores the history using snapshots (commits)
  - Each snapshot represents the project at a given point in time
- Manages snapshots and associated metadata
  - Naming (tags), comments, dates, authors, etc
- Easy to move between different snapshots
- Can handle different degrees of granularity
-

# How does VCS solve this?

- Stores the history using snapshots (commits)
  - Each snapshot represents the project at a given point in time
- Manages snapshots and associated metadata
  - Naming (tags), comments, dates, authors, etc
- Easy to move between different snapshots
- Can handle different degrees of granularity
- Can handle multiple development paths (branches)

# Comparing and joining



# Comparing and joining

- VCS makes it easy to compare different snapshots
  - 
  - 
  - 
  -
- -

# Comparing and joining

- VCS makes it easy to compare different snapshots
  - Named revisions, comments, time information, author information
  - 
  - 
  -
- -



# Comparing and joining

- VCS makes it easy to compare different snapshots
  - Named revisions, comments, time information, author information
  - Diff tools
  - 
  -
- -

# Comparing and joining

- VCS makes it easy to compare different snapshots
  - Named revisions, comments, time information, author information
  - Diff tools
  - Search tools
  -
- -

# Comparing and joining

- VCS makes it easy to compare different snapshots
  - Named revisions, comments, time information, author information
  - Diff tools
  - Search tools
  - Bisection search

- 

-

# Comparing and joining

- VCS makes it easy to compare different snapshots
  - Named revisions, comments, time information, author information
  - Diff tools
  - Search tools
  - Bisection search
- VCS also allows the joining (merging) of different snapshots

-

# Comparing and joining

- VCS makes it easy to compare different snapshots
  - Named revisions, comments, time information, author information
  - Diff tools
  - Search tools
  - Bisection search
- VCS also allows the joining (merging) of different snapshots
  - Easy to experiment with ideas

# Collaboration



# Collaboration

- One of the primary functions of VCS is to allow collaboration
- - 
  -
- 
-

# Collaboration

- One of the primary functions of VCS is to allow collaboration
- Usual setup: server (remote) + multiple clients
  - 
  -
- 
-



# Collaboration

- One of the primary functions of VCS is to allow collaboration
- Usual setup: server (remote) + multiple clients
  - People work locally and send (push) the changes to the server
  -
- 
-

# Collaboration

- One of the primary functions of VCS is to allow collaboration
- Usual setup: server (remote) + multiple clients
  - People work locally and send (push) the changes to the server
  - VCS keeps track of what has been done and by whom
- 
-

# Collaboration

- One of the primary functions of VCS is to allow collaboration
- Usual setup: server (remote) + multiple clients
  - People work locally and send (push) the changes to the server
  - VCS keeps track of what has been done and by whom
- Safer since mistakes can be easily remedied
-

# Collaboration

- One of the primary functions of VCS is to allow collaboration
- Usual setup: server (remote) + multiple clients
  - People work locally and send (push) the changes to the server
  - VCS keeps track of what has been done and by whom
- Safer since mistakes can be easily remedied
- The contributions of several people can be merged

# Backup



# Backup

- VCS functions as a backup
- -
-

# Backup

- VCS functions as a backup
- Locally, the system maintains a copy of each file
  -
-

# Backup

- VCS functions as a backup
- Locally, the system maintains a copy of each file
  - Usually only the changes or the files that have changed are stored
-



# Backup

- VCS functions as a backup
- Locally, the system maintains a copy of each file
  - Usually only the changes or the files that have changed are stored
- Globally, lost files can be recovered from the server

# Integration

- - HackMD, Overleaf, ...
- - Store history, distribute, testing / continuous integration, bug reports, milestones, website, ...

# Integration

- VCSs such as Git have been integrated with several services
  - HackMD, Overleaf, ...
- - Store history, distribute, testing / continuous integration, bug reports, milestones, website, ...

# Integration

- VCSs such as Git have been integrated with several services
  - HackMD, Overleaf, ...
- Services such as GitHub can do almost everything for you
  - Store history, distribute, testing / continuous integration, bug reports, milestones, website, ...

# Integration

- VCSs such as Git have been integrated with several services
  - HackMD, Overleaf, ...
- Services such as GitHub can do almost everything for you
  - Store history, distribute, testing / continuous integration, bug reports, milestones, website, ...

# Summing up

## Version control systems

- keeps track of your files and other output
- tracks what is created and modified
- tracks who made the modifications
- tracks why the modifications were made (if you make good commit comments)

# Practical use cases

What are the practical use cases for VCS?

# Source code

- 
- 
- 
- 
- 
- But also for: writers, artists, composers...



# Source code

- Many VCSs are designed for managing source code
- 
- 
- 
- 
- But also for: writers, artists, composers...

# Source code

- Many VCSs are designed for managing source code
- Manage deployment (production, development, testing, etc)
- 
- 
- 
- But also for: writers, artists, composers...

# Source code

- Many VCSs are designed for managing source code
- Manage deployment (production, development, testing, etc)
- Manage published versions (v0.1 etc)
- 
- 
- But also for: writers, artists, composers...

# Source code

- Many VCSs are designed for managing source code
- Manage deployment (production, development, testing, etc)
- Manage published versions (v0.1 etc)
- Manage (experimental) features
- 
- But also for: writers, artists, composers...

# Source code

- Many VCSs are designed for managing source code
- Manage deployment (production, development, testing, etc)
- Manage published versions (v0.1 etc)
- Manage (experimental) features
- Bug hunting
- But also for: writers, artists, composers...

# Source code

- Many VCSs are designed for managing source code
- Manage deployment (production, development, testing, etc)
- Manage published versions (v0.1 etc)
- Manage (experimental) features
- Bug hunting
- But also for: writers, artists, composers...

# Latex files

- - submitted,
  - revised and/or
  - accepted
-

# Latex files

- Track which version of a manuscript has been
  - submitted,
  - revised and/or
  - accepted

-



# Latex files

- Track which version of a manuscript has been
  - submitted,
  - revised and/or
  - accepted
- Collaboration between several authors

# HPC: batch files and data

- - Easy to check the used configuration afterwards
- - Limited to smallish files

# HPC: batch files and data

- Track different versions of your batch scripts
  - Easy to check the used configuration afterwards
- - Limited to smallish files

# HPC: batch files and data

- Track different versions of your batch scripts
  - Easy to check the used configuration afterwards
- Track input and output files
  - Limited to smallish files

## Examples of VCS

- SCCS: The first VCS. Created in 1972 at Bell Labs. Was available only for UNIX and worked with Source Code files only.
- RCS (Revision Control System): First release July 1985. Usually superseded by other systems such as CVS, which began as a wrapper on top of RCS.
- CVS (centralized version control system): First release July 1986; based on RCS. Expands on RCS by adding support for repository-level change tracking, and a client-server model.
- Apache Subversion (SVN): First release in 2004 by CVS developers with the goal of replacing CVS.
- BitKeeper: Initial release May 2000. Distributed version control. Was shortly used for developing the Linux kernel. Proprietary. No longer maintained.
- **Git**: Started by Linus Torvalds in April 2005, originally for developing the Linux kernel. Distributed version control. Open source.
- ...

