Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

```
Check by textinput coss

Check by textinput coss

<!DOCTYPE html>
<html class="h-100" lang="en">
<head>
<tittle>TECH TACKLES</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<!-- Google Fonts CSS -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?
family=Titillium+Web:ital,wght@0,200;0,300;0,400;0,600;0,700;0,900;1,200;1,300;1,400;1,600;1,700&display=swap" rel="stylesheet">
<!-- Font Awesome CSS -->
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css">

Check

Check
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
<!DOCTYPE html>↔
          <html class="h-100" lang="en">↔
  3.
  4.
          <head>←
                    <title>TECH TACKLES</title>↔
  6.
                    <meta name="viewport" content="width=device-width, initial-scale=1">\leftrightarrow
  7.
          <!-- Google Fonts CSS -->\tilde{
<!-- Google Fonts CSS -->\tilde{
<!-- Kendle Complete C
  8.
 10
 11.
 12.
                   <!-- Font Awesome CSS -->\leftrightarrow k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css">\leftrightarrow
 13.
 14.
 15.
          <!-- Bootstrap CSS -->↔
    k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC" crossorigin="anonymous">↔
 16.
17.
18.
                   <!-- Custom CSS -->\leftrightarrow <link rel="stylesheet" href="/static/css/style.css">\leftrightarrow
 19
20.
21.
                    <!-- Include Moment.js and Moment-Timezone via CDN -->↔
22
                   <script src="https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.29.1/moment.min.js"></script>↔
<script src="https://cdnjs.cloudflare.com/ajax/libs/moment-timezone/0.5.34/moment-timezone-with-data.min.js"></script>↔
23
24.
25.
26.
         ے
         </head>↩
27.
          <br/> <body class="d-flex flex-column h-100 main-bg">\leftrightarrow
30
31.
                    <!-- Navigation -->↔
                    <nav class="navbar navbar-expand-lg navbar-light bg-white">←
32.
         33.
34
35.
36.
37.
                                                   <span class="navbar-toggler-icon"></span>↔
38.
                                        </button>←
39.
                                        <div class="collapse navbar-collapse" id="navbarText">←
40
                                                   41
                                                            class="nav-item">←
                                                                       <a class="nav-link active" aria-current="page"←</pre>
43.
44.
                                                                               href="/tickets/">↔
 45.
                                                                       </a>↔
                                                            ↔
47
                                                                       class="nav-item">↔
48
                                                                                class= nav-item /e
<a class="nav-link " aria-current="page" ↔
    href="/accounts/signup/">Register</a>
49.
50.
```

```
51.
                                                        ↩
 52.
                                                         class="nav-item">←
                                                               class= "nav lcs" /-
<a class="nav-link" aria-current="page" href="/accounts/login/">Login</a>↔
 53.
 54.
                                                       ←
 56.
                                        ↩
 57.
58.
                                </div>←
                        </div>↔
 60.
61.
                 <!-- Displaying Messages -->↔
 62.
                 <main class="flex-grow-1">←
 63.
 64 ↔
 65.
         <!-- index.html content starts here -->↔
         <section class="home-page">←
 66.
                 <div class="background">↔
 67.
 68
                        <div class="container-fluid">↔
 69.
                                <div class="row">←
                                        <div class="col-12 col-md-8 offset-md-2">↔
                                               \begin{tabular}{ll} $<$div class="card welcome-card">$\leftrightarrow$ \\ $<$div class="card-text">$\leftrightarrow$ \\ \end{tabular}
 71.
72.
73.
74.
75.
76.
                                                               <h1 class="welcome-text">TECH TACKLES</h1>↔
                                                              crossinglify your IT support with our straightforward ticketing system. ↔
Log in to quickly submit and track your support tickets. ↔
We're here to make tech issues hassle-free!
  78.
                                                </div>←
                                        </div>←
 79.
 80.
                                </div>←
                         </div>←
 82.
                 </div>←
 83 </section>←
 84.
        <!-- index.html content ends here -->↔
 85.
 86.
                 </main>↔
 87.
                 <!-- Footer -->↔
 89
                 <footer class="footer mt-auto py-3 dark-primary">↔
                        ↔
 90
 91.
                                Copyright 2024 Holly Coloma↔
 93.
 94
                        ↔
 95.
                        class="m-0 text-center text-white">Follow us: <i class="fab fa-facebook-square ms-3"></i>
 96.
                                <i class="fab fa-twitter-square ms-3"></i>↔
<i class="fab fa-instagram-square ms-3"></i>↔
 97
 98.
                                <i class="fab fa-youtube-square ms-3"></i>
 99.
                         ←
100.
                 </footer>↔
101. ←
        <!-- Delete Confirmation Modal -->↔
102.
         <div class="modal fade" id="deleteModal" tabindex="-1" aria-labelledby="deleteModalLabel" aria-hidden="true">↔
                 104.
105.
                                <div class="modal-header">←
106.
107.
                                        <h5 class="modal-title" id="deleteModalLabel">Confirm Delete</h5> \stackrel{\smile}{\leftarrow}
                                        \verb|\cluster| \verb| type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>+>= | \verb| class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>+>= | \verb| class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>+>= | \verb| class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>+>= | close="btn-close"></button>+>= | close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-close="btn-c
108
109
                                </div>←
110.
                                <div class="modal-body">←
111.
                                        112
                                </div>←
113.
                                <div class="modal-footer">←
        115.
116.
117.
                                                <button type="submit" class="btn btn-danger">Delete</button>↔
                                        </form>↔
118.
                                </div>←
119.
                         </div>←
120.
                 </div>←
122. </div>↔
123.
124. ←
125.
126. <!-- Local Bootstrap Bundle with Popper-->↩
127. <script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js"></script>↔
        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.min.js"></script>⊷
129 ↔
130. <!-- Custom JS-->↔
         <script src="/static/js/script.js"></script>↔
132. ←
133. ←
134. ←
        </body>↩
136. </html>
```

Used the HTML parser.

Total execution time 6 milliseconds

About this checker • Report an issue • Version: 24.5.11