

self_balancing_robot

Design Description

Horia

self_balancing_robot: Design Description

Horia

Publication date 23-Sep-2018 15:44:18

Copyright © 2018

For Internal Distribution Only

Table of Contents

1. Model Version	1
2. Root System	2
2.1. Blocks	2
2.1.1. Parameters	2
2.1.2. Block Execution Order	3
3. Subsystems	4
3.1. ARM Cortex M0+	4
3.1.1. Blocks	4
3.2. Balance module	6
3.2.1. Blocks	6
3.3. Motor Drive module	9
3.3.1. Blocks	9
3.4. PID	15
3.4.1. Blocks	15
4. System Design Variables	21
4.1. Design Variable Summary	21
4.2. Design Variable Details	22
5. Requirements Traceability	25
6. System Model Configuration	26
7. Glossary	51
8. About this Report	52
8.1. Report Overview	52
8.2. Root System Description	52
8.3. Subsystem Descriptions	53
8.4. State Chart Descriptions	53

List of Figures

2.1. self_balancing_robot	2
3.1. self_balancing_robot/ARM Cortex M0+	4
3.2. self_balancing_robot/ARM Cortex M0+/Balance module	6
3.3. self_balancing_robot/ARM Cortex M0+/Motor Drive module	9
3.4. self_balancing_robot/ARM Cortex M0+/Balance module/PID	15

List of Tables

2.1. "Constant" Parameters	2
2.2. "Constant1" Parameters	3
3.1. "Manual Stop" Parameters	4
3.2. "Motor Command" Parameters	5
3.3. "Obstacle" Parameters	5
3.4. "Cart and pendulum system Phi/U" Parameters	6
3.5. "Disturbance" Parameters	6
3.6. "Gain" Parameters	7
3.7. "Motor Command in" Parameters	7
3.8. "Motor Command out" Parameters	8
3.9. "Sum" Parameters	8
3.10. "Add" Parameters	9
3.11. "Add1" Parameters	10
3.12. "Add2" Parameters	11
3.13. "Constant1" Parameters	11
3.14. "Manual stop" Parameters	12
3.15. "Motor command in" Parameters	12
3.16. "Motor Command out" Parameters	12
3.17. "Obstacle" Parameters	13
3.18. "Product" Parameters	14
3.19. "Saturation" Parameters	14
3.20. "Step" Parameters	15
3.21. "Derivative" Parameters	15
3.22. "In1" Parameters	16
3.23. "Integrator" Parameters	16
3.24. "Kd" Parameters	17
3.25. "Ki" Parameters	17
3.26. "Kp" Parameters	18
3.27. "Out1" Parameters	18
3.28. "Sum" Parameters	19
4.1. Design Variables	21
4.2. Functions used in Design Variable Expressions	22
6.1. self_balancing_robot Configuration Set	26
6.2. self_balancing_robot Configuration Set.Components(1)	26
6.3. self_balancing_robot Configuration Set.Components(2)	27
6.4. self_balancing_robot Configuration Set.Components(3)	28
6.5. self_balancing_robot Configuration Set.Components(4)	30
6.6. self_balancing_robot Configuration Set.Components(5)	32
6.7. self_balancing_robot Configuration Set.Components(6)	34
6.8. self_balancing_robot Configuration Set.Components(7)	34
6.9. self_balancing_robot Configuration Set.Components(8)	35
6.10. self_balancing_robot Configuration Set.Components(9)	37
6.11. self_balancing_robot Configuration Set.Components(10)	38
6.12. self_balancing_robot Configuration Set.Components(8).CodeCoverageSettings	39
6.13. self_balancing_robot Configuration Set.Components(8).Components(1)	39
6.14. self_balancing_robot Configuration Set.Components(8).Components(2)	40
6.15. HDL Coder	42

Chapter 1. Model Version

Version: 1.40

Last modified: Sun Sep 23 14:37:38 2018


Checksum: 450787422 2001026309 72549349 3510751197

Chapter 2. Root System

Table of Contents

2.1. Blocks	2
2.1.1. Parameters	2
2.1.2. Block Execution Order	3

Figure 2.1. self_balancing_robot



2.1. Blocks

2.1.1. Parameters

2.1.1.1. "Constant" (Constant)

Table 2.1. "Constant" Parameters

Parameter	Value
Constant value	0
Interpret vector parameters as 1-D	on
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit from 'Constant value'
Lock output data type setting against changes by the fixed-point tools	off
Sample time	inf
Frame period	inf

2.1.1.2. "Constant1" (Constant)

Table 2.2. "Constant1" Parameters

Parameter	Value
Constant value	0
Interpret vector parameters as 1-D	on
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit from 'Constant value'
Lock output data type setting against changes by the fixed-point tools	off
Sample time	inf
Frame period	inf

2.1.2. Block Execution Order

1. Constant [2] (Constant)
2. Constant1 [11] (Constant)
3. Add1 [10] (Sum)
4. Constant1 [3] (Constant)
5. Add2 [11] (Sum)
6. Step [15] (Step)
7. Cart and pendulum system Phi/U [6] (TransferFcn)
8. Kp [18] (Gain)
9. Integrator [16] (Integrator)
10. Kd [17] (Gain)
11. Derivative [15] (Derivative)
12. Sum [19] (Sum)
13. Disturbance [6] (Step)
14. << *Synthesized_Atomic_Subsystem_For_Alg_Loop_1* >>
 1. Add [9] (Sum)
 2. Product [13] (Product)
 3. Saturation [14] (Saturate)
 4. Gain [7] (Gain)
 5. Sum [8] (Sum)
15. Scope [6] (Scope)
16. Motor command [7] (Scope)
17. Phi [8] (Scope)
18. Ki [17] (Gain)
19. HiddenToAsyncQueue_InsertedFor_Product_at_outport_0 (ToAsyncQueueBlock)


Chapter 3. Subsystems

Table of Contents

3.1. ARM Cortex M0+	4
3.1.1. Blocks	4
3.2. Balance module	6
3.2.1. Blocks	6
3.3. Motor Drive module	9
3.3.1. Blocks	9
3.4. PID	15
3.4.1. Blocks	15

3.1. ARM Cortex M0+

Figure 3.1. self_balancing_robot/ARM Cortex M0+



3.1.1. Blocks

3.1.1.1. Parameters

3.1.1.1.1. "Manual Stop" (Inport)

Table 3.1. "Manual Stop" Parameters

Parameter	Value
Port number	2
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]
Maximum	[]
Data type	Inherit: auto

3.1.1.1.2. "Motor Command" (Outport)**Table 3.2. "Motor Command" Parameters**

Parameter	Value
Port number	1
Icon display	Port number
Minimum	[]
Maximum	[]
Data type	Inherit: auto
Lock output data type setting against changes by the fixed-point tools	off
Output as nonvirtual bus in parent model	off
Unit (e.g., m, m/s ² , N*m)	inherit
Port dimensions (-1 for inherited)	-1
Variable-size signal	Inherit
Sample time (-1 for inherited)	-1
Ensure output is virtual	off
Source of initial output value	Dialog
Output when disabled	held
Initial output	[]
MustResolveToSignalObject	off


3.1.1.1.3. "Obstacle" (Inport)**Table 3.3. "Obstacle" Parameters**

Parameter	Value
Port number	1
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]

Parameter	Value
Maximum	[]
Data type	Inherit: auto

3.2. Balance module

Figure 3.2. self_balancing_robot/ARM Cortex M0+/Balance module



3.2.1. Blocks

3.2.1.1. Parameters

3.2.1.1.1. "Cart and pendulum system Phi/U" (TransferFcn)

Table 3.4. "Cart and pendulum system Phi/U" Parameters

Parameter	Value
Numerator coefficients	$[m \cdot l / q \ 0]$
Denominator coefficients	$[1 \ b \cdot (I + m \cdot l^2) / q \ -(M + m) \cdot m \cdot g \cdot l / q \ -b \cdot m \cdot g \cdot l / q]$
State Name (e.g., 'position')	"

3.2.1.1.2. "Disturbance" (Step)

Table 3.5. "Disturbance" Parameters

Parameter	Value
Step time	3
Initial value	0
Final value	0
Sample time	0

Parameter	Value
Interpret vector parameters as 1-D	on
Enable zero-crossing detection	on

3.2.1.1.3. "Gain" (Gain)

Table 3.6. "Gain" Parameters

Parameter	Value
Gain	0.99
Multiplication	Element-wise(K.*u)
Parameter minimum	[]
Parameter maximum	[]
Parameter data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock output data type setting against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.2.1.1.4. "Motor Command in" (Inport)

Table 3.7. "Motor Command in" Parameters

Parameter	Value
Port number	1
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]
Maximum	[]
Data type	Inherit: auto

3.2.1.1.5. "Motor Command out" (Outport)

Table 3.8. "Motor Command out" Parameters

Parameter	Value
Port number	1
Icon display	Port number
Minimum	[]
Maximum	[]
Data type	Inherit: auto
Lock output data type setting against changes by the fixed-point tools	off
Output as nonvirtual bus in parent model	off
Unit (e.g., m, m/s ² , N*m)	inherit
Port dimensions (-1 for inherited)	-1
Variable-size signal	Inherit
Sample time (-1 for inherited)	-1
Ensure outport is virtual	off
Source of initial output value	Dialog
Output when disabled	held
Initial output	[]
MustResolveToSignalObject	off

3.2.1.1.6. "Sum" (Sum)


Table 3.9. "Sum" Parameters

Parameter	Value
Icon shape	round
List of signs	+ - +
Sum over	All dimensions
Dimension	1

Parameter	Value
Require all inputs to have the same data type	off
Accumulator data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock data type settings against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.3. Motor Drive module

Figure 3.3. self_balancing_robot/ARM Cortex M0+/Motor Drive module



3.3.1. Blocks

3.3.1.1. Parameters

3.3.1.1.1. "Add" (Sum)

Table 3.10. "Add" Parameters

Parameter	Value
Icon shape	rectangular
List of signs	++

Parameter	Value
Sum over	All dimensions
Dimension	1
Require all inputs to have the same data type	off
Accumulator data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock data type settings against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.3.1.1.2. "Add1" (Sum)

Table 3.11. "Add1" Parameters

Parameter	Value
Icon shape	rectangular
List of signs	-+
Sum over	All dimensions
Dimension	1
Require all inputs to have the same data type	off
Accumulator data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock data type settings against changes by the fixed-point tools	off
Integer rounding mode	Floor

Parameter	Value
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.3.1.1.3. "Add2" (Sum)

Table 3.12. "Add2" Parameters

Parameter	Value
Icon shape	rectangular
List of signs	+ -
Sum over	All dimensions
Dimension	1
Require all inputs to have the same data type	off
Accumulator data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock data type settings against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.3.1.1.4. "Constant1" (Constant)

Table 3.13. "Constant1" Parameters

Parameter	Value
Constant value	1
Interpret vector parameters as 1-D	on
Output minimum	[]
Output maximum	[]

Parameter	Value
Output data type	Inherit: Inherit from 'Constant value'
Lock output data type setting against changes by the fixed-point tools	off
Sample time	inf
Frame period	inf

3.3.1.1.5. "Manual stop" (Inport)

Table 3.14. "Manual stop" Parameters

Parameter	Value
Port number	2
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]
Maximum	[]
Data type	Inherit: auto

3.3.1.1.6. "Motor command in" (Inport)

Table 3.15. "Motor command in" Parameters

Parameter	Value
Port number	3
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]
Maximum	[]
Data type	Inherit: auto

3.3.1.1.7. "Motor Command out" (Outport)

Table 3.16. "Motor Command out" Parameters

Parameter	Value
Port number	1

Parameter	Value
Icon display	Port number
Minimum	[]
Maximum	[]
Data type	Inherit: auto
Lock output data type setting against changes by the fixed-point tools	off
Output as nonvirtual bus in parent model	off
Unit (e.g., m, m/s ² , N*m)	inherit
Port dimensions (-1 for inherited)	-1
Variable-size signal	Inherit
Sample time (-1 for inherited)	-1
Ensure outport is virtual	off
Source of initial output value	Dialog
Output when disabled	held
Initial output	[]
MustResolveToSignalObject	off

3.3.1.1.8. "Obstacle" (Inport)

Table 3.17. "Obstacle" Parameters

Parameter	Value
Port number	1
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]
Maximum	[]
Data type	Inherit: auto

3.3.1.1.9. "Product" (Product)**Table 3.18. "Product" Parameters**

Parameter	Value
Number of inputs	3
Multiplication	Element-wise(.*)
Multiply over	All dimensions
Dimension	1
Require all inputs to have the same data type	off
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock output data type setting against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.3.1.1.10. "Saturation" (Saturate)**Table 3.19. "Saturation" Parameters**

Parameter	Value
Upper limit	+4
Lower limit	-4
Treat as gain when linearizing	on
Enable zero-crossing detection	on
Sample time (-1 for inherited)	-1
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Same as input
Lock output data type setting against	off

Parameter	Value
changes by the fixed-point tools	
Integer rounding mode	Floor


3.3.1.1.11. "Step" (Step)

Table 3.20. "Step" Parameters

Parameter	Value
Step time	1
Initial value	0
Final value	1
Sample time	0
Interpret vector parameters as 1-D	on
Enable zero-crossing detection	on

3.4. PID

Figure 3.4. self_balancing_robot/ARM Cortex M0+/Balance module/PID



3.4.1. Blocks

3.4.1.1. Parameters

3.4.1.1.1. "Derivative" (Derivative)

Table 3.21. "Derivative" Parameters

Parameter	Value
Coefficient c in the transfer function approximation	inf

Parameter	Value
oximation $s/(c*s + 1)$ used for linearization	

3.4.1.1.2. "In1" (Inport)

Table 3.22. "In1" Parameters

Parameter	Value
Port number	1
Port dimensions (-1 for inherited)	-1
Sample time (-1 for inherited)	-1
Minimum	[]
Maximum	[]
Data type	Inherit: auto

3.4.1.1.3. "Integrator" (Integrator)

Table 3.23. "Integrator" Parameters

Parameter	Value
External reset	none
Initial condition source	internal
Initial condition	0
Limit output	off
Upper saturation limit	inf
Lower saturation limit	-inf
Wrap state	off
Wrapped state upper value	pi
Wrapped state lower value	-pi
Show saturation port	off
Show state port	off
Ignore limit and reset when linearizing	off
Enable zero-crossing detection	on

Parameter	Value
State Name (e.g., 'position')	"

3.4.1.1.4. "Kd" (Gain)

Table 3.24. "Kd" Parameters

Parameter	Value
Gain	Kd
Multiplication	Element-wise($K \cdot u$)
Parameter minimum	[]
Parameter maximum	[]
Parameter data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock output data type setting against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.4.1.1.5. "Ki" (Gain)

Table 3.25. "Ki" Parameters

Parameter	Value
Gain	Ki
Multiplication	Element-wise($K \cdot u$)
Parameter minimum	[]
Parameter maximum	[]
Parameter data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule

Parameter	Value
Lock output data type setting against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.4.1.1.6. "Kp" (Gain)

Table 3.26. "Kp" Parameters

Parameter	Value
Gain	Kp
Multiplication	Element-wise($K \cdot u$)
Parameter minimum	[]
Parameter maximum	[]
Parameter data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]
Output data type	Inherit: Inherit via internal rule
Lock output data type setting against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

3.4.1.1.7. "Out1" (Outport)

Table 3.27. "Out1" Parameters

Parameter	Value
Port number	1
Icon display	Port number

Parameter	Value
Minimum	[]
Maximum	[]
Data type	Inherit: auto
Lock output data type setting against changes by the fixed-point tools	off
Output as nonvirtual bus in parent model	off
Unit (e.g., m, m/s ² , N*m)	inherit
Port dimensions (-1 for inherited)	-1
Variable-size signal	Inherit
Sample time (-1 for inherited)	-1
Ensure outport is virtual	off
Source of initial output value	Dialog
Output when disabled	held
Initial output	[]
MustResolveToSignalObject	off

3.4.1.1.8. "Sum" (Sum)

Table 3.28. "Sum" Parameters

Parameter	Value
Icon shape	round
List of signs	+++
Sum over	All dimensions
Dimension	1
Require all inputs to have the same data type	off
Accumulator data type	Inherit: Inherit via internal rule
Output minimum	[]
Output maximum	[]

Parameter	Value
Output data type	Inherit: Inherit via internal rule
Lock data type settings against changes by the fixed-point tools	off
Integer rounding mode	Floor
Saturate on integer overflow	off
Sample time (-1 for inherited)	-1

Chapter 4. System Design Variables

Table of Contents

4.1. Design Variable Summary	21
4.2. Design Variable Details	22

4.1. Design Variable Summary

Table 4.1. Design Variables

Variable Name	Parent Blocks	Size	Bytes	Class	Value
I	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	0.0060
Kd	Kd [17] Kd [17]	1x1	8	double	5
Ki	Ki [17] Ki [17]	1x1	8	double	20
Kp	Kp [18] Kp [18]	1x1	8	double	7
M	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	0.3000
b	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	0.1000
g	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	9.8000
l	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	0.2000
m	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	0.2000

Variable Name	Parent Blocks	Size	Bytes	Class	Value
q	Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6] Cart and pendulum system Ph-i/U [6]	1x1	8	double	0.0054

Table 4.2. Functions used in Design Variable Expressions

Function Name	Parent Blocks	Calling character vector
pi	Integrator [16] Integrator [16]	pi -pi

4.2. Design Variable Details

I. 0.0060

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Ph-i/U [6]

Resolved in: base workspace

Kd. 5

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/PID/Kd [17]

Resolved in: base workspace

Ki. 20

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/PID/Ki [17]

Resolved in: base workspace

Kp. 7

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/PID/Kp [18]

Resolved in: base workspace

M. 0.3000

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Phi/U [6]

Resolved in: base workspace

b. 0.1000

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Phi/U [6]

Resolved in: base workspace

g. 9.8000

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Phi/U [6]

Resolved in: base workspace

l. 0.2000

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Phi/U [6]

Resolved in: base workspace

m. 0.2000

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Phi/U [6]

Resolved in: base workspace

q. 0.0054

Used by Blocks:

- self_balancing_robot/ARM Cortex M0+/Balance module/Cart and pendulum system Phi/U [6]

Resolved in: base workspace

Chapter 5. Requirements Traceability

`self_balancing_robot` does not contain requirements traceability links.

Chapter 6. System Model Configuration

Source: Model
Source Name: self_balancing_robot

Table 6.1. self_balancing_robot Configuration Set

Property	Value
Description	
Components	[self_balancing_robot Configuration Set.Components(1) [26], self_balancing_robot Configuration Set.Components(2) [27], self_balancing_robot Configuration Set.Components(3) [28], self_balancing_robot Configuration Set.Components(4) [29], self_balancing_robot Configuration Set.Components(5) [32], self_balancing_robot Configuration Set.Components(6) [34], self_balancing_robot Configuration Set.Components(7) [34], self_balancing_robot Configuration Set.Components(8) [35], self_balancing_robot Configuration Set.Components(9) [37], self_balancing_robot Configuration Set.Components(10) [38]]
Name	Configuration
SimulationMode	normal
ConfigType	Model

Table 6.2. self_balancing_robot Configuration Set.Components [26](1)

Property	Value
Name	Solver
Description	
Components	
StartTime	0.0
StopTime	10
AbsTol	auto
FixedStep	auto
InitialStep	auto
MaxNumMinSteps	-1
MaxOrder	5
ZcThreshold	auto

ConsecutiveZCsStepRelTol	10*128*eps
MaxConsecutiveZCs	1000
ExtrapolationOrder	4
NumberNewtonIterations	1
MaxStep	auto
MinStep	auto
MaxConsecutiveMinStep	1
RelTol	1e-3
SolverMode	SingleTasking
EnableMultiTasking	off
EnableConcurrentExecution	off
ConcurrentTasks	off
Solver	VariableStepAuto
SolverName	VariableStepAuto
SolverType	Variable-step
SolverJacobianMethodControl	auto
ShapePreserveControl	DisableAll
ZeroCrossControl	UseLocalSettings
ZeroCrossAlgorithm	Nonadaptive
SolverResetMethod	Fast
PositivePriorityOrder	off
AutoInsertRateTranBlk	off
SampleTimeConstraint	Unconstrained
InsertRTBMode	Whenever possible
SampleTimeProperty	

Table 6.3. self_balancing_robot Configuration Set.Components [26](2)

Property	Value
Name	Data Import/Export
Description	
Components	
Decimation	1
ExternalInput	[t, u]
FinalStateName	xFinal
InitialState	xInitial
LimitDataPoints	off
MaxDataPoints	1000
LoadExternalInput	off

LoadInitialState	off
SaveFinalState	off
SaveCompleteFinalSimState	off
SaveFormat	Dataset
SaveOutput	on
SaveState	off
SignalLogging	on
DSMLogging	on
InspectSignalLogs	off
SaveTime	on
ReturnWorkspaceOutputs	off
StateSaveName	xout
TimeSaveName	tout
OutputSaveName	yout
SignalLoggingName	logsout
DSMLoggingName	dsmout
OutputOption	RefineOutputTimes
OutputTimes	[]
ReturnWorkspaceOutputsName	out
Refine	1
LoggingToFile	off
DatasetSignalFormat	timeseries
LoggingFileName	out.mat
LoggingIntervals	[-inf, inf]

Table 6.4. self_balancing_robot Configuration Set.Components [26](3)

Property	Value
Name	Optimization
Description	
Components	
BlockReduction	on
BooleanDataType	on
ConditionallyExecuteInputs	on
DefaultParameterBehavior	Tunable
InlineParams	off
UseDivisionForNetSlopeComputation	off
UseFloatMulNetSlope	off
DefaultUnderspecifiedDataType	double

UseSpecifiedMinMax	off
InlineInvariantSignals	off
OptimizeBlockIOStorage	on
BufferReuse	on
GlobalBufferReuse	on
GlobalVariableUsage	None
StrengthReduction	off
AdvancedOptControl	
EnforceIntegerDowncast	on
ExpressionFolding	on
BooleansAsBitfields	off
BitfieldContainerType	uint_T
EnableMemcpy	on
MemcpyThreshold	64
PassReuseOutputArgsAs	Structure reference
PassReuseOutputArgsThreshold	12
FoldNonRolledExpr	on
LocalBlockOutputs	on
RollThreshold	5
StateBitsets	off
DataBitsets	off
ActiveStateOutputEnumStorageType	Native Integer
UseTempVars	off
ZeroExternalMemoryAtStartup	on
ZeroInternalMemoryAtStartup	on
InitFltsAndDblsToZero	off
NoFixptDivByZeroProtection	off
EfficientFloat2IntCast	off
EfficientMapNaN2IntZero	on
LifeSpan	auto
EvaledLifeSpan	Inf
MaxStackSize	Inherit from target
BufferReusableBoundary	on
SimCompilerOptimization	off
AccelVerboseBuild	off
OptimizeBlockOrder	off
OptimizeDataStoreBuffers	on
BusAssignmentInplaceUpdate	on

Table 6.5. self_balancing_robot Configuration
Set.Components [26](4)

Property	Value
Name	Diagnostics
Description	
Components	
RTPrefix	error
ConsistencyChecking	none
ArrayBoundsChecking	none
SignalInfNanChecking	none
SignalRangeChecking	none
ReadBeforeWriteMsg	UseLocalSettings
WriteAfterWriteMsg	UseLocalSettings
WriteAfterReadMsg	UseLocalSettings
AlgebraicLoopMsg	warning
ArtificialAlgebraicLoopMsg	warning
SaveWithDisabledLinksMsg	warning
SaveWithParameterizedLinksMsg	warning
CheckSSInitialOutputMsg	on
UnderspecifiedInitializationDetection	Simplified
MergeDetectMultiDrivingBlocksExec	error
CheckExecutionContextRuntimeOutputMsg	off
SignalResolutionControl	UseLocalSettings
BlockPriorityViolationMsg	warning
MinStepSizeMsg	warning
TimeAdjustmentMsg	none
MaxConsecutiveZCsMsg	error
MaskedZcDiagnostic	warning
IgnoredZcDiagnostic	warning
SolverPrmCheckMsg	none
InheritedTsInSrcMsg	warning
MultiTaskDSMMsg	error
MultiTaskCondExecSysMsg	error
MultiTaskRateTransMsg	error
SingleTaskRateTransMsg	none
TasksWithSamePriorityMsg	warning
SigSpecEnsureSampleTimeMsg	warning
CheckMatrixSingularityMsg	none

IntegerOverflowMsg	warning
Int32ToFloatConvMsg	warning
ParameterDowncastMsg	error
ParameterOverflowMsg	error
ParameterUnderflowMsg	none
ParameterPrecisionLossMsg	warning
ParameterTunabilityLossMsg	warning
FixptConstUnderflowMsg	none
FixptConstOverflowMsg	none
FixptConstPrecisionLossMsg	none
UnderSpecifiedDataTypeMsg	none
UnnecessaryDatatypeConvMsg	none
VectorMatrixConversionMsg	none
InvalidFcnCallConnMsg	error
FcnCallInpInsideContextMsg	error
SignalLabelMismatchMsg	none
UnconnectedInputMsg	warning
UnconnectedOutputMsg	warning
UnconnectedLineMsg	warning
UseOnlyExistingSharedCode	error
SFcnCompatibilityMsg	none
FrameProcessingCompatibilityMsg	error
UniqueDataStoreMsg	none
BusObjectLabelMismatch	warning
RootOutportRequireBusObject	warning
AssertControl	UseLocalSettings
Echo	
EnableOverflowDetection	off
AllowSymbolicDim	on
ModelReferenceIOMsg	none
ModelReferenceVersionMismatchMessage	none
ModelReferenceIOMismatchMessage	none
ModelReferenceCSMismatchMessage	none
ModelReferenceSimTargetVerbose	off
UnknownTsInhSupMsg	warning
ModelReferenceDataLoggingMessage	warning
ModelReferenceSymbolNameMessage	warning
ModelReferenceExtraNoncontSigs	error
StateNameClashWarn	none

SimStateInterfaceChecksumMismatchMsg	warning
SimStateOlderReleaseMsg	error
InitInArrayFormatMsg	warning
StrictBusMsg	ErrorLevel1
BusNameAdapt	WarnAndRepair
NonBusSignalsTreatedAsBus	none
SFUnusedDataAndEventsDiag	warning
SFUnexpectedBacktrackingDiag	error
SFInvalidInputDataAccessInChartInitDiag	warning
SFNoUnconditionalDefaultTransitionDiag	error
SFTransitionOutsideNaturalParentDiag	warning
SFUnconditionalTransitionShadowingDiag	warning
SFUnreachableExecutionPathDiag	warning
SFUndirectedBroadcastEventsDiag	warning
SFTransitionActionBeforeConditionDiag	warning
SFOutputUsedAsStateInMooreChartDiag	error
SFTemporalDelaySmallerThanSampleTimeDiag	warning
SFUnconditionalPathOutOfParentDiag	warning
SFSelfTransitionDiag	warning
SFExecutionAtInitializationDiag	warning
SFMachineParentedDataDiag	warning
SFUnreachableStateOrJunctionDiag	warning
SFDanglingTransitionDiag	warning
IntegerSaturationMsg	warning
AllowedUnitSystems	all
UnitsInconsistencyMsg	warning
AllowAutomaticUnitConversions	on

Table 6.6. self_balancing_robot Configuration Set.Components [26](5)

Property	Value
Name	Hardware Implementation
Description	
Components	
ProdBitPerChar	8
ProdBitPerShort	16
ProdBitPerInt	32
ProdBitPerLong	32

ProdBitPerLongLong	64
ProdBitPerFloat	32
ProdBitPerDouble	64
ProdBitPerPointer	64
ProdBitPerSizeT	64
ProdBitPerPtrDiffT	64
ProdLargestAtomicInteger	Char
ProdLargestAtomicFloat	Float
ProdIntDivRoundTo	Zero
ProdEndianess	LittleEndian
ProdWordSize	64
ProdShiftRightIntArith	on
ProdLongLongMode	off
ProdHWDeviceType	Intel->x86-64 (Windows64)
TargetBitPerChar	8
TargetBitPerShort	16
TargetBitPerInt	32
TargetBitPerLong	32
TargetBitPerLongLong	64
TargetBitPerFloat	32
TargetBitPerDouble	64
TargetBitPerPointer	32
TargetBitPerSizeT	32
TargetBitPerPtrDiffT	32
TargetLargestAtomicInteger	Char
TargetLargestAtomicFloat	None
TargetShiftRightIntArith	on
TargetLongLongMode	off
TargetIntDivRoundTo	Undefined
TargetEndianess	Unspecified
TargetWordSize	32
TargetTypeEmulationWarnSuppressLevel	0
TargetPreprocMaxBitsSint	32
TargetPreprocMaxBitsUint	32
TargetHWDeviceType	Specified
TargetUnknown	off
ProdEqTarget	on
UseEmbeddedCoderFeatures	on
UseSimulinkCoderFeatures	on

Table 6.7. self_balancing_robot Configuration Set.Components [26](6)

Property	Value
Name	Model Referencing
Description	
Components	
UpdateModelReferenceTargets	IfOutOfDateOrStructuralChange
SkipRefExpFcnMdlSchedulingOrderCheck	off
EnableRefExpFcnMdlSchedulingChecks	on
CheckModelReferenceTargetMessage	error
EnableParallelModelReferenceBuilds	off
ParallelModelReferenceErrorOnInvalidPool	on
ParallelModelReferenceMATLABWorkerInit	None
ModelReferenceNumInstancesAllowed	Multi
PropagateVarSize	Infer from blocks in model
ModelDependencies	
ModelReferencePassRootInputsByReference	on
ModelReferenceMinAlgLoopOccurrences	off
PropagateSignalLabelsOutOfModel	on
SupportModelReferenceSimTargetCustomCode	off

Table 6.8. self_balancing_robot Configuration Set.Components [26](7)

Property	Value
Name	Simulation Target
Description	
Components	
SimCustomSourceCode	
SimCustomHeaderCode	
SimCustomInitializer	
SimCustomTerminator	
SimReservedNameArray	
SimUserSources	
SimUserIncludeDirs	
SimUserLibraries	

SimUserDefines	
SFSimEnableDebug	off
SFSimOverflowDetection	on
SFSimEcho	on
SimBlas	on
SimCtrlC	on
SimExtrinsic	on
SimIntegrity	on
SimUseLocalCustomCode	off
SimParseCustomCode	on
SimBuildMode	sf_incremental_build
SimDataInitializer	
SimGenImportedTypeDefs	off
CompileTimeRecursionLimit	50
EnableRuntimeRecursion	on
MATLABDynamicMemAlloc	on
MATLABDynamicMemAllocThreshold	65536
CustomSymbolStrEMXArray	nothing
CustomSymbolStrEMXArrayFcn	nothing

Table 6.9. self_balancing_robot Configuration Set.Components [26](8)

Property	Value
Name	Code Generation
SystemTargetFile	grt.tlc
HardwareBoard	None
TLCOptions	
CodeGenDirectory	
GenCodeOnly	off
MakeCommand	make_rtw
GenerateMakefile	on
PackageGeneratedCodeAndArtifacts	off
PackageName	
TemplateMakefile	grt_default_tmf
PostCodeGenCommand	
Description	
GenerateReport	off
SaveLog	off
RTWVerbose	on

RetainRTWFile	off
ProfileTLC	off
TLCDebug	off
TLCCoverage	off
TLCAssert	off
ProcessScriptMode	Default
ConfigurationMode	Optimized
ProcessScript	
ConfigurationScript	
ConfigAtBuild	off
RTWUseLocalCustomCode	off
RTWUseSimCustomCode	off
CustomSourceCode	
CustomHeaderCode	
CustomInclude	
CustomSource	
CustomLibrary	
CustomDefine	
CustomLAPACKCallback	
CustomInitializer	
CustomTerminator	
Toolchain	Automatically locate an installed toolchain
BuildConfiguration	Faster Builds
CustomToolchainOptions	
IncludeHyperlinkInReport	off
LaunchReport	off
RecursionLimit	50
PortableWordSizes	off
GenerateErtSFunction	off
CreateSILPILBlock	None
CodeExecutionProfiling	off
CodeExecutionProfileVariable	executionProfile
CodeProfilingSaveOptions	SummaryOnly
CodeProfilingInstrumentation	off
CodeCoverageSettings	self_balancing_robot Configuration Set.Components(8).CodeCoverageSettings [38]
SILDebugging	off
TargetLang	C
IncludeERTFirstTime	off

GenerateTraceInfo	off
GenerateTraceReport	off
GenerateTraceReportSl	off
GenerateTraceReportSf	off
GenerateTraceReportEml	off
GenerateCodeInfo	off
GenerateWebview	off
GenerateCodeMetricsReport	off
GenerateCodeReplacementReport	off
RTWCompilerOptimization	off
ObjectivePriorities	
RTWCustomCompilerOptimizations	
CheckMdlBeforeBuild	Off
CustomRebuildMode	OnUpdate
DataInitializer	
Components	[self_balancing_robot Configuration Set.Components(8).Components(1) [39], self_balancing_robot Configuration Set.Components(8).Components(2) [40]]

Table 6.10. self_balancing_robot Configuration Set.Components [26](9)

Property	Value
Description	Simulink Coverage Configuration Component
Components	
Name	Simulink Coverage
CovEnable	off
CovScope	EntireSystem
CovIncludeTopModel	on
RecordCoverage	off
CovPath	/
CovSaveName	covdata
CovCompData	
CovMetricSettings	dwe
CovFilter	
CovHTMLOptions	
CovNameIncrementing	off
CovHtmlReporting	off
CovForceBlockReductionOff	on

CovEnableCumulative	on
CovSaveCumulativeToWorkspaceVar	off
CovSaveSingleToWorkspaceVar	off
CovCumulativeVarName	covCumulativeData
CovCumulativeReport	off
CovSaveOutputData	on
CovOutputDir	slcov_output/\$ModelName\$
CovDataFileName	\$ModelName\$_cvdata
CovShowResultsExplorer	on
CovReportOnPause	on
CovModelRefEnable	off
CovModelRefExcluded	
CovExternalEMLEnable	on
CovSFCnEnable	on
CovBoundaryAbsTol	1.0000e-05
CovBoundaryRelTol	0.0100
CovUseTimeInterval	off
CovStartTime	0
CovStopTime	0
CovMetricStructuralLevel	Decision
CovMetricLookupTable	off
CovMetricSignalRange	off
CovMetricSignalSize	off
CovMetricObjectiveConstraint	off
CovMetricSaturateOnIntegerOverflow	off
CovMetricRelationalBoundary	off
CovLogicBlockShortCircuit	off
CovUnsupportedBlockWarning	on
CovHighlightResults	off
CovMcdcMode	Masking

Table 6.11. self_balancing_robot Configuration Set.Components [26](10)

Property	Value
Description	HDL Coder custom configuration component
Components	
Name	HDL Coder

Table 6.12. self_balancing_robot Configuration Set.Components(8) [35].CodeCoverageSettings

Property	Value
TopModelCoverage	off
ReferencedModelCoverage	off
CoverageTool	None

Table 6.13. self_balancing_robot Configuration Set.Components(8).Components [37](1)

Property	Value
Name	Code Appearance
Description	
Components	
ForceParamTrailComments	off
GenerateComments	on
CommentStyle	Auto
IgnoreCustomStorageClasses	on
IgnoreTestpoints	off
IncHierarchyInIds	off
MaxIdLength	31
PreserveName	off
PreserveNameWithParent	off
ShowEliminatedStatement	off
OperatorAnnotations	off
IncAutoGenComments	off
SimulinkDataObjDesc	off
SFDataObjDesc	off
MATLABFcnDesc	off
IncDataTypeInIds	off
PrefixModelToSubsysFcnNames	on
MangleLength	1
CustomSymbolStr	\$R\$N\$M
CustomSymbolStrGlobalVar	\$R\$N\$M
CustomSymbolStrType	\$N\$R\$M_T
CustomSymbolStrField	\$N\$M
CustomSymbolStrFcn	\$R\$N\$M\$F
CustomSymbolStrSimulinkFcn	\$R\$N
CustomSymbolStrFcnArg	rt\$I\$N\$M
CustomSymbolStrBlkIO	rtb_ \$N\$M

CustomSymbolStrTmpVar	\$N\$M
CustomSymbolStrMacro	\$R\$N\$M
CustomSymbolStrUtil	\$N\$C
CustomSymbolStrEmxType	emxArray_ \$M\$N
CustomSymbolStrEmxFcn	emx\$M\$N
CustomUserTokenString	
CustomCommentsFcn	
DefineNamingRule	None
DefineNamingFcn	
ParamNamingRule	None
ParamNamingFcn	
SignalNamingRule	None
SignalNamingFcn	
InsertBlockDesc	off
InsertPolySpaceComments	off
SimulinkBlockComments	on
MATLABSourceComments	off
EnableCustomComments	off
InternalIdentifier	Shortened
InlinedPrmAccess	Literals
ReqsInCode	off
UseSimReservedNames	off
ReservedNameArray	

Table 6.14. self_balancing_robot Configuration Set.Components(8).Components [37](2)

Property	Value
Name	Target
Description	
Components	
IsERTTarget	off
TargetFcnLib	ansi_tfl_table_tmw.mat
TargetLibSuffix	
TargetPreCompLibLocation	
GenFloatMathFcnCalls	NOT IN USE
TargetLangStandard	C99 (ISO)
TargetFunctionLibrary	NOT IN USE
CodeReplacementLibrary	None
UtilityFuncGeneration	Auto

ERTMultiwordTypeDef	System defined
MultiwordTypeDef	System defined
ERTMultiwordLength	2048
MultiwordLength	2048
GenerateFullHeader	on
InferredTypesCompatibility	off
ExistingSharedCode	
GenerateSampleERTMain	off
GenerateTestInterfaces	off
ModelReferenceCompliant	on
ParMdlRefBuildCompliant	on
CompOptLevelCompliant	on
ConcurrentExecutionCompliant	on
IncludeMdlTerminateFcn	on
CombineOutputUpdateFcns	on
CombineSignalStateStructs	off
SuppressErrorStatus	off
ERTFirstTimeCompliant	off
IncludeFileDelimiter	Auto
ERTCustomFileBanners	off
SupportAbsoluteTime	on
LogVarNameModifier	rt_
MatFileLogging	on
MultiInstanceERTCode	off
CodeInterfacePackaging	Nonreusable function
SupportNonFinite	on
SupportComplex	on
PurelyIntegerCode	off
SupportContinuousTime	on
SupportNonInlinedSFcns	on
RemoveDisableFunc	off
RemoveResetFunc	off
SupportVariableSizeSignals	off
ParenthesesLevel	Nominal
CastingMode	Nominal
GenerateClassInterface	off
ModelStepFunctionPrototypeControlCompliant	off
CPPClassGenCompliant	on

GRTInterface	off
GenerateAllocFcn	off
UseToolchainInfoCompliant	on
GenerateSharedConstants	on
ExtMode	off
ExtModeStaticAlloc	off
ExtModeTesting	off
ExtModeStaticAllocSize	1000000
ExtModeTransport	0
ExtModeMexFile	ext_comm
ExtModeMexArgs	
ExtModeIntrflLevel	Level1
RTWCAPISignals	off
RTWCAPIParams	off
RTWCAPISates	off
RTWCAPIRootIO	off
GenerateASAP2	off
MultiInstanceErrorCode	Error

Table 6.15. HDL Coder

Property	Value
HDLSubsystem	self_balancing_robot
Workflow	Generic ASIC/FPGA
TargetPlatform	
ReferenceDesign	
ReferenceDesignPath	
CoeffPrefix	coeff
InputType	std_logic_vector
OutputType	Same as input type
ScalarizePorts	off
CoeffMultipliers	Multiplier
ResetType	Asynchronous
FIRAdderStyle	linear
MultiplierInputPipeline	0
MultiplierOutputPipeline	0
FoldingFactor	1
NumMultipliers	-1
OptimizeForHDL	off
TimingControllerPostfix	_tc

OptimizeTimingController	on
TimingControllerArch	default
CastBeforeSum	on
CheckHDL	off
EnablePrefix	enb
ClockEnableInputPort	clk_enable
ClockEnableOutputPort	ce_out
ClockInputPort	clk
ClockEdge	Rising
ResetInputPort	reset
SimulatorFlags	
HDLCompileFilePostfix	_compile.do
HDLCompileInit	vlib %s\n
HDLCompileTerm	
HDLCompileVerilogCmd	vlog %s %s\n
HDLCompileVHDLCmd	vcom %s %s\n
EnableForGenerateLoops	on
HDLMapFilePostfix	_map.txt
HDLMapSeparator	
HDLSimCmd	vsim -novopt %s.%s\n
HDLSimFilePostfix	_sim.do
HDLSimProjectFilePostfix	_init.do
HDLSimInit	onbreak resume\nnonerror resume\n
HDLSimProjectCmd	project addfile %s\n
HDLSimProjectTerm	project compileall\n
HDLSimProjectInit	project new . %s work\n
HDLSimTerm	run -all\n
HDLSimViewWaveCmd	add wave sim:%s\n
HDLSynthTool	None
HDLSynthCmd	
HDLSynthFilePostfix	
HDLSynthInit	
HDLSynthLibCmd	
HDLSynthLibSpec	
HDLSynthTerm	
ReservedWordPostfix	_rsvd
BlockGenerateLabel	_gen
VHDLLibraryName	work
UseSingleLibrary	off

VHDLArchitectureName	rtl
ClockProcessPostfix	_process
ComplexImagPostfix	_im
ComplexRealPostfix	_re
EntityConflictPostfix	_block
InstancePrefix	u_
InstancePostfix	
InstanceGenerateLabel	_gen
OutputGenerateLabel	outputgen
PackagePostfix	_pkg
SplitEntityArch	off
SplitEntityFilePostfix	_entity
SplitArchFilePostfix	_arch
VectorPrefix	vector_of_
ClockInputs	Single
TriggerAsClock	off
ConditionalizePipeline	off
InferControlPorts	off
UseRisingEdge	off
TargetDirectory	hdlsrc
TargetSubdirectory	Model
EDAScriptGeneration	on
HDLControlFiles	
AddInputRegister	on
AddOutputRegister	on
AddPipelineRegisters	off
PipelinePostfix	_pipe
InputPort	filter_in
OutputPort	filter_out
FracDelayPort	filter_fd
Name	filter
RemoveResetFrom	None
ResetAssertedLevel	Active-high
ReuseAccum	off
ScaleWarnBits	3
SerialPartition	-1
DALUTPartition	-1
DARadix	2
CoefficientSource	Internal

CoefficientMemory	Registers
InputComplex	off
AddRatePort	off
InputDataType	
GenerateHDLCode	on
GenerateModel	on
GenerateTB	off
GenerateCEGenModel	off
Traceability	off
ResourceReport	off
OptimizationReport	off
ErrorCheckReport	on
HDLGenerateWebview	off
IPCoreReport	off
Recommendations	off
RequirementComments	on
Backannotation	off
HierarchicalDistPipelining	off
PreserveDesignDelays	off
ClockRatePipelining	on
CRPWithoutFlattening	off
IncreaseCRPBudget	off
AdaptivePipelining	on
ClockRatePipelineOutputPorts	off
CriticalPathEstimation	off
optimizeserializer	on
shareequalwl	on
sharedmulsign	Signed
MultiplierPromotionThreshold	0
RoutingFudgeFactor	0.5000
OptimizationCompatibilityCheck	off
NumCriticalPathsEstimated	1
CriticalPathEstimationFile	criticalPathEstimated
HardwarePipeliningCharacterizationFile	
HighlightFeedbackLoops	on
HighlightFeedbackLoopsFile	highlightFeedbackLoop
HighlightClockRatePipeliningDiagnostic	on
HighlightClockRatePipeliningFile	highlightClockRatePipelining
DistributedPipeliningBarriers	on

DistributedPipeliningBarriersFile	highlightDistributedPipeliningBarriers
BlocksWithNoCharacterizationFile	highlightCriticalPathEstimationOffending-Blocks
AXIStreamingTransformFeatureControl	off
SerializerRatioThreshold	8192
RetimingCP	off
RetimingCPFile	highlightRetimingCP
ClearHighlightingFile	clearhighlighting
FunctionallyEquivalentRetiming	on
DistributedPipeliningPriority	NumericalIntegrity
RetimingDetails	on
CriticalPathDetails	off
SignalNamesMangling	off
GuidedRetiming	off
LatencyConstraint	0
ReduceMatchingDelays	on
OptimizationData	
CPGuidanceFile	
CPAnnotationFile	
HandleAtomicSubsystem	on
OptimizeMdlGen	on
MulticyclePathInfo	off
MulticycleConstraints	off
FloatingPointTargetConfiguration	
GenerateTargetComps	on
NativeFloatingPoint	off
FPToleranceValue	1.0000e-07
FPToleranceStrategy	DEFAULT
nfpLatency	DEFAULT
nfpDenormals	DEFAULT
AlteraBackwardIncompatibleSinCosPipeline	off
FamilyDevicePackageSpeed	
ToolName	
SynthesisToolChipFamily	
SynthesisToolDeviceName	
SynthesisToolPackageName	
SynthesisToolSpeedValue	
SynthesisTool	

SynthesisProjectAdditionalFiles	
SimulationLibPath	
XilinxSimulatorLibPath	
AdderSharingMinimumBitwidth	0
MultiplierSharingMinimumBitwidth	0
MultiplyAddSharingMinimumBitwidth	0
ShareAdders	off
ShareMultipliers	on
ShareMultiplyAdds	on
ShareMATLABBlocks	on
ShareAtomicSubsystems	on
ShareFloatingPointIPs	on
PipelinedSharing	on
OptimizeCRPSharingRegisters	off
ClockRatePipeliningBudgetCheck	off
EnableFPGAWorkflow	off
FPGAWorkflowParameters	
GainMultipliers	Multiplier
ProductOfElementsStyle	linear
UserComment	
DateComment	on
SafeZeroConcat	on
SumOfElementsStyle	linear
TargetLanguage	VHDL
Oversampling	1
ClockRatePipeliningFraction	1
Verbosity	1
TestBenchName	filter_tb
MultifileTestBench	off
IgnoreDataChecking	0
TestBenchPostfix	_tb
TestBenchDataPostfix	_data
TestBenchStimulus	
TestBenchUserStimulus	
TestBenchFracDelayStimulus	
TestBenchCoeffStimulus	
TestBenchRateStimulus	
ForceClockEnable	on
MinimizeClockEnables	off

MinimizeGlobalResets	off
NoResetInitializationMode	Script
NoResetInitScript	noresetinitscript.tcl
ComplexMulElaboration	MultiplyAddBlock
FlattenBus	off
TestBenchClockEnableDelay	1
ForceClock	on
ClockHighTime	5
ClockLowTime	5
HoldTime	2
InputDataInterval	0
ForceReset	on
ErrorMargin	4
HoldInputDataBetweenSamples	on
InitializeTestBenchInputs	off
ResetLength	2
TestBenchReferencePostFix	_ref
GenerateValidationModel	off
RAMMappingThreshold	256
MapPipelineDelaysToRAM	off
RemoveRedundantCounters	on
ReplaceUnitDelayWithIntegerDelay	on
ConcatenateDelays	on
MergeDelaysOnFanouts	on
FoldDelaysToConstant	on
RAMArchitecture	WithClockEnable
InlineMATLABBlockCode	off
InlineHDLCode	off
MaskParameterAsGeneric	off
BalanceDelays	on
TargetFrequency	0
ExtraEffortMargin	1
MaxOversampling	Inf
MaxComputationLatency	1
MultiplierPartitioningThreshold	Inf
TreatDelayBalancingFailureAs	Error
TransformNonZeroInitValDelay	on
DelayElaborationLimit	20
GenerateCoSimBlock	off

HDLCodeCoverage	off
GenerateHDLTestBench	on
GenerateCoSimModel	None
GenerateSVPITestBench	None
SimulationTool	Mentor Graphics Modelsim
CoSimModelSetup	CosimBlockAndDut
SynthesisOnDirective	
SynthesisOffDirective	
LoopUnrolling	off
InlineConfigurations	on
UseAggregatesForConst	off
UseVerilogTimescale	on
VerilogFileExtension	.v
SystemVerilogFileExtension	.sv
VHDLFileExtension	.vhd
CodeGenerationOutput	GenerateHDLCode
GeneratedModelName	
GeneratedModelNamePrefix	gm_
UseDotLayout	off
ShowCodeGenPIR	off
SerializeModel	0
SerializeIO	0
UseSLAutoRoute	on
UseAutoPlace	on
HighlightAncestors	on
HighlightColor	cyan
InitializeBlockRAM	on
InitializeRealPort	off
MapVectorPortToStream	off
UseFileIOInTestBench	on
TurnkeyWorkflow	off
AlteraWorkflow	off
GenerateFILBlock	off
CoSimLibPostfix	_cosim
TestBenchInitializeInputs	off
MinimizeIntermediateSignals	off
GenerateCodeInfo	off
GatewayoutWithDTC	off
IncrementalCodeGenForTopModel	off

HDLWFSmartbuild	on
HDLCodingStandard	None
HDLCodingStandardCustomizations	
ReferenceDesignParameter	
HDLLintTool	None
HDLLintInit	
HDLLintTerm	
HDLLintCmd	
ModulePrefix	
DetectBlackBoxNameCollision	Warning
PIRTB	on
PIRTC	off
EmitNetlist	off
UsePipelinedToolboxFunctions	on
savepirtoscript	off
ConcatenateHDLModules	off
AMS	off

Chapter 7. Glossary

Atomic Subsystem. A subsystem treated as a unit by an implementation of the design documented in this report. The implementation computes the outputs of all the blocks in the atomic subsystem before computing the next block in the parent system's block execution order (sorted list).

Block Diagram. A Simulink block diagram represents a set of simultaneous equations that relate a system or subsystem's inputs to its outputs as a function of time. Each block in the diagram represents an equation of the form $y = f(t, x, u)$ where t is the current time, u is a block input, y is a block output, and x is a system state (see the Simulink documentation for information on the functions represented by the various types of blocks that make up the diagram). Lines connecting the blocks represent dependencies among the blocks, i.e., inputs whose current values are the outputs of other blocks. An implementation of a design described in this document computes a root or atomic system's outputs at each time step by computing the outputs of the blocks in an order determined by block input/output dependencies.

Block Parameter. A variable that determines the output of a block along with its inputs, for example, the gain parameter of a Gain block.

Block Execution Order. The order in which Simulink evaluates blocks during simulation of a model. The block execution order determined by Simulink ensures that a block executes only after all blocks on whose outputs it depends are executed.

Checksum. A number that indicates whether different versions of a model or atomic subsystem differ functionally or only cosmetically. Different checksums for different versions of the same model or subsystem indicate that the versions differ functionally.

Design Variable. A symbolic (MATLAB) variable or expression used as the value of a block parameter. Design variables allow the behavior of the model to be altered by altering the value of the design variable.

Signal. A block output, so-called because block outputs typically vary with time.

Virtual Subsystem. A subsystem that is purely graphical, i.e., is intended to reduce the visual complexity of the block diagram of which it is a subsystem. An implementation of the design treats the blocks in the subsystem as part of the first nonvirtual ancestor of the virtual subsystem (see Atomic Subsystem).

Chapter 8. About this Report

Table of Contents

8.1. Report Overview	52
8.2. Root System Description	52
8.3. Subsystem Descriptions	53
8.4. State Chart Descriptions	53

8.1. Report Overview

This report describes the design of the `self_balancing_robot` system. The report was generated automatically from a Simulink model used to validate the design. It contains the following sections:

Model Version. Specifies information about the version of the model from which this design description was generated. Includes the model checksum, a number that indicates whether different versions of the model differ functionally or only cosmetically. Different checksums for different versions indicate that the versions differ functionally.

Root System. Describes the design's root system.

Subsystems. Describes each of the design's subsystems.

Design Variables. Describes system design variables, i.e., MATLAB variables and expressions used as block parameter values.

System Model Configuration. Lists the configuration parameters, e.g., start and stop time, of the model used to simulate the system described by this report.

Requirements Traceability. Shows design requirements associated with elements of the design model. This section appears only if the design model contains requirements links.

Glossary. Defines Simulink terms used in this report.

8.2. Root System Description

This section describes a design's root system. It contains the following sections:

Diagram. Simulink block diagram that represents the algorithm used to compute the root system's outputs.

Description. Description of the root system. This section appears only if the model's root system has a Documentation property or a Doc block.

Interface. Name, data type, width, and other properties of the root system's input and output signals. The number of the block port that outputs the signal appears in angle brackets appended to the signal name. This section appears only if the root system has input or output ports.

Blocks. This section has two subsections:

- **Parameters.** Describes key parameters of blocks in the root system. This section also includes graphical and/or tabular representations of lookup table data used by lookup table blocks, i.e., blocks that use lookup tables to compute their outputs.
- **Block Execution Order.** Order in which blocks must be executed at each time step in order to ensure that each block's inputs are available when it executes.

State Charts. Describes state charts used in the root system. This section appears only if the root system contains Stateflow blocks.

8.3. Subsystem Descriptions

This section describes a design's subsystems. Each subsystem description contains the following sections:

Checksum. This section appears only if the subsystem is an atomic subsystem. The checksum indicates whether the version of the model subsystem used to generate this report differs functionally from other versions of the model subsystem. If two model checksums differ, the corresponding versions of the model differ functionally.

Diagram. Simulink block diagram that graphically represents the algorithm used to compute the subsystem's outputs.

Description. Description of the subsystem. This section appears only if the subsystem has a Documentation property or contains a Doc block.

Interface. Name, data type, width, and other properties of the subsystem's input and output signals. The number of the block port that outputs the signal appears in angle brackets appended to the signal name. This section appears only if the subsystem is atomic and has input or output ports.

Blocks. Blocks that this subsystem contains. This section has two subsections:

- **Parameters.** Key parameters of blocks in the subsystem. This section also includes graphical and/or tabular representations of lookup table data used by lookup table blocks, blocks that use lookup tables to compute their outputs.
- **Block Execution Order.** Order in which the subsystem's blocks must be executed at each time step in order to ensure that each block's inputs are available when the block executes. This section appears only if the subsystem is atomic. Note: in Acrobat(PDF) reports, the number in square brackets next to the block name is a hyperlink to the block parameter table. The number has no model significance.

State Charts. Describes state charts used in the subsystem. This section appears only if the root system contains Stateflow blocks.

8.4. State Chart Descriptions

This section describes the state machines used by Stateflow blocks to compute their outputs, i.e., Stateflow blocks. Each state machine description contains the following sections:

Chart. Diagram representing the state machine.

States. Describes the state machine's states. Each state description includes the state's diagram and diagrams and/or descriptions of graphical functions, Simulink functions, truth tables, and MATLAB functions parented by the state.

Transitions. Transitions between the state machine's states. Each transition description specifies the values of key transition properties. Appears only if a transition has properties that do not appear on the chart.

Junctions. Transition junctions. Each junction description specifies the values of key junction properties. Appears only if a junction has properties that do not appear on the chart.

Events. Events that trigger state transitions. Each event description specifies the values of key event properties.

Data. Data types and other properties of the Stateflow block's inputs, outputs, and other state machine data.

Targets. Executable implementations of the state machine used to compute the outputs of the corresponding Stateflow block.

MATLAB Supporting Functions. List of functions invoked by MATLAB functions defined in the chart.