THREE LEVELS OF WORK. ONE OPERATING MODEL.

How the Team Lead (EDS 03), the Digital Learning Specialists (EDS 02) and the Instructional Designers (EDS 01) divide the work: by level of design, by product line and by deliverable. The roles differ in **the level of the problem each one owns**, not in how hard the work is.

RULE OF THUMB

The **Team Lead** decides what kind of thing the cell makes, and why. The **EDS 02** designs how that kind of thing works and builds the first one. The **EDS 01s** build the next ten, faster and to the same standard. The **TDO** decides when, and who.

	OWNS	CORE QUESTION	IS GIVEN	PRODUCES	JUDGED BY
L1 · DIRECTION **EDS 03 · Team Lead** Horizon 1–2 years	**The problem and the direction**	Why this, which approach, what counts as success?	An open need or opportunity	Capability Charter · standards · SOPs · annual plan · decisions	Portfolio outcomes; capabilities adopted
↓ **Framed problem + success measures** · ↑ **Impact statements · lessons learned**					
L2 · ARCHITECTURE **EDS 02 · Digital Learning Specialist** Horizon 3–12 months	**The solution system of a product line**	How does this kind of product work, end to end, and does it reach the outcome?	A framed problem, its constraints and measures	Solution Blueprint · pattern pack · golden sample · prototypes · specifications	Reuse, coherence, less rework, shorter cycle time
↓ **Blueprint + pattern pack + golden sample** · ↑ **Pattern gaps · build issues**					
L3 · INSTANCE **EDS 01 · Instructional Designer** Horizon weeks to 3 months	**Each course, module, script and item**	What goes into this course, and is it right?	A blueprint or pattern, sources and SMEs	Course/module HLD · storyboards · assessment tools · guides · builds	Quality at first review; on-time delivery

WHO DECIDES

- **Team Lead**
  Why, and which approach
- **EDS 02**
  How it works, and what good looks like
- **EDS 01**
  What goes in, and makes it
- **TDO · Capt / Lt(N)**
  When, and who (line manager of the EDS 01s)

1	1	3	3
Team Lead EDS 03	TDO Capt / Lt(N)	EDS 02 one product line each	EDS 01 one shared pool

"What is the difference between EDS 02 and EDS 01?" The EDS 02 designs the system and answers for whether the parts add up to the performance outcome. The EDS 01 designs and builds the parts inside it and answers for each part being right.

"Complex projects to EDS 02, simple ones to EDS 01?" Complexity decides *how much* of a project the EDS 02 is involved in (page 5). It never decides *what kind* of work the EDS 02 does.

"Organize by product or by level?" Both. Each EDS 02 is the design authority for one product line (vertical). The levels of design run across every line (horizontal). Page 4 shows the grid.

02 WHY THE EDS 02 / EDS 01 LINE HAS BLURRED

The EDS 02s are doing much of the EDS 01 work and asking what makes their role different. The TORs explain why. None of the four causes is about the people.

CAUSE A

The roles are split by difficulty alone

"Complex to EDS 02, simple to EDS 01" means both do the same sequence: HLD, then storyboard, then build. Only the difficulty changes. Difficulty belongs to the project, not the role, so the line moves every time a simple project turns complex or capacity runs short.

Fix. Split by the **level of the problem** owned. Complexity only sets how much EDS 02 time a project gets (Tiers, page 5).

CAUSE B

The HLD is written into the EDS 01 TOR

EDS 01 §4.a lists "High Level Design Documents" as an EDS 01 deliverable. Telling the EDS 02 to own the HLD contradicts the TOR; writing HLDs puts the EDS 02 in EDS 01 work.

Fix. Add the level above: a **Solution Blueprint** owned by the EDS 02. The HLD stays a course- or module-level document written inside the blueprint (page 7).

CAUSE C

The EDS 02 has no line authority over the EDS 01

EDS 02 §5.b: "Supervises: Nil". EDS 01 §5.a: reports to the TDO. "EDS 02 leads EDS 01" can therefore work only as **design authority**: setting and reviewing the design standard on a project. It cannot work as supervision.

Fix. Line management stays with the TDO. Design authority (blueprint, gate reviews, patterns) goes to the EDS 02 of the product line (page 3).

CAUSE D

Half of the EDS 02 TOR is not being done

Ecosystems and learner pathways (§2.a), documented AI workflows (§2.b.iv), immersive scenario logic and vendor requirements (§2.c), usability testing, the lessons-learned process (WO 3.f), cost estimates, impact statements (§4.c). No other role covers them. While the EDS 02s write module storyboards, this does not get done.


Fix. Protect EDS 02 time for system-level and first-of-its-kind work; make surge visible (page 10).

SO THE FIX IS NOT TO REWRITE THE TORS

It is to make the existing TORs work by setting out four things: **the levels of design**, **who decides what**, **the deliverable at each level**, and **a tier rule** for how much EDS 02 time each project gets. A short list of TOR edits for the next revision is on page 11.

03 STRUCTURE: LINE MANAGEMENT + DESIGN AUTHORITY

The TOR line structure stays exactly as it is. On top of it, each EDS 02 holds design authority over EDS 01 work on projects in one product line. The EDS 01s are one shared pool, assigned by the TDO.



PL1 Digital learning ecosystems

Primary EDS 02-A · backup EDS 02-B · EDS 02 §2.a, WO 3.a

Interactive e-learning, video, microlearning, job aids, instructor/learner guides, blended pathways

PL2 Adaptive and AI-enabled learning

Primary EDS 02-B · backup EDS 02-C · EDS 02 §2.b, WO 3.b–3.c

Adaptive placement and assessment, item banks, learning analytics (xAPI), AI-enabled production workflows (Storyboard Master Prompt)

PL3 Immersive and simulation

Primary EDS 02-C · backup EDS 02-A · EDS 02 §2.c, WO 3.d

VR/AR, simulation, branching scenarios, vendor requirements, usability testing

Ownership follows maturity. Once adaptive design is routine, PL2 folds into PL1 and its EDS 02 moves to the next frontier. A project that spans lines has one Design Lead: the line that carries the main performance outcome.

EDS 02 DESIGN AUTHORITY · DOES

- ✓ Sets the Solution Blueprint for Tier 1–3 projects in their product line
- ✓ Approves or returns an HLD or storyboard at the design gates (G2, G3)
- ✓ Writes and maintains the line's patterns, templates and how-to guides; gives design feedback to the EDS 01 directly
- ✓ Raises quality or capacity issues with the TDO and the Team Lead

EDS 02 DESIGN AUTHORITY · DOES NOT

- ✗ Assign tasks or set deadlines for EDS 01s (TDO); approve leave; write or assess PMAs (TDO / Team Lead)
- ✗ Overrule an SME or Training Establishment on content accuracy
- ✗ Commit the cell to a client on scope or dates (Team Lead)
- ✗ Take over an EDS 01's product, except as an agreed, time-limited surge

04 THE MATRIX: LEVELS OF DESIGN × PRODUCTS

Read down a column to follow one product from idea to build. Read across a row to see what one level does in every product. The shaded row is the EDS 02's: each owns their line's column at L2, reviews L3 at the gates, and stays out of L3 work except the golden sample.

LEVEL OF DESIGN ↓ PRODUCT →	Interactive e-learning e-learning family · PL1	Video e-learning family · PL1	Adaptive e-learning e-learning family · PL2	VR / simulation immersive family · PL3
L1 DIRECTION Team Lead	• Courseware standard and ID SOP • Storyboard Master Prompt adopted as the standard • Rule for when e-learning is the right answer	• Rule for when video beats interaction • Video, caption and bilingual standard	• Why adaptive, and for which courses • Success measures; assessment-policy fit • Pilot and research design	• VR adoption criteria • Device, safety and vendor policy • Pilot and evaluation design
L2 ARCHITECTURE EDS 02 · owns the column of their line	• Ecosystem blueprint: course map, learner pathway • Component mix: module, microlearning, job aid • Objective–assessment map • Interaction pattern set, template bank	• Series architecture: each video's job in the pathway • Length rules • Script and shot-list templates; style guide	• Placement design, mastery metric, routing rules • Misconception-tag registry format; item specification • Reporting; build pattern and fallback • Working prototype	• Performance criteria; scenario logic and branching map • State and feedback model; comfort and cognitive-load limits • Vendor requirements; usability protocol • Pre-brief → VR → debrief integration
L3 INSTANCE EDS 01	• Module HLD; storyboards; lesson plans • Assessment items to the Assessment Plan • Instructor and learner guides	• Scripts; storyboards and shot lists • On-screen text and narration	• Scenario blocks and ladder items to the item spec • Distractors and misconception tags; refutation cards • Route storyboards	• Scenario scripts and voice lines • VR storyboard rows (VR Storyboard Master Prompt) • Pre-brief module and job aid
L4 BUILD · QA · MAINTAIN EDS 01 with developers, vendors, QA Officer	• DominKnow build or developer handoff • QA fixes; updates after a policy change	• Production coordination • Captions, transcripts, version control	• Variable and route build; route-by-route testing • Item-bank upkeep	• Vendor review cycles; asset and script checks • Support to usability sessions

EDS 02 owns their column at L2 | **reviews L3 at the design gates** | **stays out of L3 work, except the golden sample** | **Team Lead owns all of L1 and approves L2 blueprints for Tiers 2–3**

05 ENGAGEMENT TIERS: WHERE COMPLEXITY FITS

The Team Lead sets the tier at intake ("Receives, clarifies, and scopes requests", EDS 03 WO 3.e.i). The tier decides how much EDS 02 time a project gets. It never decides what kind of work the EDS 02 does.

T0 Maintain

EDS 02 INVOLVEMENT

TYPICAL REQUEST
Update an existing course for a policy change or SME feedback; fix defects

EDS 02
None. Consulted only if a pattern has to change

EDS 01
Owns the work end to end (EDS 01 §2.g, WO 3.c)

BLUEPRINT APPROVED BY
Not applicable

T1 Standard build

EDS 02 INVOLVEMENT

TYPICAL REQUEST
A new course or module in an established product type that an existing pattern fits

EDS 02
Light: issues the standard blueprint from the line template (about one day); reviews at G3

EDS 01
Owns the HLD, storyboards, assessment tools and build

BLUEPRINT APPROVED BY
EDS 02

T2 Complex build

EDS 02 INVOLVEMENT

TYPICAL REQUEST
A multi-component ecosystem, several product types, branching or scenario logic, high-stakes assessment, or an external vendor

EDS 02
Design Lead: full blueprint, builds the golden sample, reviews at G2 and G3, tests integration

EDS 01
Builds the remaining modules to the blueprint and the golden sample

BLUEPRINT APPROVED BY
Team Lead

T3 New capability

EDS 02 INVOLVEMENT

TYPICAL REQUEST
A product type the cell has never delivered: the first adaptive course, the first VR scenario

EDS 02
Builds the pattern, the prototype and the pilot; writes the how-to guide

EDS 01
Supports pilot production; first users of the pattern; feeds back on it

BLUEPRINT APPROVED BY
Team Lead (Capability Charter and adoption decision)

TIER TRIGGERS · COUNT WHICH APPLY AT INTAKE

1. More than one product type or component in the learner pathway
2. The path depends on performance: branching, adaptive or scenario logic
3. High-stakes assessment: qualification, certification, safety
4. A new platform feature, or an external developer or vendor
5. Several Training Establishments or SME groups, or conflicting sources
6. No existing pattern or template fits

No trigger → T0 (update) or T1 (new build) · **two or more** → T2 · **trigger 6 alone** → T3. The Team Lead can override the count, and records why.

WHY THE GOLDEN SAMPLE IS EDS 02 WORK

On a T2 project the EDS 02 designs and builds the first module completely (HLD, storyboard, assessment, build) to test the blueprint and set the reference the EDS 01s will match. A golden sample is a reference, not production. The second module is EDS 01 work.

THE TIER SETS HOW MUCH EDS 02 TIME A PROJECT GETS, NEVER WHAT KIND OF WORK THE EDS 02 DOES.

06 WORKFLOW, GATES AND DECISION RIGHTS

Nine stages, one approver each. "Does" is the role that carries the work; "Approves" signs off the stage's output. Stage names are generic: map them onto the cell's Learning Design Workflow.

0 Intake and scoping

Request, feasibility, tier

DOES
Team Lead

APPROVES
Team Lead

1 Analysis

Performance, audience, sources, objectives from the Training Plan

DOES
EDS 02 (T2–T3)
EDS 01 (T0–T1)

APPROVES
Team Lead

2 Solution architecture

The Solution Blueprint

DOES
EDS 02

APPROVES
Team Lead (T2–T3)
EDS 02 (T1)

3 Detailed design

HLD, storyboards, assessment tools

DOES
EDS 01

APPROVES
EDS 02 at G2 / G3
TDO for T0

4 Development

Build, media, vendor work

DOES
EDS 01 with developers or vendors

APPROVES
TDO (delivery)

5 QA and validation

Standards, accessibility, bilingual, accuracy

DOES
QA Officer; **EDS 02** (flow, usability); **EDS 01** (fixes)

APPROVES
Team Lead

6 Pilot and implementation

Real learners; data collected

DOES
EDS 02 (T2–T3)
EDS 01 (T0–T1)

APPROVES
Team Lead

7 Evaluation and lessons learned

Impact; debriefs within 2–4 weeks

DOES
EDS 02 (owns the process)

APPROVES
Team Lead

8 Standardize

SOPs, templates, patterns

DOES
EDS 02 drafts the pattern and how-to guide

APPROVES
Team Lead (SOP owner)

G0 Scope and tier agreed

Team Lead. Request accepted, tier set, Design Lead named.

G1 Blueprint approved

EDS 02 (T1) · Team Lead (T2–T3). The TDO schedules EDS 01 work from its module breakdown.

G2 HLD fits the blueprint

EDS 02, T2–T3 only. Checked before storyboarding, where rework is cheapest.

G3 Storyboard approved

SME validation + EDS 02 review. "Developer Ready". The only EDS 02 review on T1.

G4 Build passes QA

QA Officer, under the Team Lead's QA liaison (EDS 03 §2.c.i).

G5 Pilot and impact review

Team Lead. The EDS 02 presents the impact statement and lessons learned.

Team Lead decides: accept, decline or rescope a request; the tier; the product type when contested; priorities and resources; standards and SOPs; adopting a new method; client commitments; PMAs.

EDS 02 decides: solution architecture, component mix, learner pathway; assessment strategy within the Assessment Plan; the line's patterns and templates; design conformance at gates; requirements for developers and vendors. Recommends modality, tools and costs.

EDS 01 decides: the instructional strategy inside a module; activity and item design; how content is transformed for learning; media recommendations. All within the blueprint and the standards.

TDO decides: which EDS 01 does which work; sequencing and workload; the detailed production schedule. **SME / TE:** content accuracy and the training requirement. **QA Officer:** compliance with LSC quality standards.

07 DELIVERABLES CASCADE

Each level hands a defined deliverable down and receives evidence back. Items marked "new" are not named in the TORs, but the TORs' wording already describes them: EDS 02 §2.a.ii ("learning flow diagrams, course maps and design rationale") is a blueprint.

TEAM LEAD · L1

Annual Learning Engineering Plan; work plans
→ Manager LSC; whole cell · EDS 03 §2.a.i, §4.b

Capability Charter NEW
Challenge, hypothesis, measures, constraints, pilot scope, Design Lead, gate dates → EDS 02 Design Lead · EDS 03 WO 3.f.ii

SOPs, standards, templates
The cell's way of working, updated from evidence → whole cell · EDS 03 §4.a, WO 3.c.i, 3.f.iii

Briefing notes and SITREPs
Status, risks, capacity → Manager LSC · EDS 03 §4.c

Cell-level lessons learned; PMAs
→ Manager LSC; staff · EDS 03 §4.d–e

EDS 02 · L2

Solution Blueprint NEW NAME
Learner pathway, components, objective–assessment architecture, modality rationale, control and data logic, build approach, module breakdown, risks → EDS 01s and TDO · EDS 02 §2.a.ii–iii

Pattern pack NEW
Templates, pattern specifications, golden sample, how-to guide → EDS 01s · EDS 02 §2.b.iv, §4.d

Scenario, adaptive and technical specifications; vendor requirements
→ developers and vendors · EDS 02 §2.c.ii–iii

Prototype and usability findings; ecosystem validation
→ Team Lead; EDS 01s · EDS 02 §2.c.iv, §2.d.ii

Impact statements; lessons-learned documents; briefing notes; research notes
→ Team Lead · EDS 02 §4.a–e

EDS 01 · L3

Course/module HLD
Objectives and teaching points, outline mapped to sources, strategy per objective, activities from the pattern set, module assessment plan, media list, duration, SME validation points → EDS 02 (G2); SME · EDS 01 §4.a

Storyboards; lesson plans; scripts; instructor and learner guides
Developer-ready design of each screen, scene or lesson → developers; SME; QA · EDS 01 §2.d, §4.b

Assessment tools
Items and instruments built from the Assessment Plan → QA; SME · EDS 01 §2.j, §4.c

Builds and updates; project notes
Authored product under version control; decision log → QA; TDO · EDS 01 §2.f, §4.d

Solution Blueprint · product or ecosystem level · EDS 02

1 Performance outcome and success measures · 2 Learner pathway diagram · 3 Objective–assessment architecture · 4 Modality rationale per component · 5 Patterns and templates to use, with the golden sample · 6 Control and data logic · 7 Build approach and fallback · 8 Constraints: accessibility, bilingual, security, privacy, copyright · 9 Module breakdown with tier and effort (the TDO schedules from this) · 10 Risks, open questions, owners

Course/module HLD · inside the blueprint · EDS 01

1 Module objectives and teaching points, traced to blueprint and sources · 2 Content outline mapped to sources; gaps owned by a named person, never invented · 3 Instructional strategy per objective (teach, show, practise, assess) · 4 Activities and interactions from the pattern set · 5 Module assessment plan from the Assessment Plan · 6 Media list with purpose · 7 Estimated duration · 8 SME validation points with dates

Naming rule. The Solution Blueprint is product- or ecosystem-level and belongs to the EDS 02. The HLD is course- or module-level and belongs to the EDS 01. On T1 the blueprint is a one-page sheet from the line template; on T0 there is no blueprint, because the existing standard plays that role.

08 TWO LIFECYCLES: PROJECTS AND NEW CAPABILITIES

Mixing these two up is the main reason the Team Lead's role and the EDS 02's role blur.

PROJECT LIFECYCLE

Makes a **specific product**. The EDS 02 architects it, the EDS 01 builds it, the TDO schedules it, the Team Lead governs it. Pages 5–7.

CAPABILITY LIFECYCLE

Makes a **new kind of product** possible: the first adaptive course, the first VR scenario, the first AI-enabled workflow. The Team Lead leads, the EDS 02 builds, the EDS 01 pilots. This is the breakthrough work of the Team Lead role.

	1 SCAN	2 FRAME	3 PROTOTYPE	4 PILOT	5 STANDARDIZE	6 SCALE
Team Lead	Monitors learning science and technology trends (EDS 03 WO 3.d.i, 3.f.i)	**Writes the Capability Charter:** challenge, hypothesis, measures, constraints	Reviews	**Approves the pilot** and its research method (EDS 03 WO 3.f.ii)	**Writes the result into SOPs** and templates (EDS 03 WO 3.f.iii)	Sets portfolio targets in the annual plan
EDS 02	Contributes research notes (EDS 02 §4.e)	Assesses feasibility; estimates cost (EDS 02 WO 3.e.iii)	**Designs the model,** builds the prototype, tests usability	**Runs the pilot** on one real course; builds the golden sample	**Writes the pattern pack,** the how-to guide and the lessons learned	Reviews at gates only; moves to the next frontier
EDS 01	—	—	Can act as test users	Builds the pilot instances with the EDS 02	Feeds back on how usable the pattern is	**Builds at volume** (T1)
Exit decision · Team Lead	**Is the opportunity worth framing?**	**Prototype it?**	**Does the prototype work?**	**Does the evidence meet the success measures?**	**Adopt it as a standard product?**	—

The Team Lead's part in a breakthrough. The Team Lead does not design the adaptive course. The Team Lead asks the right question, chooses the method, sets the bar of evidence and decides adoption. The tool is a one-page **Capability Charter**: the challenge · a testable hypothesis · the success measures · the constraints · the method chosen and the alternatives rejected · the Design Lead · the gate dates.

09 WORKED EXAMPLE: ADAPTIVE ASSESSMENT TRAINING

Adaptive assessment belongs to the e-learning family and to PL2. As a first-of-its-kind product it is T3; the next two courses are T2; once the pattern is stable, every new course is T1.

STEP 1 · TEAM LEAD · T3
Write the Capability Charter

STEP 2 · EDS 02 (PL2) · T3
Turn the pilot into a reusable pattern

STEP 3 · EDS 01 · T2 → T1
Build course 2 onward from the pattern pack

STEP 4 · TEAM LEAD
Decide adoption on evidence; update the ID SOP

CAPABILITY CHARTER · TEAM LEAD

CHALLENGE
Members with prior experience sit through full courses; the cell has no standard way to credit what they already know.

HYPOTHESIS
A scenario-based placement at the start of the course lets experienced members skip content they have mastered, without lowering post-test mastery.

SUCCESS MEASURES (ILLUSTRATIVE; THE TEAM LEAD SETS TARGETS)
- Seat time saved by experienced learners
- Post-test mastery no lower than on the full path
- Placement and post-test results agree
- Learner and instructor acceptance
- Effort to build each additional course

CONSTRAINTS
DominKnow variables and conditional navigation · SCORM reporting to the LMS · assessment policy, incl. who approves placement credit with the Training Authority · learner-data privacy · bilingual parity

PILOT
MOD 13 DMCPG-5, already designed as the Bloom-Ladder Placement storyboard v6, with a working prototype.

Element	Pattern · designed once by the EDS 02	Instance · written per course by the EDS 01
Mastery metric	Levels L0–L3 on Bloom's taxonomy; consecutive-pass (Guttman) rule; anomaly rule: a failed lower rung caps the level	—
Placement	One placement at course start; one scenario block per sub-objective, three questions climbing the ladder; no feedback during placement; about 20 minutes at most	The scenarios and items for this course
Item specification	Each question answerable on its own; one attempt; randomization rules; every level-setting distractor carries a misconception tag	Stems, options and distractor feedback
Misconception registry	The format: tag · misconception · where it fires · refutation card	The tags themselves (e.g. all-wait-on-BTL) and their refutation cards
Routing	SKIP / POLISH / PRACTICE / FULL map; a refutation card is triggered by the distractor chosen	The entry slide for each section
Build	Scored question-page module, variables v_SOn_L, conditional navigation, native-gate fallback (Tier A)	The variables and pages for this course
Reporting	SCORM score rule; xAPI statements for analytics	—
QA	Route-by-route test script	The completed test log

In Gibbons's design-layer terms, the pattern fixes the **control** and **data-management** layers; the instance fills the **content**, **message** and **representation** layers. For course 2 onward the EDS 02 reviews at G2 and G3 only. A case the pattern cannot handle goes back to the EDS 02 as a pattern change, not a one-off fix.

10 MAKING IT STICK: TIME MIX, MEASURES, GROWTH

Starting targets, to calibrate after one quarter. The measures are the TORs' own performance indicators.

STARTING TIME MIX

EDS 02



- Architecture and patterns: blueprints, specs, pattern packs, prototypes
- Design authority: gate reviews, design questions, coaching
- Evaluation, lessons learned, impact, usability, research notes
- Hands-on production: golden samples or agreed surge

EDS 01



- Design and build of instances
- Maintenance and updates of existing products
- QA, lessons-learned input, feedback on patterns

SURGE RULE

When capacity forces an EDS 02 into EDS 01-level work beyond golden samples, the TDO and the Team Lead agree it as surge, limit it in time, and show it in the SITREP. Every week of surge is a week of architecture work not done.

WHAT THE TEAM LEAD CAN SAY TO THE EDS 02S

"Your role is not a senior version of the EDS 01 role. It works at a different level. The EDS 01s answer for each course being right. You answer for the whole product line working: whether the pieces add up to the performance outcome, whether the next course can be built faster than the last, and whether this year we can do things we could not do last year. When you write a storyboard, it should be the first of its kind, the golden sample, or a surge we have both agreed to and can see on the plan."

MEASURES AND GROWTH

Team Lead

- Delivery of the annual plan; capacity use
- Capability adoption decisions made on evidence
- Client feedback acted on (EDS 03 WO 3.b, 3.e.iv, 3.f)

EDS 02

- Share of line projects built on the pattern pack
- Rework and cycle-time trend for EDS 01 builds (WO 3.a.iv, 3.f.iii)
- Ecosystem flow validated before pilot (§2.d.ii)
- 3–6 formal lessons-learned reports a year (WO 3.f.ii)
- Development time saved through AI tools; impact statements

EDS 01

- On-time delivery; first-pass rate at G3 and G4 (WO 3.a.iv)
- Conformance to LSC standards; SME feedback integrated on time
- Updates that follow QA and version control (WO 3.c.iv)

EDS 01 → EDS 02: write a T1 blueprint under review, contribute a pattern, lead a lessons-learned session. **EDS 02 → EDS 03:** draft a Capability Charter, lead a capability stage, represent the cell with stakeholders.

11 FIRST 90 DAYS AND TOR HOUSEKEEPING

Nothing here needs a TOR change to start. The edits on the right remove the remaining contradictions at the next revision.

WEEKS 1–2

Brief the cell on the model in one session. Confirm each EDS 02's primary and backup lines. Agree the tier triggers and the surge rule. Map the nine stages onto the cell's Learning Design Workflow.

Team Lead, with the TDO

WEEKS 3–6

Each EDS 02 drafts a blueprint template and pattern pack v0.1 for their line: PL1 from the Storyboard Master Prompt and the slide template bank; PL2 from MOD 13 Bloom-Ladder v6; PL3 from the VR Storyboard Master Prompt v1.0. The Team Lead writes the adaptive assessment Capability Charter.

EDS 02s · Team Lead

WEEKS 7–12

Run one T2 project and the adaptive pilot through the new gates (G0–G5).

EDS 02 Design Leads · EDS 01s · TDO

WEEK 12

Hold a lessons-learned review of the model itself. Adjust the time-mix targets and the tier triggers; update the ID SOP; carry the changes into the next PMA cycle.

Team Lead

GUARDRAIL · DESIGN AUTHORITY IS NOT SUPERVISION

Write the design-authority duties into the EDS 02 PMAs, which the Team Lead writes (EDS 03 §4.e). Write "works to the approved blueprint and passes design review" into the EDS 01 PMAs. Design authority then becomes a standing expectation, not a personal request between colleagues. This model is built to avoid giving the EDS 02s supervisory duties; if the cell changes how work is assigned, confirm with HR or labour relations that it still does.

Grounding. IEEE ICICLE learning engineering process (challenge → creation → implementation → investigation) · Jaques, *Requisite Organization* (levels of work by time span) · Gibbons, *An Architectural Approach to Instructional Design* (design layers) · Cooper, stage-gate · the EDS 01 / 02 / 03 TORs · LSC Storyboard Master Prompt, VR Storyboard Master Prompt v1.0, MOD 13 Bloom-Ladder Placement v6. Full text: *LE-Team-Role-Architecture.docx*.

SUGGESTED EDITS AT THE NEXT TOR REVISION

1. **EDS 01 §4.a.** "High Level Design Documents" → "Course/module High Level Design Documents, within the approved Solution Blueprint".
2. **EDS 02 §4 Deliverables.** Lists no design deliverable at all. Add "Solution Blueprints and pattern packs", to match §2.a.ii and §2.b.iv.
3. **EDS 02 title.** One position, three names: Digital Learning Specialist (job title), Learning Specialist (standardized description), Learning Development Officer (EDS 03 §5). Choose one.
4. **EDS 02 §3 numbering.** Item c ("Demonstrates measurable improvements … AI derived analytics") is a performance indicator of objective b, not a separate objective.
5. **EDS 02 §2.d.** Headed "Lessons Learned" but mostly QA and testing tasks. Retitle "Quality, usability and lessons learned".
6. **Incomplete clauses.** EDS 02 §2.a.vii and EDS 01 §3.b.v are cut off in the source photographs. Recover the full text before revising.
7. **EDS 03 §5.** State the working relationship: the TDO schedules the EDS 01s; the EDS 02s provide design authority on projects in their product lines.