

Citus™ IoT Ecosystem

This document introduce about the Citus™ IoT Ecosystem with bootstrap instructions which is used to provision the infrasutructure and applications for Citus™ IoT Ecosystem using Docker Compose and AWS CloudFormation on AWS.

















Fpt Software

DUONG Dinh Cuong
CLOUD INNOVATION

Description

Citus™ IoT Ecosystem (<https://apps.citus.io/>) is a complete IoT solution which allows consumers start to develop, integrate their IoT products, visualize sensors data in a centralized platform and rapidly building their own sharing economy business model through Citus™ IoT Platform. It also supports to deploy on a dedicated infrastructure or a shared infrastructure.

No.	Primary Service	Hits	Image Info
1	citus-iot-ecosystem-website		
2	citus-application-gateway		
3	device-lifecycle-service		
4	citus-elasticsearch-svc		
5	sensor-remote-dashboard		
6	citus-sensor-analytics		
7	seniot-gateway		

Features

Centralized Web Portal

GUI Web Portal that concentrates users, devices and applications together in one place with separated workspace for each consumer or tenant user. *This feature is still in reviewing for multi-tenant security concern using kubernetes.*

- User Identity/User Groups/Roles Management using Auth0 (<https://auth0.com>) as an external service.
- Protect device/application accesses by API Gateway using API Secret Key Authentication feature.

Application Platform

Container-based application engine is designed for Microservices architecture which is easily to deploy on Docker-Compose, Docker Swarm or Kubernetes.

- Publish or consume Docker-based applications across users.
- Continuous Delivery Support w/ Docker Hub using Web Hook.

Manage Your Device

Device Lifecycle Management service and device security process that help you enhancing the device provisioning and communication security of the AWS IoT as well as providing Over-The-Air software update for IoT devices.

- Device Provisioning/Activation/Management.
- Device Software Update (OTA) with CI/CD.

Data Analytics

A set of featured (default) services that allow user consuming their IoT telemetry data into business instances such as anomaly detection, face detection or plate recognition.

- Statistical Anomaly Detection
- Plate Recognition (3rd Party)
- Face Detection (3rd Party)


Monitoring & Control

A set of featured Real-time Dashboards which is used to display, monitor and control your IoT devices directly using Web Portal.

- Sensor Remote Dashboard
- Citus Sensor Analytics

Architecture

Citus™ IoT Ecosystem – System Architecture



Product Backlog

No.	User Story Name
1	As an Embedded SE, I want to declare my device in the Citus™ IoT Platform so that I can activate it later on
2	As an Embedded SE, I want my device be able to connect to Citus™ IoT Platform so that I can store data in the cloud
3	As an Embedded SE, I want to update my software over-the-air when there is a new upgraded version requested
4	As a Software Developer, I want to submit my application into the Citus™ IoT Platform so that I can use and share it to the other users
5	As a Consumer, I want to ingest my telemetry data in the cloud to be view or analyse by the ecosystem's applications
6	As a Consumer, I want to register to use a published application from others so that I can speed up my business

US-0001


Declare A Device

User Identification

Application Management


Gateway/Routing/Security Access

Microservices





US-0002

Activate A Device




US-0003

Software Update




US-0004

Deploy An Application



US-0005

Data Ingestion



US-0006


Multi-Tenancy

User Identification

Application Management

Gateway/Routing/Security Access

Application Space



Technology

Platforms

- AWS Cloud Computing Basic Services (VPC, EC2, Route53, Elastic IP, IAM, S3)
- AWS IoT (Hub, Registry, Rule Engine, ThingShadow)
- Cassandra/DynamoDB w/Streamming
- ElasticSearch/Logstash
- Kong API Gateway
- Docker/DockerHub
- Docker-Compose
- Docker Swarm
- Kubernetes
- Node-RED

Languages

- HTML5/CSS3
- NodeJS
- AngularJS
- D3JS
- Nginx
- Python
- Bash Shell

Deployment

Prerequisites

I. AWS Environment

(Supported Region: *ap-northeast-1* as default if using template)

1. Create [AWS IAM User](#) and manage [Access Key](#)
2. Setup [DynamoDB Table](#) with [Stream Enabled](#)

Property	Value
Database name	your-dynamodb-table-name
Table name	telemetry-sensors (default)
Primary partition key	topic (String)
Primary sort key	epoch (Number)
Stream enabled	Yes (used for citus-elasticsearch-svc)
View type	New and old images

3. Create [AWS IoT Policy](#) with at least `iot:Publish`, `iot:Receive` permissions for IoT devices sending and receiving MQTT topic messages. Then named as *your-iot-thing-policy-name*

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Allow",
      "Action": "iot:*",
      "Resource": "*"
    }
  ]
}
```

4. Create [AWS IoT DynamoDB Rule](#) to forward telemetry sensor topic data into DynamoDB.
5. Create a [AWS S3 Bucket](#) and named as *your-s3-certificate-bucket-name* to store temporary device certificates.
6. Create a VPC with (YOUR-VPC-ID) and at least one public subnet (YOUR-VPC-SUBNET-ID) to host your system.
7. Create a [Hosted Domain](#) with YOUR-ROUTE53-DOMAIN-NAME and retrieve YOUR-ROUTE53-HOSTED-ZONE-ID

II. Kubernetes Environment

1. Setup [Container Cluster on AWS](#) using kube-aws
2. Configure this cluster to use for Citus™ IoT Ecosystem (TBD)

Step By Step

I. Setup Development Environment

1. Install Docker Engine and Docker Compose following this link <https://docs.docker.com/compose/install/>.
2. On Windows or Mac OSX Operating System: Launch Kitematic to start docker machine then run

```
$ eval "$$(docker-machine env default)"
```

3. On Ubuntu/RHEL/CentOS: execute shell command "\$ docker-compose --version" to make sure it's running.
4. Checkout this repository **git clone** <https://github.com/cuongquay/citus-iot-ecosystem.git> or download the zipped package and extract to a folder.
5. Setup the shell environment variables which will be used by *docker-compose.yaml*

```
export AWS_DEFAULT_REGION=ap-northeast-1
export AWS_ACCESS_KEY_ID=your-s3-iot-hub-access-key-id
export AWS_SECRET_ACCESS_KEY=your-s3-iot-hub-secret-key
export AWS_IOT_CERT_BUCKET=your-s3-certificate-bucket-name
export AWS_IOT_DEVICE_POLICY=your-iot-thing-policy-name
export AWS_DYN_TABLE_NAME=your-dynamodb-table-name
```

6. Start deploying by running this shell command

```
$ cd citus-iot-ecosystem-bootstrap  
$ docker-compose up -d --force-recreate
```

7. Wait for cluster is initialised and stable. It takes about 5 minutes to pull docker images and initialize states.

8. Access to the Web Portal at <http://192.168.99.100/> on Windows/Mac OSX or <http://127.0.0.1> on Ubuntu/RHEL/CentOS.

9. Terminate the system by running this shell command

```
$ docker-compose down
```

II. Run on AWS Cloud Formation Stack

Download [Cloud Formation Stack Template](#)

You need to change these parameters before applying the AWS CloudFormation template:

1. YOUR-ROUTE53-HOSTED-ZONE-ID
2. YOUR-AWS-EC2-SSH-KEYPAIR
3. YOUR-DNS-PREFIX-xxx1/2/3
4. YOUR-ROUTE53-DOMAIN-NAME
5. YOUR-VPC-SUBNET-ID
6. YOUR-VPC-ID

Update your AWS Credentials for your AWS IoT Hub by encoding the script below into Base64 format

```
#!/bin/bash
set -e -x

export AWS_DEFAULT_REGION=ap-northeast-1
export AWS_ACCESS_KEY_ID=your-s3-iot-hub-access-key-id
export AWS_SECRET_ACCESS_KEY=your-s3-iot-hub-secret-key
export AWS_IOT_CERT_BUCKET=your-s3-certificate-bucket-name
export AWS_IOT_DEVICE_POLICY=your-iot-thing-policy-name
export AWS_DYN_TABLE_NAME=your-dynamodb-table-name

yum update -y
yum install git -y

git clone https://github.com/cuongquay/citus-iot-ecosystem-bootstrap
cd /usr/share/citus-iot-ecosystem
chmod +x setup.sh
./setup.sh
```


Replace the **Base64UserData.Default** with the encoded value in the Cloud Formation template above.

```
"Base64UserData": {  
    "Type": "String",  
    "Default": "IyEvYm1uL2Jhc2gNCnNldCAtZSAteCANCg0KZXhwb3J0  
}
```

You need to setup a corrected AWS IoT environment for AWS IoT Policy, AWS IoT Rule, AWS DynamoDB (Stream Enabled) to use with this platform. For more information, please contact us by email: cuongdd1@fsoft.com.vn!

Author

DUONG Dinh Cuong