HPLT Analytics report



General overview

Corpus	Date	Language
hplt-v3-lua_Latn	9/18/2025	Luba-Lulua (lua)

Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size
1,634	50,740	47,190 (93.00 %)	2.3M	12,345,454	11.87 MB

Top 10 domains

Domain	Docs	% of total
jw.org	1.1K	67.75%
editorial7.net	146	8.94%
radiookapi.net	144	8.81%
biblafrique.net	44	2.69%
biblafrique.org	31	1.90%
wikimedia.org	28	1.71%
canalblog.com	11	0.67%
themessage.com	10	0.61%
gotquestions.org	10	0.61%
legende-tshakap	9	0.55%


Top 10 TLDs


Document collections

Domain	Docs	% of total
org	1.2K	74.17%
net	339	20.75%
com	58	3.55%
cd	8	0.49%
ca	5	0.31%
be	5	0.31%
info	3	0.18%
gc.ca	2	0.12%
ru	1	0.06%
eu	1	0.06%

Documents size (in segments) ①


≤ 25 segments 64.2% (1K documents) > 25 segments 35.8% (585 documents) CC = 90.76% IA = 9.24%






Language Distribution

Number of segments in the Luba-Lulua (lua) corpus




Percentage of segments in Luba-Lulua (lua) inside documents



Distribution of documents by document score

score < 5 - 0% (0 documents) score \geq 5 - 100% (1.6K documents)




Segment length distribution by token

≤ 49 tokens = 37K segments | 3.5K duplicates > 50 tokens = 14K segments | 62 duplicates



Segment noise distribution



Frequent n-grams

SIZE	N-GRAMS	
1	ne 105,105 bua 55,574 mu 48,335 wa 37,918 udi 26,965	C
2	bualu bua 5,870	C
3	udi wamba ne 1,157	C
4	nkudimuinu wa bulongolodi bupiabupia 461	C
5	wa nzambi udi wamba ne 176	C

About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

Register labels

regioter labele					
Name	Abbr.	Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	HI	Description of a thing or person	dtp
Lyrical	LY	Recipe	re	FAQ	fi
Spoken	SP	Informational persuasion	IP	Legal terms & conditions	lt
Interview	it	Description with intent to sell	ds	Opinion	OP
Interactive discussion	ID	•		•	
Narrative	NA	News & opinion blog or editorial	ea	Review	rv
News report	ne	Informational description	IN	Opinion blog	ob
Sports report	sr	Enciclopedia article	en	Denominational religious blog or sermon	rs
Narrative blog	nb	Research article	ra	Advice	av