HPLT Analytics report



General overview

Corpus	Date	Language
hplt-v3-wol_Latn	9/18/2025	Wolof (wo)

Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size
5,056	161,394	143,895 (89.16 %)	4.9M	20,359,482	20.27 MB

Top 10 domains

Domain	Docs	% of total
defuwaxu.com	1.4K	28.09%
wikipedia.org	487	9.63%
ebible.org	475	9.39%
breakeveryyoke.com	444	8.78%
bible.is	358	7.08%
jw.org	197	3.90%
ettubwolof.org	173	3.42%
wolof-online.com	125	2.47%
iqna.ir	101	2.00%
al-habdul-xadii	94	1.86%


Top 10 TLDs


Domain	Docs	% of total
com	2.8K	54.83%
org	1.6K	30.78%
is	358	7.08%
ir	106	2.10%
net	86	1.70%
info	30	0.59%
sn	25	0.49%
fr	18	0.36%
download	15	0.30%
edu	12	0.24%

Documents size (in segments) ①

≤ 25 segments 76.17% (3.9K documents)> 25 segments 23.83% (1.2K documents)

CC = 91.30% IA = 8.70%







Document collections

Language Distribution

Number of segments in the Wolof (wo) corpus




Percentage of segments in Wolof (wo) inside documents



Distribution of documents by document score

score < 5 - 0% (0 documents) score \geq 5 - 100% (5.1K documents)




Segment length distribution by token

≤ 49 tokens = 141K segments | 17K duplicates > 50 tokens = 20K segments | 939 duplicates



Segment noise distribution



Frequent n-grams

SIZE	N-GRAMS	
1	nii 12,499	C
2	lëë xaa 2,572	
3	dinañuy wax tamit 1,577	
4	nii xniladzy xtiits dios 237	C
5	meñ nii xniladzy xtiits dios 177	C

About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

Register labels

regioter labele					
Name	Abbr.	Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	HI	Description of a thing or person	dtp
Lyrical	LY	Recipe	re	FAQ	fi
Spoken	SP	Informational persuasion	IP	Legal terms & conditions	lt
Interview	it	Description with intent to sell	ds	Opinion	OP
Interactive discussion	ID	•		•	
Narrative	NA	News & opinion blog or editorial	ea	Review	rv
News report	ne	Informational description	IN	Opinion blog	ob
Sports report	sr	Enciclopedia article	en	Denominational religious blog or sermon	rs
Narrative blog	nb	Research article	ra	Advice	av