HPLT Analytics report



General overview

Corpus	Date	Language
hplt-v3-cjk_Latn	9/17/2025	Chokwe (cjk)

Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size
1,081	29,646	27,503 (92.77 %)	1.2M	6,972,103	6.73 MB

Top 10 domains

Domain	Docs	% of total
jw.org	1K	96.39%
globalrecording	9	0.83%
bible.com	7	0.65%
watchtower.org	4	0.37%
rna.ao	4	0.37%
contafrica.org	3	0.28%
unicode.org	2	0.19%
svfellowship.info	1	0.09%
securesites.net	1	0.09%
ohchr.org	1	0.09%

Top 10 TLDs


Document collections


Domain	Docs	% of total
org	1.1K	97.59%
net	10	0.93%
com	10	0.93%
ao	4	0.37%
info	1	0.09%
gq	1	0.09%

Documents size (in segments) (i

≤ 25 segments 64.94% (702 documents)> 25 segments 35.06% (379 documents)


CC = 37.37% IA = 62.63%






Language Distribution

Number of segments in the Chokwe (cjk) corpus




Percentage of segments in Chokwe (cjk) inside documents





Distribution of documents by document score


score < 5 - 0% (0 documents) score $\geq 5 - 100\%$ (1.1K documents)




Segment length distribution by token







Segment noise distribution



Frequent n-grams

	-	
SIZE	N-GRAMS	
1	yehova 9,972	C
2	mumu liaka 833 vyuma muka 795 mu mbimbiliya 680 hakutwala ku 670 kaha nawa 666	
3	yela ja yehova 374 wanangana wa zambi 281 liji lia zambi 228 jina lia zambi 181 haya myaka yosena 177	
4	mu zuwo lia ususu 132	C
5	world translation of the holy 70	C

About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

Register labels

regioter labele					
Name	Abbr.	Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	HI	Description of a thing or person	dtp
Lyrical	LY	Recipe	re	FAQ	fi
Spoken	SP	Informational persuasion	IP	Legal terms & conditions	lt
Interview	it	Description with intent to sell	ds	Opinion	OP
Interactive discussion	ID	•		•	
Narrative	NA	News & opinion blog or editorial	ea	Review	rv
News report	ne	Informational description	IN	Opinion blog	ob
Sports report	sr	Enciclopedia article	en	Denominational religious blog or sermon	rs
Narrative blog	nb	Research article	ra	Advice	av