# **HPLT Analytics report**



### **General overview**

Corpus	Date	Language	
hplt-v3-umb_Latn	9/18/2025	Umbundu	

### Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size
2,124	43,464	41,479 (95.43 %)	2.3M	12,003,851	11.56 MB

### Top 10 domains


Domain	Docs	% of total
jw.org	1.7K	81.78%
kundana.com.na	185	8.71%
neweralive.na	109	5.13%
blogspot.com	19	0.89%
namibian.com.na	14	0.66%
gotquestions.org	10	0.47%
globalrecording	10	0.47%
omulunga.com.na	7	0.33%
watchtower.org	6	0.28%
stalk.info	2	0.09%

### Top 10 TLDs


**Document collections** 


Domain	Docs	% of total
org	1.8K	82.91%
com.na	206	9.70%
na	109	5.13%
com	31	1.46%
net	10	0.47%
info	4	0.19%
ao	2	0.09%
co.uk	1	0.05%

## Documents size (in segments) 🛈




## CC = 67.80% IA = 32.20%






## **Language Distribution**

### Number of segments in the Umbundu corpus




### Percentage of segments in Umbundu inside documents




# Distribution of documents by document score


score < 5 - 0% (0 documents) score  $\geq 5 - 100\%$  (2.1K documents)



## Segment length distribution by token



### Segment noise distribution



## Frequent n-grams

SIZE	N-GRAMS	
1	li   47,018	0
2	okwa li   9,835	C
3	ova li va   2,570	C
4	okwa li a lombwela   401	
5	kashi na nee mbudi kutya   217 dulu oku tu kwafela tu   167 mbela ou shi shii kutya   140 okwa li e shii kutya   134 jesus okwa li a lombwela   102	C

### **About HPLT Analytics**

### **Volumes - Segments**

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

#### Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

### Type-Token Ratio

Lexical variety computed as \*number or types (uniques)/number of tokens\*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

### Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

### Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

### Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

### Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

### Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

#### Segment length distribution by token

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$ 

### Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

#### Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

#### Register labels

regioter labele					
Name	Abbr.	Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	HI	Description of a thing or person	dtp
Lyrical	LY	Recipe	re	FAQ	fi
Spoken	SP	Informational persuasion	IP	Legal terms & conditions	lt
Interview	it	Description with intent to sell	ds	Opinion	OP
Interactive discussion	ID	•		•	
Narrative	NA	News & opinion blog or editorial	ea	Review	rv
News report	ne	Informational description	IN	Opinion blog	ob
Sports report	sr	Enciclopedia article	en	Denominational religious blog or sermon	rs
Narrative blog	nb	Research article	ra	Advice	av