HPLT Analytics report



General overview

Corpus	Date	Language
hplt-v3-knc_Latn	9/23/2025	Central Kanuri

Volumes

Docs	Segments	Unique segments	Tokens	Characters	Size
1,387	30,472	21,138 (69.37 %)	1.7M	7,090,958	7.6 MB

Top 10 domains

Domain	Docs	% of total
bible.is	755	54.43%
dandalkura.com	298	21.49%
wikimedia.org	121	8.72%
ebible.org	98	7.07%
fivecowries.online	45	3.24%
ngbible.com	11	0.79%
bibles.org	7	0.50%
bible.com	7	0.50%
boudouma.com	5	0.36%
shadowserver.org	4	0.29%


Top 10 TLDs


Domain	Docs	% of total
is	755	54.43%
com	333	24.01%
org	243	17.52%
online	45	3.24%
net	3	0.22%
ru	2	0.14%
club	2	0.14%
io	1	0.07%
info	1	0.07%
in	1	0.07%

Document collections

Documents size (in segments) ①


≤ **25** segments **95.17%** (1.3K documents) > **25** segments **4.83%** (67 documents) CC = 99.35% IA = 0.65%






Language Distribution

Number of segments in the Central Kanuri corpus




Percentage of segments in Central Kanuri inside documents




Distribution of documents by document score

score < 5 - 0% (0 documents) score $\geq 5 - 100\%$ (1.4K documents)




Segment length distribution by token

≤ 49 tokens = 27K segments | 9.3K duplicates > 50 tokens = 3.3K segments | 77 duplicates



Segment noise distribution



Frequent n-grams

SIZE	N-GRAMS	
1	ka 35,053	C
2	tɨ kɨ 2,176	
3	ane tuk na 734 andza niye na 467 bazlam i mbəlom 446 əŋki ci ka 344 taa wu patə 315	
4	ha bazlam i mbəlom 206	
5	mape madzal gar hay ka 182	C

About HPLT Analytics

Volumes - Segments

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Volumes - Tokens

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md

Type-Token Ratio

Lexical variety computed as *number or types (uniques)/number of tokens*, after removing punctuation (https://www.sltinfo.com/wp-content/uploads/2014/01/type-token-ratio.pdf).

Document size (in segments)

Segments correspond to paragraph and list boundaries as defined by HTML elements (, , , etc.) replaced by newlines.

Language distribution

Language identified with FastSpell (https://github.com/mbanon/fastspell).

Distribution of segments by fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by average fluency score

Obtained with Monocleaner (https://github.com/bitextor/monocleaner).

Distribution of documents by document score

Obtained with Web Docs Scorer (https://github.com/pablop16n/web-docs-scorer/).

Segment length distribution by token

 $To kenized\ with\ https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md$

Segment noise distribution

Obtained with Bicleaner Hardrules (https://github.com/bitextor/bicleaner-hardrules/).

Frequent n-grams

Tokenized with https://github.com/hplt-project/data-analytics-tool/blob/main/tokenizers-info.md, after removing n-grams starting or ending in a stopword. Stopwords from https://github.com/hplt-project/data-analytics-tool/blob/main/scripts/resources/README.txt

Register labels

regioter labele					
Name	Abbr.	Name	Abbr.	Name	Abbr.
Machine-translated	MT	How-to or instructions	HI	Description of a thing or person	dtp
Lyrical	LY	Recipe	re	FAQ	fi
Spoken	SP	Informational persuasion	IP	Legal terms & conditions	lt
Interview	it	Description with intent to sell	ds	Opinion	OP
Interactive discussion	ID	•		•	
Narrative	NA	News & opinion blog or editorial	ea	Review	rv
News report	ne	Informational description	IN	Opinion blog	ob
Sports report	sr	Enciclopedia article	en	Denominational religious blog or sermon	rs
Narrative blog	nb	Research article	ra	Advice	av