


Name _____ Period _____

Skill 34.1 Exercise 1

Pretend we are all-powerful and have a list of the weights of every Atlantic Salmon currently alive. We use those data to create the population histogram shown below.



Two students take samples from the same population. One uses a sample size of 10 and the other uses a sample size of 200. Which sample mean would you generally trust more as an estimate of the population mean, and why?

If you repeatedly take 1,000 samples of size 10 from this population and calculate the mean of each sample, what would you expect the distribution of those sample means to look like? Explain your reasoning.

Name _____ Period _____


Skill 34.2 Exercise 1

Refer to the code below, which loads data about cod

```
population = pd.read_csv("cod_population.csv")  
population = population['Cod_Weight']  
sample_size = 50  
sample_means = []
```

- Write a loop to take 500 random samples
- Inside the loop, use `np.random.choice(population, sample_size, replace = False)` to take a random sample of `sample_size = 50`.
- Calculate the mean of each sample and store it in `sample_means`.

Below is histogram that shows the distribution of the means of our cod samples,



What value seems to be the center of this sampling distribution?


Why are the sample means not all exactly the same?

If the sample size increased from 50 to 100, how would you expect this histogram to change?


Name _____ Period _____

Skill 34.3 Exercise 1

Pretend we are all-powerful and have a list of the weights of every Cod currently alive. We use those data to create the population histogram shown below.



In the previous exercise we created a histogram that showed the distribution of 500 means for a population of 50. Below is the histogram, along with another that shows the distribution of 500 means for a population of 6.






The population of cod weights is strongly right-skewed, but the sampling distribution of the mean for $n = 50$ looks much more symmetric. How does this illustrate the Central Limit Theorem

Name _____ Period _____

Skill 34.4 Exercise 1

Refer to the graphs below,

This graph shows the population distribution, where the mean is 36 and the standard deviation is 30



Refer to the bottom two graphs. Both sampling distributions are centered near 36. How does their spread differ, and what does that tell us about the effect of sample size on standard error? Which graph likely came from the larger sample size, and how can you tell?

Skill 34.5 Exercise 1

Consider a population with the following values,

2, 5, 7, 12

Where the minimum is 2.

Indicate all the possible samples of size 2 (without replacement)

Name _____ Period _____

What is the minimum value for each pair?
What is the average of the minimum values?
Is the minimum a biased indicator?
Calculate the mean for all the possible samples of size 2, then average theses.
Compare the mean for all the possible samples of size 2 to the mean of the original population.
Is the mean a biased indicator?

Skill 34.6 Exercise 1
We know that cod have an average weight of 36 lbs with a standard deviation of 20. We want to try to fit 25 cod fish into our same crate that can hold up to 750 lbs.
Calculate the standard error for a sample size of 25. Using the above information.
Use the normal CDF to calculate the probability that a sample of 25 fish has a mean weight of 30 lbs (The minimum weight required to fit 25 in the crate)
<code>stats.norm.cdf(x,mean,standard_error)</code>
The value above is 0.066807201268. What does this communicate? And, would you try to fit 25 cod in the crate?